COMMERCIAL VEHICLE RANGE PRICE GUIDE



18 September 2017

Contents: Model Year 2018 (pages 2-103) Model Year 2017 (pink pages 2-104)



Range pricing information

Contents

Corsavan Prices	3
Corsavan Equipment/Options	4
Combo Prices	14
Combo Equipment/Options	18
Vivaro Prices	26
Vivaro Equipment/Options	30
Movano Prices	43
Movano Equipment/Options	56
Movano One-Invoice Approved Conversions	71
Glossary of Terms	75
Customer Care	76
Corsavan Specifications	77
Combo Specifications	78
Vivaro Specifications	81
Movano Specifications	86
Accessories	100
	-

Vauxhall on-the-road recommended retail prices (RRP)

To eliminate uncertainty about hidden costs incurred when buying a new commercial vehicle, Vauxhall publishes on-the-road prices and these are shown in the pricing tables within this price guide. The prices shown are manufacturer's recommended retail prices (RRP) unless otherwise stated, exclusive of VAT (currently at a rate of 20% which may be payable). These prices include the recommended cost of number plates, delivery to a Vauxhall Retailer of £583.33 (£700.00 including VAT), 12 months' Government Vehicle Excise Duty* (shown on each model page) and the DVLA new vehicle first registration fee of £55.00*.

Please note: The RRP does not include fuel supplied by the Retailer, motor insurance or any other goods or services supplied by agreement between the Retailer and customer. *Correct at time of publication.

Price protection for all Vauxhalls

Order a new Vauxhall for build in the current model year (as confirmed by your Retailer) for delivery no more than three months in advance and the price you are quoted is the price you pay. This is irrespective of any subsequent price rises between placing your order and delivery of your new commercial vehicle, but you must take delivery as soon as the commercial vehicle is available. Vauxhall Motors Limited is not liable for price adjustments caused by Government changes in the rate of VAT (currently 20%). Vehicle Excise Duty, DVLA new vehicle first registration fee or by any other applicable legislation or regulations.

CORSAVAN PRICES

			Fuel ecor	omy mpg (litres	/100km)#	60		On the model	
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	CO ₂ emissions (g/km)#	Price (£) exc. VAT	On-the-road RRP (£) exc. VAT	
CORSAVAN (EURO 6)									
1.2i (70PS)	1045	560	42.2 (6.7)	61.4 (4.6)	52.3 (5.4)	126	11830.00	12708.33	
1.3CDTi (75PS) Start/Stop	1124	571	55.4 (5.1)	83.1 (3.4)	70.6 (4.0)	107	13080.00	13958.33	
1.3CDTi (95PS) Start/Stop ecoTEC	1124	571	68.9 (4.1)	88.3 (3.2)	78.5 (3.6)	94	13530.00	14408.33	
1.3CDTi (95PS) Start/Stop ecoTEC Easytronic	1124	581	70.6 (4.0)	91.1 (3.1)	83.1 (3.4)	91	14150.00	15028.33	
CORSAVAN SPORTIVE (EURO 6)									
1.3CDTi (95PS) Start/Stop	1177	543	57.6 (4.9)	78.5 (3.6)	68.9 (4.1)	108	14530.00	15408.33	

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. * = For definitions please refer to Glossary of Terms.

= Fuel consumption information is official government environmental data, tested in accordance with the relevant EU directive. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

3

SAFETY	Corsavan	Sportive	Price (£) exc. VAT
Airbags:			
Driver's dual-stage airbag Passenger's dual-stage airbag with deactivation switch Side-impact airbags Full-size-curtain airbags	•		
Seating:			
Height-adjustable seat head restraints Anti-submarining ramps – Helps prevent occupants sliding underneath the lap belt during a collision.	•		
Seatbelts:			
• Inertia-reel lap and diagonal seatbelts • Height-adjustable seatbelts • Seatbelt pretensioner system – Pretensioners tighten the seatbelt in the event of an			
accident limiting forward movement. • Seatbelt force limiters – Reduces potential upper body injuries during a frontal impact. • Seatbelt unfastened audible		•	
warning and warning light			
Body:			
 Pedal release system – Reduces potential injury to the driver's legs and feet during a severe frontal impact. 			
Laminated windscreen Side-impact protection beams Reinforced passenger safety cell Fuel tank located ahead of rear axle			
Stability:			
Electronic Stability Programme-plus (ESP-plus) with traction control – Works in conjunction with the vehicle's electronic braking and engine systems to keep the			
vehicle stable in many different situations. ESP monitors a variety of inputs to determine when the vehicle starts to lose traction, it can then immediately respond by			
varying the brake pressure between up to three wheels and adjust the engine output to help correct the loss of traction and improve stability.			
Drag torque control – Helps maintain stability when suddenly lifting off the accelerator.			
Tyre pressure:			
• Tyre pressure monitoring system			
Braking:			
Four-channel Anti-lock Braking System (ABS) – Prevents the vehicle's wheels from locking up under heavy braking by momentarily reducing brake pressure at the			
appropriate wheel, ensuring that you can maintain control of the steering.			
Emergency brake assist – When emergency braking is detected the vehicle automatically applies the maximum possible braking assistance.			
Electronic brakeforce distribution – Automatically apportions the optimum braking force to each wheel.			
Hill start assist – Briefly maintains rear brake pressure to stop the vehicle rolling back on an incline.			
Cornering brake control / Straight line stability control – Senses the different speeds of each wheel and applies differing braking levels to each one to ensure the			
whole vehicle remains under control.			

SECURITY

Features:]
• Electronic engine deadlock immobiliser • Steering column lock • Electronic theft protection for audio equipment • 'Key left in ignition' audible warning		•	•	
Visible Vehicle Identification Number (VIN)				
Locking wheel bolts for alloy wheels			•	1
Remote control door locking (doors, tailgate and fuel flap):				-
Remote control door locking Two folding keys with integral remote Door deadlocks		•	•	
Security alarm system:				
Remote control – Operates in conjunction with central locking.		0	0	220.0
• Tilt sensor • Thatcham approved	Option code: XiC5			

• = Standard equipment.

COMFORT AND	SEATING
--------------------	---------

COMFORT AND SEATING	Corsavan	Sportive	Price (£) exc. VAT
 Steering column adjustable for reach and rake Leather-covered steering wheel (Sportive models) Floor-mounted handbrake lever Spot Shimmer black cloth seat trim (Standard models) Lace cloth seat trim (Sportive models) Height-adjustable seatbelts 	•	•	
Seating:	•	•	
Reach Backrest recline Easy-entry seats with memory function			
• Driver's seat height adjuster Option code: AH3	0		70.00
Sports-style seats		•	

INTERIOR CONVENIENCE

Accorsory cockets

Accessory sockets:		
Facia-mounted 12-volt accessory socket		
Interior:		
 Storage box on driver's side lower facia Illuminated glovebox with lid Coin holder Drinks holder in centre console Door pockets Dipping rear-view mirror Twin sunvisors, driver's with vanity mirror and cover Chrome-effect door handles and handbrake button Driver and passenger's tiltable assist handles 	•	•
Automatic anti-dazzle rear-view mirror		
Lighting:		
Centre fade up/fade down courtesy light Map reading lights		
Ambient lighting		

• = Standard equipment. O = Optional at extra cost.

5

DRIVER ASSISTANCE		Corsavan	Sportive	Price (£) exc. VAT
 Driving Assistance Pack (deletes City mode steering): A wide range of class-leading driver assistance and safety features are controlled by the front camera system. Forward collision alert: The system warns you when approaching another vehicle too quickly – operates at speeds above 25mph. Visual warnings – projected onto windscreen and shown in the instrument cluster • Audible warning Sensitivity can be adjusted via a steering wheel mounted control Traffic sign recognition: Detects and then displays speed limits, reducing uncertainty and the risk of speeding. Recognises different road signs, including temporary speed restrictions • Displays reminder in the instrument cluster 		0	0	1110.00
 Following distance indicator: At speeds above 25mph indicates how many seconds you are behind the vehicle in front – helping you maintain a safe distance. Timings are shown in the instrument cluster Lane departure warning: If the driver has not actively steered or signalled, the lane departure warning system warns when the car moves outside of lane markings at speeds above 37mph. Warning light in instrument cluster • Audible warning • Facia on/off switch 				1110.00
 On Corsavan, Driving Assistance Pack is only available in conjunction with optional cruise control. Automatic anti-dazzle rear-view mirror 	Option code: OBG			
Cruise control, includes leather-covered steering wheel	Option code: N34	0		120.00
Speed limiter: • Choice of two speeds: 62mph / 68mph – Only available on 1.3CDTi (95PS) manual models.	Option code: (62mph) KYK Option code: (68mph) KYL	0		85.00
• Two-speed windscreen wipers • Variable intermittent wipe • Electric screenwash • Intermittent rear windows wash/wipe		•	•	
Rain-sensitive windscreen wipers			•	
Parking assistance: • Rear parking distance sensors • Audible warning • Distance warning graphic showing in driver information display	Option code: UD7	0	0	260.00
 Rear-view camera Camera view appears in infotainment screen Rear bumper and one-metre grid lines shown as reference points – Activated when reverse gear selected. Requires rear parking distance sensors and IntelliLink. 	Option code: UVC		0	235.00

Speedometer • Rev counter • Fuel gauge with low fuel warning light • Fuel economy gauge • Coolant temperature warning light Speedometer • Rev counter • Fuel gauge with low fuel warning light • Fuel economy gauge • Coolant temperature warning light Shift-up indicator Indicates when to change gear for optimum fuel economy.			Price (£) exc. VAT	
Instrumentation:				
Speedometer Rev counter Fuel gauge with low fuel warning light Fuel economy gauge Coolant temperature warning light	•			
ECO features:				
Shift-up indicator	•	•		
– Indicates when to change gear for optimum fuel economy.				
Driver information display:				
Monochrome display located in instrument cluster Odometer Service-due indicator	•	-		
Central facia display:				
Audio information • Digital clock with automatic RDS time adjustment • Outside air temperature with ice warning function	•	•		
Additional features and location dependent on infotainment unit (see Infotainment for details)				
	•]	
	•	•		
Mobile phone portal: • Bluetooth [®] connectivity • Handsfree calls via steering wheel controls • Vehicle microphone				
R4.0 IntelliLink touchscreen infotainment system:				
Onboard features: • DAB digital radio • AM/FM stereo radio with 36-station presets • 7-inch facia-mounted colour touchscreen • RDS with Traffic Programme				
• Four speakers • 20 watts per channel output				
Media connections: • USB connection with iPod control • Bluetooth [®] audio streaming (A2DP Profile)	0	0	760.00	
Mobile phone portal: Bluetooth® connectivity Handsfree calls via steering wheel controls Vehicle microphone				
• Phone book access – Contacts / last calls / missed calls etc. are mirrored on the display and are easily navigated using the touchscreen (features				
			1	

dependent on mobile phone)
Additional features:

• Steering wheel mounted audio controls • Flexible roof-mounted aerial

• = Standard equipment. O = Optional at extra cost.

7

Option code: CR03

ONSTAR					c	orsavan	Sportive	Total (£) inc. VAT
SOS Automatic Crash Response	Wi-Fi Hotspot	5 Smartphone App	Stolen Vehicle Assistance	Vehicle Diagnostics				
revolutionary: host of innova	talk about inno 24/7, 365 day tions, from Veh	vation as soon as t s a year, Vauxhall (iicle Diagnostics ar	hey improve their c OnStar puts you in t	up holders but this innovative system, now available on selected models**, is buch with a trained advisor, not a machine. With OnStar you have access to a tion to a fully integrated 4G Wi-Fi Hotspot ⁺ . In the event of an accident, Vauxhall g of safety.		0	0	360.00
customer accepts tl with security alarm ** = The OnStar Se network operator. † = 4G is subject to	ne nominated networ system. rvices require activa mobile network cove	rk operator Wi-Fi T's&C's. tion and are subject to mo erage and availability. Chai	Does not include destination bile network coverage and rges apply after the free tri	Wi-Fi free trial period (whichever comes first) effective from the date the n download feature. Theft alert feature only operates on models fitted availability. Wi-Fi Hotspot service requires account with nominated l period. The OnStar subscription packages could be different from the inditions, details of availability, coverage and charges.	code: UE1			

O = Optional at extra cost.

HEATING AND VENTILATION	Corsavan Sportive		exc. VAT
Air blend heater: • Four-speed fan • Illuminated controls • Four adjustable facia vents • Windscreen demist vents • Side window demist vents	•	•	
Air conditioning: • Air recirculation facility • Cabin particulate filter – <i>Removes dust, airborne particles and pollen</i> • Illuminated controls Option code: C60	0	•	435.00
Electronic climate control: Incorporating air conditioning • Single-zone control • Six-speed fan • Advanced predictive logic control system using sun sensor • Cabin particulate filter • LCD temperature display • Automatic air direction and fan speed with manual override • Illuminated controls • Pollen filter - On Corsavan, only in conjunction with air conditioning. • Option code: C68 	0	0	360.00
Winter Pack: • Heated leather-covered steering wheel • Heated seats - On Corsavan, only available in conjunction with cruise control. Option code: OBL	0	0	205.00

LOAD ACCESS

Rear glazed tailgate:	
Heated rear window with wash/wipe facility • Interior tailgate handle	

LOAD RESTRAINT / PROTECTION

Load anchorage:			•	
Load restraint lashing eyes		•		
• Cargo net	Option code: BNN	0	0	35.00
• Fixing points for cargo net	Option code: V91	0	0	35.00
• Half-height plastic side load lining panels		•	•	
Bulkhead: • Half-height steel bulkhead		•	•	
Load area rubber floor mat	Option code: BG9	0	0	55.00
Upper load restraint mesh	Option code: AP9	0	0	75.00
Load compartment cover	Option code: B75	0	0	55.00
Illuminated load area		•	•	
- Standard equipment O - Optional at outra cost			1	_

• = Standard equipment. O = Optional at extra cost.

Please note: The air conditioning in vehicles with N1 type approval relies upon fluorinated greenhouse gases (R134a) for its functioning. The front system contains a quantity of overall 580g of R 134a, which corresponds to a CO₂ equivalent of 0.83 tons. The front and rear system contains a quantity of overall 580g of R 134a, which corresponds to a CO₂ equivalent of 1.27 tons. The global warming potential amounts to 1430. Information acc. to R (EU) No. 517/2014.

Price (£)

Heated windscreen Option code: Electrically operated windows • Tinted windows • Heated rear window			Sportive	Price (£ exc. VA
/indows:	1 650	0	•	100.00
	n code: C50		-	
oor mirrors:				
Foldable electrically adjustable door mirrors – Heated on Sportive models. Wide-angle mirror on driver's side			•	
Body colour door mirrors				

EXTERIOR LIGHTING

Standard lighting:		
• Halogen headlights • Welcome lighting • Lights-on audible warning • Electric headlight beam levelling • Reversing lights • Hazard warning lights	•	
• Rear fog light • Adaptive brake lights • High-level LED centre brake light • Side-repeat indicators • Daytime running lights – LED on Sportive models.		
Front fog lights – With chrome-effect surround.		
Automatic lighting control		

EXTERIOR COLOURS	Corsavan	Sportive	Price (£) exc. VAT
 Summit White (GAZ) Solid paint Solid paint Royal Blue (GEK) Solid paint 	•	N/C	
Eava Red (GG7) Brilliant paint	0	N/C	260.00
Mineral Black (GB9) • Two-coat metallic paint Satin Steel Grey (GF6) • Two-coat metallic paint			
Sovereign Silver (GAN) • Two-coat metallic paint • Two-coat metallic paint • Two-coat metallic paint	0	N/C	390.00
Darkmoon Blue (GDX) Two-coat metallic paint			

● = Standard equipment. ○ = Optional at extra cost. N/C = No-cost option.

The colours reproduced may vary slightly from the actual paint colour. As a result they should be used as a guide only. Your Vauxhall Retailer has a comprehensive display of our paint samples.

WHEELS AND TYRES	Corsavan	Sportive	Price (£) exc. VAT
Full-size steel spare wheel	•		
Steel space-saver spare wheel			
 14-inch steel wheels with flush covers – Petrol models: 185/70 R 14 tyres Full-size steel spare wheel 	•		
 15-inch steel wheels with flush covers - Diesel models: 185/65 R 15 tyres Full-size steel spare wheel 	•		
16-inch alloy wheels: 195/55 R 16 tyres • Steel space-saver spare wheel		•	
16-inch black alloy wheels: • 195/55 R 16 tyres • Steel space-saver spare wheel Option code: RV5		0	110.00

• = Standard equipment. O = Optional at extra cost.

TYRE RATINGS

Turna airea	Fuel efficiency	Wet grip	Extern	al noise
Tyre size	group	performance	Measured (dB)	Group
185/70 R 14	В	В	70	((f-0))
185/65 R 15	B-C	В	69-70	((f-1))
195/55 R 16	B-C	В	68-71	(((- (1)))-))

Tyre rating according to EU Regulation 1222/2009

MECHANICAL	Corsavan S	Sportive	Price (£) exc. VAT
Standard features:			
• Front-wheel drive • Transverse engine / gearbox • Gas-pressure dampers • Front anti-roll bar	•	•	
Transmissions:			
Five-speed manual gearbox			
Six-speed manual gearbox		•	
Five-speed Easytronic transmission			See prices
– Available on 1.3CDTi (95PS) ecoTEC models	0		page
Steering:			
• Speed-sensitive electrically assisted power steering – Variable rate on diesel models. • Rack and pinion			
• City-mode button providing lighter steering at parking speeds – Deleted if Driving Assistance Pack is specified.	•	•	
Turning circle: Kerb-to-kerb			
All models 10.6m (34.8ft.)			
Brakes:			
Front ventilated disc brakes:			
257mm diameter (1.2i models)			
• 284mm diameter (1.3CDTi models)	•	•	
Rear drum brakes:			
• 228mm diameter (all models)			
Fuel tank:			
• 45 litres (9.9 gallons) capacity	•	•	
Electrical:			
Maintenance-free battery:			
• 40Ah (1.2i models) • 60Ah (1.3CDTi models)	•	•	
Alternator:			
• 130A (1.2i models) • 140A (1.3CDTi models)			
Front suspension:			
Independent lightweight MacPherson struts Coil springs Telescopic gas-pressure dampers	●	•	
Rear suspension:			
Compound crank Coil springs Gas pressure dampers		•	
$ = $ Standard equipment $ \cap = $ Ontional at extra cost			

COMBO PANEL VAN PRICES



. ..

Model			Fuel econ		On-the-road			
	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	CO ₂ emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L1 H1 PANEL VAN (EURO 6)								
2000 1.4i (95PS) Start/Stop	1355	740	30.7 (9.2)	49.6 (5.7)	40.4 (7.0)	163	14340.00	15218.33
2000 1.3CDTi (95PS)	1365	740	43.5 (6.5)	67.3 (4.2)	56.5 (5.0)	133	15625.00	16503.33
2000 1.3CDTi (95PS) Start/Stop	1365	740	52.3 (5.4)	68.9 (4.1)	61.4 (4.6)	120	15910.00	16788.33
2000 1.6CDTi (105PS)	1395	768	44.8 (6.3)	64.2 (4.4)	55.4 (5.1)	134	16615.00	17493.33
2000 1.6CDTi (105PS) Start/Stop	1395	768	53.3 (5.3)	68.9 (4.1)	62.8 (4.5)	120	16900.00	17778.33
2300 1.3CDTi (95PS)	1395	990	43.5 (6.5)	67.3 (4.2)	56.5 (5.0)	133	15820.00	16698.33
2300 1.3CDTi (95PS) Start/Stop	1395	990	52.3 (5.4)	68.9 (4.1)	61.4 (4.6)	120	16105.00	16983.33
2300 1.6CDTi (105PS)	1465	1018	43.5 (6.5)	64.2 (4.4)	54.3 (5.2)	135	16810.00	17688.33
2300 1.6CDTi (105PS) Start/Stop	1465	1018	53.3 (5.3)	67.3 (4.2)	61.4 (4.6)	121	17095.00	17973.33
L1 H1 SPORTIVE PANEL VAN (EURO 6)								
2000 1.3CDTi (95PS)	1365	695	43.5 (6.5)	67.3 (4.2)	56.5 (5.0)	133	16895.00	17773.33
2000 1.3CDTi (95PS) Start/Stop	1365	695	52.3 (5.4)	68.9 (4.1)	61.4 (4.6)	120	17180.00	18058.33
2000 1.6CDTi (105PS) Start/Stop	1395	723	53.3 (5.3)	68.9 (4.1)	62.8 (4.5)	120	18170.00	19048.33
2300 1.3CDTi (95PS)	1395	945	43.5 (6.5)	67.3 (4.2)	56.5 (5.0)	133	17090.00	17968.33
2300 1.3CDTi (95PS) Start/Stop	1395	945	52.3 (5.4)	68.9 (4.1)	61.4 (4.6)	120	17375.00	18253.33
2300 1.6CDTi (105PS) Start/Stop	1465	973	53.3 (5.3)	67.3 (4.2)	61.4 (4.6)	121	18365.00	19243.33
L1 H2 PANEL VAN (EURO 6)								
2000 1.6CDTi (105PS) Start/Stop	1445	740	53.3 (5.3)	60.1 (4.7)	57.6 (4.9)	131	17650.00	18528.33
2300 1.6CDTi (105PS) Start/Stop	1475	1018	53.3 (5.3)	60.1 (4.7)	57.6 (4.9)	131	17845.00	18723.33
L1 H2 SPORTIVE PANEL VAN (EURO 6)								
2000 1.6CDTi (105PS) Start/Stop	1445	695	53.3 (5.3)	60.1 (4.7)	57.6 (4.9)	131	18920.00	19798.33
2300 1.6CDTi (105PS) Start/Stop	1475	973	53.3 (5.3)	60.1 (4.7)	57.6 (4.9)	131	19115.00	19993.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. * = For definitions please refer to Glossary of Terms.

COMBO PANEL VAN PRICES



Model		Fuel economy mpg (litres/100km)# CO ₂						On-the-road
	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L2 H1 PANEL VAN (EURO 6)								
2300 1.4i (95PS) Start/Stop	1360	920	30.7 (9.2)	49.6 (5.7)	40.4 (7.0)	163	15340.00	16218.33
2300 1.3CDTi (95PS)	1460	990	42.8 (6.6)	65.7 (4.3)	55.4 (5.1)	136	16625.00	17503.33
2300 1.3CDTi (95PS) Start/Stop	1460	990	51.4 (5.5)	67.3 (4.2)	60.1 (4.7)	123	16910.00	17788.33
2300 1.6CDTi (105PS)	1505	1018	43.5 (6.5)	64.2 (4.4)	54.3 (5.2)	135	17615.00	18493.33
2300 1.6CDTi (105PS) Start/Stop	1505	1018	53.3 (5.3)	67.3 (4.2)	61.4 (4.6)	121	17900.00	18778.33
L2 H1 SPORTIVE PANEL VAN (EURO 6)								
2300 1.3CDTi (95PS)	1460	960	42.8 (6.6)	65.7 (4.3)	55.4 (5.1)	136	17710.00	18588.33
2300 1.3CDTi (95PS) Start/Stop	1460	960	51.4 (5.5)	67.3 (4.2)	60.1 (4.7)	123	17995.00	18873.33
2300 1.6CDTi (105PS) Start/Stop	1505	988	53.3 (5.3)	67.3 (4.2)	61.4 (4.6)	121	18985.00	19863.33
L2 H2 PANEL VAN (EURO 6)								
2300 1.6CDTi (105PS) Start/Stop	1535	1018	50.4 (5.6)	60.1 (4.7)	56.5 (5.0)	133	18900.00	19778.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance.

* = For definitions please refer to Glossary of Terms.

COMBO CREW VAN PRICES



			Fuel econ	omy mpg (litres	/100km)#	C0 ₂		On-the-road
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L1 H1 CREW VAN (EURO 6)								
2300 1.3CDTi (95PS)	1485	804	42.8 (6.6)	65.7 (4.3)	55.4 (5.1)	136	16620.00	17498.33
2300 1.3CDTi (95PS) Start/Stop	1485	804	51.4 (5.5)	67.3 (4.2)	60.1 (4.7)	123	16905.00	17783.33
2300 1.6CDTi (105PS)	1505	804	44.1 (6.4)	62.8 (4.5)	54.3 (5.2)	136	17610.00	18488.33
2300 1.6CDTi (105PS) Start/Stop	1505	804	54.3 (5.2)	65.7 (4.3)	61.4 (4.6)	122	17895.00	18773.33
L1 H1 SPORTIVE CREW VAN (EURO 6)								
2300 1.3CDTi (95PS)	1485	784	42.8 (6.6)	65.7 (4.3)	55.4 (5.1)	136	17705.00	18583.33
2300 1.3CDTi (95PS) Start/Stop	1485	784	51.4 (5.5)	67.3 (4.2)	60.1 (4.7)	123	17990.00	18868.33
2300 1.6CDTi (105PS) Start/Stop	1505	784	54.3 (5.2)	65.7 (4.3)	61.4 (4.6)	122	18980.00	19858.33
L2 H1 CREW VAN (EURO 6)								
2300 1.3CDTi (95PS)	1505	804	42.8 (6.6)	65.7 (4.3)	55.4 (5.1)	136	17425.00	18303.33
2300 1.3CDTi (95PS) Start/Stop	1505	804	51.4 (5.5)	67.3 (4.2)	60.1 (4.7)	123	17710.00	18588.33
2300 1.6CDTi (105PS)	1600	804	43.5 (6.5)	61.4 (4.6)	53.3 (5.3)	139	18415.00	19293.33
2300 1.6CDTi (105PS) Start/Stop	1600	804	53.3 (5.3)	64.2 (4.4)	60.1 (4.7)	125	18700.00	19578.33
L2 H1 SPORTIVE CREW VAN (EURO 6)								
2300 1.3CDTi (95PS)	1505	784	42.8 (6.6)	65.7 (4.3)	55.4 (5.1)	136	18510.00	19388.33
2300 1.3CDTi (95PS) Start/Stop	1505	784	51.4 (5.5)	67.3 (4.2)	60.1 (4.7)	123	18795.00	19673.33
2300 1.6CDTi (105PS) Start/Stop	1600	784	53.3 (5.3)	64.2 (4.4)	60.1 (4.7)	125	19785.00	20663.33

Model		Fuel economy mpg (litres/100km)# CO ₂						
	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) inc. VAT
L1 H1 GLAZED CREW VAN (EURO 6)								
2300 1.3CDTi (95PS)	1485	764	42.8 (6.6)	65.7 (4.3)	55.4 (5.1)	136	16820.00	21179.00
2300 1.3CDTi (95PS) Start/Stop	1485	764	51.4 (5.5)	67.3 (4.2)	60.1 (4.7)	123	17105.00	21521.00
2300 1.6CDTi (105PS) Start/Stop	1505	764	54.3 (5.2)	65.7 (4.3)	61.4 (4.6)	122	18095.00	22709.00
L2 H1 GLAZED CREW VAN (EURO 6)								
2300 1.3CDTi (95PS)	1505	764	42.8 (6.6)	65.7 (4.3)	55.4 (5.1)	136	17625.00	22145.00
2300 1.3CDTi (95PS) Start/Stop	1505	764	51.4 (5.5)	67.3 (4.2)	60.1 (4.7)	123	17910.00	22487.00
2300 1.6CDTi (105PS) Start/Stop	1600	764	53.3 (5.3)	64.2 (4.4)	60.1 (4.7)	125	18900.00	23675.00

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance.

* = For definitions please refer to Glossary of Terms.

COMBO COLORADO PRICES

	Fuel economy mpg (litres/100km)# CO ₂							
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) inc. VAT
L2 H1 COLORADO CREW VAN (EURO 6)								
2300 1.3CDTi (95PS)	1505	814	42.8 (6.6)	65.7 (4.3)	55.4 (5.1)	136	18710.00	23447.00
Please note: On-the-road recommended retail prices (RRP) include numb	per plates and delivery to Retailer of £58	3.33 (exc. VAT), 12 mont	hs' Vehicle Excise Duty at	£240.00 and new vehicle	e first registration fee	of £55.00. Excludes fuel and	insurance.	

* = For definitions please refer to Glossary of Terms.

= Fuel consumption information is official government environmental data, tested in accordance with the relevant EU directive. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

The Combo Colorado is a fully glazed crew van without bulkhead suitable for conversion into a wheelchair accessible vehicle by a third-party Convertor. The Colorado includes basic Type Approval for registration as a Category N* Commercial Vehicle and 2nd stage Type Approval must be completed by the Convertor to enable registration. Available as an L2 H1 the Colorado is fitted with the highly efficient and economical 1.3CDTi (95PS) engine and includes second-row seats and interior trim.

Feature highlights:

- Type-approved for Euro 6 Category N* emissions
- Glazed between C- and D-pillars
- Air conditioning

- Two-coat metallic/Brilliant paint
- Body-coloured mirrors and bumpers
- Height-adjustable driver's seat with armrest and lumbar support
- Nearside and offside side-access doors with sliding windows
- Glazed tailgate with wash/wipe facility
- * = As a Category N Commercial Vehicle, the Colorado is subject to speed restrictions not applicable to a Passenger Vehicle. Please consult the DVSA website for further details.

SAFETY		Combo	Sportive	Colorado	Price (£) exc. VAT
Airbags:					
Driver's dual-stage airbag		-	•		
• Front passenger's airbag with deactivation switch	Option code: AK5	0	0	0	235.00
Front passenger's airbag with deactivation switch Driver and front passenger's side-impact airbags	Option code: AJ7	0	0	0	385.00
Seating:	·	•			
Height-adjustable head restraints		•	-		
 Active safety head restraints – Front seats only. 	Option code: AJF	0	0	0	45.00
Seatbelts:					
 Inertia-reel lap and diagonal seatbelts Height-adjustable front seatbelts Seatbelt pretensioner system – Pretensioners tighten the seatbelt in the event of an accident limiting forward movement. Front seatbelt force limiters – Reduces potential upper body injuries during a frontal impact. Seatbelt unfastened audible warning and warning light 		•	•	•	
Body: Laminated windscreen • Side-impact protection beams • Reinforced passenger safety cell • Fuel tank located ahead of rear axle		•	•	•	
Stability: Electronic Stability Programme-plus (ESP-plus) with traction control – Works in conjunction with the vehicle's electronic braking and engine systems to keep the vehicle stable in many different situations. ESP monitors a variety of inputs to determine when the vehicle starts to lose traction, it can then immediately respond by varying the brake pressure between up to three wheels and adjust the engine output to help correct the loss of traction and improve stability. Procedentiation of the constraint of the interview of the constraints.		•	•	•	
Drag torque control – Helps maintain stability when suddenly lifting off the accelerator.					
Anti-lock braking: Four-channel Anti-lock Braking System (ABS) – Prevents the vehicle's wheels from locking up under heavy braking by momentarily reducing brake pressure at the appropriate wheel, ensuring that you can maintain control of the steering. Emergency brake assist – When emergency braking is detected the vehicle automatically applies the maximum possible braking assistance. Electronic brakeforce distribution – Automatically apportions the optimum braking force to each wheel.		•	•	•	
Hill start assist – Briefly maintains rear brake pressure to stop the vehicle rolling back on an incline.					
Fire protection system: Fire protection system • Fuel cut-off		•	•	•	
SECURITY					
 Features: Electronic engine deadlock immobiliser Steering column lock Electronic theft protection for audio equipment 'Key left in ignition' audible warning Lockable glovebox Lockable fuel filler cap 		•	•	•	
Remote control door locking (doors, tailgate and fuel flap): Remote control door locking • Two folding keys with integral remote • Door deadlocks		•	•	•	
Alarm pre-installation kit – Accessory alarm available at extra cost.	Option code: TJD	0	0	0	60.00
• Third key	Option code: KTN	0	0	0	60.00
Third key with remote control – Panel Vans only.	Option code: Z1V	0	0	-	85.00

18

OMFORT AND SEATING				Colorado	Price (£) exc. VAT
Comfort:					
Steering column adjustable for reach and rake Floor-mounted handbrake lever Cube cloth seat trim Height-adjustable front seatbelts		•	•		
Seating:					
Reach Backrest recline		•	-		
Oriver's seat height adjuster Armrest Lumbar support – Not available with vinyl seat trim.	Option code: DCW	0	•		75.00
• Front passenger's seat with under cushion storage compartment – Panel Van only. Not available with vinyl seat trim.	Option code: BA8	0	0	0	35.00
Rear seating – Crew Van:					
• Three passenger rear seat • 'Fold and tumble' facility • 60/40 split seat back and cushion		•			
Vinyl seat trim:					
Black vinyl seat trim – Base models only. Not available with driver's seat height adjuster or front passenger's seat with		0			60.00
under cushion storage compartment.	Option code: TAiB				
			I	1	
INTERIOR CONVENIENCE					
Accessory sockets:					

Accessory sockets:					
Facia-mounted 12-volt accessory socket		•			
Interior:]
 Storage compartment on driver's side facia Illuminated glovebox with lid Door storage pockets 					
• Dipping rear-view mirror – When glazed bulkhead and glazed rear doors / tailgate are specified.		•			
• Twin sunvisors, front passenger's with vanity mirror • Driver and front passenger's tiltable assist handles					
Two coat hooks • Door armrests					
Overhead shelf – Standard on H2 and Crew Van models.	Option code: VVM	0			40.00
 Rear side panel storage (fully trimmed L1, part trimmed L2) and 12-volt accessory socket – Crew Van models. 		•			
Lighting:				•	
Centre fade up/fade down courtesy light Illuminated load area		•			
Load Compartment Pack:		0			120.00
• Overhead shelf • PVC load floor covering • 12-volt accessory socket in load area • Removable load area courtesy light – Panel Van only.	Option code: LPVX	0			130.00
Smoker Pack:		~			
Removable ashtray Illuminated cigar lighter	Option code: DT4	0	0	0	55.00
DRIVER ASSISTANCE					
DRIVERASSISTANCE			1		-
Multi-function trip computer:					
Overall distance • Trip distance • Average fuel consumption • Instantaneous fuel consumption • Vehicle range based on remaining fuel		•			
Distance and average speed since last reset					
Windscreen wipers:					
Two-speed windscreen wipers Variable intermittent wipe Electric screenwash					
Parking assistance:		0	0	0	205.00
Rear parking distance sensors Audible warning Distance warning graphic shown in driver information display	Option code: UD7	0			205.00
Cruise control	Option code: K34	0	0	0	185.00

DRIVER INFORMATION	С	ombo	Sportive	Colorado	Price (£ exc. VA
Instrumentation:					
Speedometer Rev counter Trip odometer Fuel gauge with low fuel warning light Coolant temperature warning light		•	•		
ECO features:					
Shift-up indicator		•	•		
 Indicates when to change gear for optimum fuel economy. 					
Driver information display:					
Monochrome display located in instrument cluster Odometer Service-due indicator		•	•	•	
Central facia display:					
Audio information • Digital clock with automatic RDS time adjustment • Outside air temperature with ice warning function		•	•		
Additional features and location dependent on infotainment unit (see Infotainment for details)					
Warning indicators:					
Low oil level, low brake fluid, brake pad wear, battery, seatbelt reminder, airbag failure / deactivation, charging system and		•	•		
emission control system failure					
Driver Pack:					
• CD/MP3 CD player / stereo radio / Bluetooth® connectivity for compatible mobile phones / aux-in socket / USB connectivity / AM/FM stereo radio					
with 24 station presets / RDS with Traffic Programme / steering wheel mounted audio controls		0	0	0	670.00
• Leather-covered steering wheel • Leather-covered gear knob • Pre-installation for TomTom navigation system – Excludes sat nav / cradle.					
Accessory sat nav and bespoke cradle combination available at extra cost.	Option code: LPW1				

INFOTAINMENT

CD player / stereo radio: Onboard features: • CD player • AM/FM stereo radio with 24-station presets • RDS with Traffic Programme • Four speakers • 20 watts per channel output		•	•	•	
CD 50 multimedia:					
Onboard features: • CD/MP3 CD player • AM/FM stereo radio with 24-station presets • RDS with Traffic Programme • Four speakers • 20 watts per channel output • Steering wheel mounted audio controls		0			495.00
Media connections: • USB connection • Aux-in socket					475.00
Mobile phone portal: • Bluetooth [®] connectivity • Vehicle microphone Option	code: UGi				
Additional features:					
Flexible roof-mounted aerial					

HEATING AND VENTILATION	Combo	Sportive	Colorado	Price (£) exc. VAT	
Air blend heater: • Four-speed fan • Illuminated controls • Four adjustable facia vents • Windscreen demist vents • Side window demist vents		•	•	•	
Air conditioning: • Air recirculation facility • Cabin particulate filter – <i>Removes dust, airborne particles and pollen.</i> • Illuminated controls – Standard on Colorado models.	Option code: C60	0	•	•	600.00
Electronic climate control: Incorporating air conditioning Single-zone control Six-speed fan Advanced predictive logic control system using sun sensor Cabin particulate filter LCD temperature display Automatic air direction and fan speed with manual override Illuminated controls Pollen filter Mandates electrically adjustable / heated door mirrors with exterior temperature sensor at extra cost. 	Option code: C68		0	0	840.00

SIDE ACCESS

Nearside access:			
Nearside sliding side-access door • Unglazed			255.00
– Standard on L2 H1 models.			
Offside access:			
Offside sliding side-access door Unglazed			200.00
– Standard on L2 H1 models.			
Nearside and offside access:			
Side-access doors:			
Nearside sliding side-access door • Unglazed			445.00
Offside sliding side-access door Unglazed			
– Standard on L2 and Crew Van models.			
Side-access panel / doors with fixed windows:			
Glazed nearside sliding side-access door			300.00
Glazed offside sliding side-access panel / door			
Side-access doors with sliding windows:			
 Sliding windows to nearside sliding side-access door 			
Sliding window to offside sliding side-access door	•	-	
- Standard on Glazed Crew Van.			

REAR ACCESS

Rear doors:				
 Asymmetric rear doors Unglazed 90°/180° opening – Not available on Glazed Crew Van / Colorado models. 		•		
• Asymmetric rear doors • Glazed • 90º/180º opening • Heated windows • Wash/wipe facility		0		455.00
- Only available when bulkhead with window is specified. Not available on non-glazed Crew Van.	Option code: J1X	0	0	155.00
Tailgate:				
Glazed Heated window Wash/wipe facility		\circ	0	135.00
– H1 models only.		0		135.00
– Only available when bulkhead with window is specified. Standard on Glazed Crew Van.	Option code: JIU			

Standard equipment. O = Optional at extra cost. = Please refer to ordering guide.

Please note: The air conditioning in vehicles with N1 type approval relies upon fluorinated greenhouse gases (R134a) for its functioning. The front system contains a quantity of overall 580g of R 134a, which corresponds to a CO₂ equivalent of 0.83 tons. The front and rear system contains a quantity of overall 890g of R 134a, which corresponds to a CO₂ equivalent of 1.27 tons. The global warming potential amounts to 1430. Information acc. to R (EU) No. 517/2014.

		Combo	Sportive	Colorado	Price (£) exc. VAT
Load anchorage:					
Load restraint lashing eyes – Panel Van -6, Crew Van / Colorado -4.		•			1
Bulkhead: • Full-height steel bulkhead – Soundproofed on Sportive models. Not available on Crew Van / Colorado models.		•	•		
• Full-height steel bulkhead with window – Only available when glazed rear doors / tailgate are specified. Not available on Crew Van / Colorado models.	Option code: AX9	0	0		60.00
 Protective ladder frame behind driver – Base Panel Van only. In lieu of full-height steel bulkhead. Only available when Load Compartment Pack is specified. 		N/C			No-cost
• Full-width ladder frame bulkhead behind second-row seats – Crew Vans only.		N/C	N/C	N/C	No-cost
PVC load floor covering – Not available on Crew Van models.	Option code: VT9	0			45.00
Carpeted load floor covering – Crew Van models.		•		•	
Internal ladder storage bars – Panel Van only. Not available with Load Compartment Pack or rear roof flap.	Option code: SOW	0	0		165.00

EXTERIOR CONVENIENCE / STYLING

Body side-protection mouldings		•	•	•]
Body colour door mirrors and bumpers			•	•	-
Windows:					
Electrically operated front windows Tinted windows		•			
Door mirrors:					
Foldable door mirrors Wide-angle mirror on driver's side		•			
Electrically adjustable / heated door mirrors	Option code: DL8	0	0	0	135.00
Electrically adjustable / heated door mirrors • Exterior temperature sensor	Option code: UGM	0	0	0	195.00
Winter Pack: • Headlight washers • Front fog lights • Exterior temperature sensor • Electrically adjustable / heated door mirrors	Option code: LPW0		0		265.00
Roof rails – H1 Panel Van models only. Not available when the rear roof flap is specified.	Option code: E2R	0	0		135.00
Rear roof flap – L1 H1 Panel Van models only. Only available when Load Compartment Pack is specified. Not available when roof rails or glazed tailgate options are specified	Option code: AD3	0	0		410.00
EXTERIOR LIGHTING			·		·
Standard lighting:]
 Halogen headlights Daytime running lights Lights-on audible warning Electric headlight beam levelling Reversing light High-level LED centre brake light Side-repeat indicators 		•	•	•	

● = Standard equipment. ○ = Optional at extra cost. N/C = No-cost option.

• Front fog lights

115.00

0

Ο

Ο

Option code: T3U

EXTERIOR COLOU	RS		Combo	Sportive	Colorado	Price (£) exc. VAT
	Polar White (5PU) • Solid paint	Deep Blue (4DU) • Solid paint	•	•	•	
	Tomato Red (G6Z) • Brilliant paint		0	N/C	N/C	260.00
	Magnetic Silver (20U) • Two-coat metallic paint	Ruby Red (4VU) • Two-coat metallic paint				
	Twilight Blue (GTG) • Two-coat metallic paint	Marine Blue (4EU) • Two-coat metallic paint	0	N/C	N/C	390.00
	Midnight Black (3AU) • Two-coat metallic paint	Pepperdust (GJM) • Two-coat metallic paint				

• = Standard equipment. O = Optional at extra cost. N/C = No-cost option.

The colours reproduced may vary slightly from the actual paint colour. As a result they should be used as a guide only. Your Vauxhall Retailer has a comprehensive display of our paint samples.

WHEELS AND TYRES		Combo	Sportive	Colorado	Price (£) exc. VAT
 15-inch steel wheels with centre covers - 2000 models (excluding 1.4i). 185/65 R 15 tyres Tyre inflation kit 		•			
 15-inch steel wheels with full-diameter wheel trims - 2000 models. 185/65 R 15 tyres Tyre inflation kit 			•		
 16-inch steel wheels with centre covers – 2300 and 1.4i models. 195/65 R 16 tyres Tyre inflation kit 		•			
 16-inch steel wheels with full-diameter wheel trims - 2300 models. 195/60 R 16 tyres Tyre inflation kit 			•	•	
16-inch alloy wheels • 195/60 R 16 tyres • Tyre inflation kit • Locking wheel bolts	Option code: NWQ		0		405.00
Winter tyres – Goodyear Ultragrip-7: • 195/65 R 15 – 2000 models. • 195/60 R 16 – 2300 models.	Option code: PHM	0	0		235.00
Full-size spare wheel in lieu of tyre inflation kit	Option code: QQ5	N/C	N/C	N/C	No-cost

• = Standard equipment. O = Optional at extra cost. N/C = No-cost option.

MECHANICAL		Combo	Sportive	Colorado	Price (£) exc. VAT
Standard features:					
• Front-wheel drive • Transverse engine / gearbox		•	•	•	
Transmissions:		-			
 Five-speed manual gearbox (1.4i / 1.3CDTi models) 		•	•	•	
• Six-speed manual gearbox (1.6CDTi models)		•			
Steering:					
Hydraulic power-assisted rack and pinion system Energy-absorbing steering column					
Turning circle: Kerb-to-kerb		•	•		
L1 11.3m (36.7ft.)					
L2 12.5m (41.0ft.)					
Brakes:					
Front ventilated disc brakes:					
• 284mm diameter (1.3CDTi / 1.6CDTi / 2000 models)					
• 305mm diameter (1.4i / 2300 models)		•	•		
Rear self-adjusting drum brakes:					
• 228mm diameter (1.3CDTi / 1.6CDTi)					
• 254mm diameter (1.4i)					
Fuel tank:					
• 60 litres (13.2 gallons) capacity		•	•		
Electrical:					
Maintenance-free battery:					
• 63Ah (1.4i / 1.3CDTi) • 72Ah (1.6CDTi)					
Alternator:			•		
• 105A (1.4i / 1.3CDTi) • 100A (1.6CDTi)					
• 120A – Models with air conditioning.					
Uprated alternator	Option code: KX3	0	0	0	55.00
Front suspension:		•			
Independent lightweight MacPherson struts Coil springs Telescopic gas-pressure dampers Anti-roll bar		•			
Rear suspension:		•			
Independent bi-link suspension Coil springs Gas pressure dampers Anti-roll bar		•			
- Standard equipment O - Optional at extra cost					

• = Standard equipment. O = Optional at extra cost.

TYRE RATINGS

Ture eine	Fuel efficiency	Wet grip	External noise				
Tyre size	group	performance	Measured (dB)	Group			
185/65 R 15	C-E	A-C	68-69	(((- 1)))-1))			
195/65 R 15	C-E	C-E	68-71	(((- 1)))-)))			
195/60 R 16	C-E	B-C	70-72	(((-1)))-)))			

Tyre rating according to EU Regulation 1222/2009

VIVARO PANEL VAN PRICES



		Fuel economy mpg (litres/100km)# CO ₂								
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	On-the-road RRP (£) exc. VAT		
L1 H1 PANEL VAN (EURO 6)										
2700 1.6CDTi (95PS) BlueInjection	1800	1060	36.2 (7.8)	48.7 (5.8)	43.4 (6.5)	170	20970.00	21848.33		
2700 1.6CDTi (95PS) S/S BlueInjection	1800	1060	39.2 (7.2)	50.4 (5.6)	46.3 (6.1)	160	21165.00	22043.33		
2700 1.6CDTi (120PS) BlueInjection	1800	1060	36.2 (7.8)	48.7 (5.8)	43.4 (6.5)	170	21570.00	22448.33		
2700 1.6CDTi BiTurbo (125PS) S/S ecoTEC BlueInjection	1818	1062	40.9 (6.9)	51.4 (5.5)	47.0 (6.0)	155	21970.00	22848.33		
2900 1.6CDTi (95PS) BlueInjection	1800	1220	36.2 (7.8)	48.7 (5.8)	43.4 (6.5)	170	21470.00	22348.33		
2900 1.6CDTi (95PS) S/S BlueInjection	1800	1220	39.2 (7.2)	50.4 (5.6)	46.3 (6.1)	160	21665.00	22543.33		
2900 1.6CDTi (120PS) BlueInjection	1800	1220	36.2 (7.8)	48.7 (5.8)	43.4 (6.5)	170	22070.00	22948.33		
2900 1.6CDTi BiTurbo (125PS) S/S ecoTEC BlueInjection	1818	1222	40.9 (6.9)	51.4 (5.5)	47.0 (6.0)	155	22470.00	23348.33		
L1 H1 SPORTIVE PANEL VAN (EURO 6)										
2700 1.6CDTi (120PS) BlueInjection	1800	1030	36.2 (7.8)	48.7 (5.8)	43.4 (6.5)	170	22770.00	23648.33		
2700 1.6CDTi BiTurbo (125PS) S/S ecoTEC BlueInjection	1818	1032	40.9 (6.9)	51.4 (5.5)	47.0 (6.0)	155	23170.00	24048.33		
2700 1.6CDTi BiTurbo (145PS) S/S BlueInjection	1818	1032	39.8 (7.1)	50.4 (5.6)	46.3 (6.1)	160	23970.00	24848.33		
2900 1.6CDTi (120PS) BlueInjection	1800	1190	36.2 (7.8)	48.7 (5.8)	43.4 (6.5)	170	23270.00	24148.33		
2900 1.6CDTi BiTurbo (125PS) S/S ecoTEC BlueInjection	1818	1192	40.9 (6.9)	51.4 (5.5)	47.0 (6.0)	155	23670.00	24548.33		
2900 1.6CDTi BiTurbo (145PS) S/S BlueInjection	1818	1192	39.8 (7.1)	50.4 (5.6)	46.3 (6.1)	160	24470.00	25348.33		
L1 H1 LIMITED EDITION NAV PANEL VAN (EURO 6)										
2700 1.6CDTi BiTurbo (125PS) S/S ecoTEC BlueInjection	1818	1017	40.9 (6.9)	51.4 (5.5)	47.0 (6.0)	155	24370.00	25248.33		
2700 1.6CDTi BiTurbo (145PS) S/S BlueInjection	1818	1017	39.8 (7.1)	50.4 (5.6)	46.3 (6.1)	160	25170.00	26048.33		
L1 H2 PANEL VAN (EURO 6)										
2900 1.6CDTi BiTurbo (125PS) S/S ecoTEC BlueInjection	1897	1143	38.7 (7.3)	43.5 (6.5)	41.5 (6.8)	175	23870.00	24748.33		

— •

1...

14001 1#

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

VIVARO PANEL VAN PRICES



Fuel economy mpg (litres/100km)#							On-the-road
Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
1825	1265	35.3 (8.0)	47.0 (6.0)	42.1 (6.7)	174	22270.00	23148.33
1825	1265	38.7 (7.3)	48.7 (5.8)	44.8 (6.3)	164	22465.00	23343.33
1825	1265	35.3 (8.0)	47.0 (6.0)	42.1 (6.7)	174	22870.00	23748.33
1835	1265	40.3 (7.0)	50.4 (5.6)	46.3 (6.1)	159	23270.00	24148.33
1825	1235	35.3 (8.0)	47.0 (6.0)	42.1 (6.7)	174	24070.00	24948.33
1835	1235	40.3 (7.0)	50.4 (5.6)	46.3 (6.1)	159	24470.00	25348.33
1835	1235	39.2 (7.2)	48.7 (5.8)	44.8 (6.3)	164	25270.00	26148.33
1835	1220	40.3 (7.0)	50.4 (5.6)	46.3 (6.1)	159	25670.00	26548.33
1835	1220	39.2 (7.2)	48.7 (5.8)	44.8 (6.3)	164	26470.00	27348.33
1945	1185	38.2 (7.4)	42.8 (6.6)	40.9 (6.9)	178	24670.00	25548.33
	Mass (kg)* 1825 1825 1825 1825 1835 1835 1835 1835 1835 1835 1835	Mass (kg)* (kg)* 1825 1265 1825 1265 1825 1265 1835 1265 1835 1235 1835 1235 1835 1235 1835 1220 1835 1220	Minimum Mass (kg)*Payload (kg)*Urban driving1825126535.3 (8.0)1825126538.7 (7.3)1825126535.3 (8.0)1825126540.3 (7.0)1825123535.3 (8.0)1825123535.3 (8.0)1835123539.2 (7.2)1835122040.3 (7.0)1835122039.2 (7.2)	Minimum Mass (kg)* Payload (kg)* Urban driving Extra-urban driving 1825 1265 35.3 (8.0) 47.0 (6.0) 1825 1265 38.7 (7.3) 48.7 (5.8) 1825 1265 35.3 (8.0) 47.0 (6.0) 1825 1265 35.3 (8.0) 47.0 (6.0) 1835 1265 40.3 (7.0) 50.4 (5.6) 1835 1235 35.3 (8.0) 47.0 (6.0) 1835 1235 35.3 (8.0) 47.0 (6.0) 1835 1235 39.2 (7.2) 48.7 (5.8) 1835 1220 40.3 (7.0) 50.4 (5.6) 1835 1220 39.2 (7.2) 48.7 (5.8)	Minimum Mass (kg)* Payload (kg)* Urban driving Extra-urban driving Combined figure 1825 1265 35.3 (8.0) 47.0 (6.0) 42.1 (6.7) 1825 1265 38.7 (7.3) 48.7 (5.8) 44.8 (6.3) 1825 1265 35.3 (8.0) 47.0 (6.0) 42.1 (6.7) 1825 1265 35.3 (8.0) 47.0 (6.0) 42.1 (6.7) 1835 1265 35.3 (8.0) 47.0 (6.0) 42.1 (6.7) 1835 1265 35.3 (8.0) 47.0 (6.0) 42.1 (6.7) 1835 1235 35.3 (8.0) 47.0 (6.0) 42.1 (6.7) 1835 1235 35.3 (8.0) 47.0 (6.0) 42.1 (6.7) 1835 1235 35.3 (8.0) 47.0 (6.0) 42.1 (6.7) 1835 1235 35.2 (7.0) 50.4 (5.6) 46.3 (6.1) 1835 1235 39.2 (7.2) 48.7 (5.8) 44.8 (6.3) 1835 1220 39.2 (7.2) 48.7 (5.8) 44.8 (6.3)	Minimum Mass (kg)*Payload (kg)*Urban drivingExtra-urban drivingCombined figure cO_2 emissions (g/km)#1825126535.3 (8.0)47.0 (6.0)42.1 (6.7)1741825126538.7 (7.3)48.7 (5.8)44.8 (6.3)1641825126535.3 (8.0)47.0 (6.0)42.1 (6.7)1741835126540.3 (7.0)50.4 (5.6)46.3 (6.1)159UUUUUU1825123535.3 (8.0)47.0 (6.0)42.1 (6.7)1741835126540.3 (7.0)50.4 (5.6)46.3 (6.1)1591835123539.2 (7.2)48.7 (5.8)44.8 (6.3)1641835122040.3 (7.0)50.4 (5.6)46.3 (6.1)1591835122039.2 (7.2)48.7 (5.8)44.8 (6.3)164	Minimum Mass (kg)* Payload (kg)* Urban driving Extra-urban driving Combined figure emissions (g/km)# Price (£) exc. VAT 1825 1265 35.3 (8.0) 47.0 (6.0) 42.1 (6.7) 174 22270.00 1825 1265 38.7 (7.3) 48.7 (5.8) 44.8 (6.3) 164 22465.00 1825 1265 35.3 (8.0) 47.0 (6.0) 42.1 (6.7) 174 22870.00 1835 1265 35.3 (8.0) 47.0 (6.0) 42.1 (6.7) 174 22870.00 1835 1265 40.3 (7.0) 50.4 (5.6) 46.3 (6.1) 159 23270.00 1835 1235 35.3 (8.0) 47.0 (6.0) 42.1 (6.7) 174 24070.00 1835 1235 35.3 (8.0) 47.0 (6.0) 42.1 (6.7) 174 24070.00 1835 1235 39.2 (7.2) 48.7 (5.8) 44.8 (6.3) 164 25270.00 1835 1220 40.3 (7.0) 50.4 (5.6) 46.3 (6.1) 159 25670.00 1835 <

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

VIVARO DOUBLECAB PRICES



			Fuel econ	omy mpg (litres	/100km)#	C0 ₂		On-the-road	On-the-road
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra-urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT	RRP (£) inc. VAT
L1 H1 DOUBLECAB (EURO 6)									
2900 1.6CDTi (95PS) BlueInjection	1920	974	35.3 (8.0)	47.0 (6.0)	42.1 (6.7)	174	22970.00	23848.33	28559.00
2900 1.6CDTi (95PS) S/S BlueInjection	1920	974	38.7 (7.3)	48.7 (5.8)	44.8 (6.3)	164	23165.00	24043.33	28793.00
2900 1.6CDTi (120PS) BlueInjection	1920	974	35.3 (8.0)	47.0 (6.0)	42.1 (6.7)	174	23570.00	24448.33	29279.00
2900 1.6CDTi BiTurbo (125PS) S/S ecoTEC BlueInjection	1930	974	40.3 (7.0)	50.4 (5.6)	46.3 (6.1)	159	23970.00	24848.33	29759.00
L1 H1 SPORTIVE DOUBLECAB (EURO 6)									
2900 1.6CDTi (120PS) BlueInjection	1920	934	35.3 (8.0)	47.0 (6.0)	42.1 (6.7)	174	24920.00	25798.33	30899.00
2900 1.6CDTi BiTurbo (125PS) S/S ecoTEC BlueInjection	1930	934	40.3 (7.0)	50.4 (5.6)	46.3 (6.1)	159	25320.00	26198.33	31379.00
2900 1.6CDTi BiTurbo (145PS) S/S BlueInjection	1930	934	39.2 (7.2)	48.7 (5.8)	44.8 (6.3)	164	26120.00	26998.33	32339.00
L1 H1 LIMITED EDITION NAV DOUBLECAB (EURO	6)								
2900 1.6CDTi BiTurbo (125PS) S/S ecoTEC BlueInjection	1930	919	40.3 (7.0)	50.4 (5.6)	46.3 (6.1)	159	26520.00	27398.33	32819.00
2900 1.6CDTi BiTurbo (145PS) S/S BlueInjection	1930	919	39.2 (7.2)	48.7 (5.8)	44.8 (6.3)	164	27320.00	28198.33	33779.00
L2 H1 DOUBLECAB (EURO 6)									
2900 1.6CDTi (95PS) BlueInjection	1975	1025	35.3 (8.0)	47.0 (6.0)	42.1 (6.7)	174	23770.00	24648.33	29519.00
2900 1.6CDTi (95PS) S/S BlueInjection	1975	1025	38.7 (7.3)	48.7 (5.8)	44.8 (6.3)	164	23965.00	24843.33	29753.00
2900 1.6CDTi (120PS) BlueInjection	1975	1025	35.3 (8.0)	47.0 (6.0)	42.1 (6.7)	174	24370.00	25248.33	30239.00
2900 1.6CDTi BiTurbo (125PS) S/S ecoTEC BlueInjection	1985	1025	40.3 (7.0)	50.4 (5.6)	46.3 (6.1)	159	24770.00	25648.33	30719.00
L2 H1 SPORTIVE DOUBLECAB (EURO 6)									
2900 1.6CDTi (120PS) BlueInjection	1975	985	35.3 (8.0)	47.0 (6.0)	42.1 (6.7)	174	25720.00	26598.33	31859.00
2900 1.6CDTi BiTurbo (125PS) S/S ecoTEC BlueInjection	1985	985	40.3 (7.0)	50.4 (5.6)	46.3 (6.1)	159	26120.00	26998.33	32339.00
2900 1.6CDTi BiTurbo (145PS) S/S BlueInjection	1985	985	39.2 (7.2)	48.7 (5.8)	44.8 (6.3)	164	26920.00	27798.33	33299.00
L2 H1 LIMITED EDITION NAV DOUBLECAB (EURO	6)								
2900 1.6CDTi BiTurbo (125PS) S/S ecoTEC BlueInjection	1985	970	40.3 (7.0)	50.4 (5.6)	46.3 (6.1)	159	27320.00	28198.33	33779.00
2900 1.6CDTi BiTurbo (145PS) S/S BlueInjection	1985	970	39.2 (7.2)	48.7 (5.8)	44.8 (6.3)	164	28120.00	28998.33	34739.00

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

= Fuel consumption information is official government environmental data, tested in accordance with the relevant EU directive. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

VAT reclaimable status requires a 1-tonne payload for Doublecabs according to HMRC. This payload calculation should take into consideration local UK Specification and Trim Level. Details enabling this determination are shown in the notes immediately below the weight tables shown in brochures and Price Guides. Ordered options may also impact available payload. Regarding VAT reclaimable status it is advisable that customers consult their local HMRC office or visit www.hmrc.co.uk for further details.

VIVARO COMBI / PLATFORM CAB PRICES



		On-the-road					
Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra-urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) inc. VAT
1872	1068	41.5 (6.8)	52.3 (5.4)	47.1 (6.0)	155	23683.33	29675.00
1882	1148	44.1 (6.4)	55.4 (5.1)	50.4 (5.6)	145	24516.67	30375.00
1913	1157	41.5 (6.8)	52.3 (5.4)	47.1 (6.0)	155	24483.33	30635.00
1923	1157	44.1 (6.4)	55.4 (5.1)	50.4 (5.6)	145	25316.67	31335.00
	Mass (kg)* 1872 1882 1913	Mass (kg)* (kg)* 1872 1068 1882 1148 1913 1157	Minimum Mass (kg)* Payload (kg)* Urban driving 1872 1068 41.5 (6.8) 1882 1148 44.1 (6.4) 1913 1157 41.5 (6.8)	Minimum Mass (kg)* Payload (kg)* Urban driving Extra-urban driving 1872 1068 41.5 (6.8) 52.3 (5.4) 1882 1148 44.1 (6.4) 55.4 (5.1) 1913 1157 41.5 (6.8) 52.3 (5.4)	Mass (kg)* (kg)* driving driving figure 1872 1068 41.5 (6.8) 52.3 (5.4) 47.1 (6.0) 1882 1148 44.1 (6.4) 55.4 (5.1) 50.4 (5.6) 1913 1157 41.5 (6.8) 52.3 (5.4) 47.1 (6.0)	Minimum Mass (kg)* Payload (kg)* Urban driving Extra-urban driving Combined figure CO2 emissions (g/km)# 1872 1068 41.5 (6.8) 52.3 (5.4) 47.1 (6.0) 155 1882 1148 44.1 (6.4) 55.4 (5.1) 50.4 (5.6) 145 1913 1157 41.5 (6.8) 52.3 (5.4) 47.1 (6.0) 155	Minimum Mass (kg)* Payload (kg)* Urban driving Extra-urban driving Combined figure emissions (g/km)# Price (£) exc. VAT 1872 1068 41.5 (6.8) 52.3 (5.4) 47.1 (6.0) 155 23683.33 1882 1148 44.1 (6.4) 55.4 (5.1) 50.4 (5.6) 145 24516.67 1913 1157 41.5 (6.8) 52.3 (5.4) 47.1 (6.0) 155 24483.33

Fuel economy mpg (litres/100km)#

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £200.00 on BiTurbo (125PS) models, £500.00 on (95PS) models and new vehicle first registration fee of £55.00. Excludes fuel and insurance.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

= Fuel consumption information is official government environmental data, tested in accordance with the relevant EU directive. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

		Payload and Body	Fuel econ	omy mpg (litres	/100km)#	C0 ₂		On-the-road
Model	Minimum Mass (kg)*	Allowance (kg)*	Urban driving	Extra-urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L2 H1 PLATFORM CAB (EURO 6)								
2900 1.6CDTi BiTurbo (125PS) S/S ecoTEC BlueInjection	1616	1474	37.7 (7.5)	42.2 (6.7)	40.4 (7.0)	181	23170.00	24048.33
2900 1.6CDTi BiTurbo (145PS) S/S BlueInjection	1616	1474	37.7 (7.5)	42.2 (6.7)	40.4 (7.0)	181	23970.00	24848.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

All conversions must follow 'Vauxhall Convertor Requirements' including recommended dimensional data, detailed within Part 1, available at: www.vauxhall.co.uk/conversiondata. The weight of any fitted conversion body will have to be deducted from these figures to establish actual payload and is subject to correct weight distribution. Variations from the recommended dimensions or weights may affect the vehicle's overall centre of gravity and stability. From 29 April 2013 conversion of N1 vehicles was affected by changes to type approval – for further information refer to the VCA website (N2 vehicles were affected from 29 October 2014). For further information please contact conversions@vauxhall.co.uk

* = For definitions please refer to Glossary of Terms.

= Fuel consumption information is official government environmental data, tested in accordance with the relevant EU directive. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

All conversions must follow 'Conversion Requirements' available on: www.vauxhall.co.uk/conversiondata

S/S = Start/Stop.

SAFETY		Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
Airbags:					•		
Driver's airbag		•					
Front passengers' airbag:		0	0	0		245.00	
 Front passengers' airbag with deactivation switch 	Option code: AK5	0		0		245.00	
 Driver and front passenger's curtain airbags and driver's side-impact airbag 	Option code: AWH	0	0	0	0	410.00	492.00
• Driver and single front passenger's curtain and side-impact airbags – Mandates single passenger seat.	Option code: AYO	0	0	0	0	610.00	732.00
Stability: Electronic Stability Programme-plus (ESP-plus) with traction control – Works in conjunction with the vehicle's electronic braking and engine systems to keep the vehicle stable in many different situations. ESP monitors a variety of inputs to determine when the vehicle starts to lose traction, it can then immediately respond by varying the brake pressure between up to three wheels and adjust the engine output to help correct the loss of traction and improve stability.		٠	•	•	•		
Tyre pressure:		0	0	0	•	210.00	
Tyre pressure monitoring system	Option code: UJO	0		0	•	210.00	
 Anti-lock braking: Four-channel Anti-lock Braking System (ABS) – Prevents the vehicle's wheels from locking up under heavy braking by momentarily reducing brake pressure at the appropriate wheel, ensuring that you can maintain control of the steering. Emergency brake assist – When emergency braking is detected the vehicle automatically applies the maximum possible braking assistance. Electronic brakeforce distribution – Automatically apportions the optimum braking force to each wheel. 		•	•	•	•		
Hill start assist – Briefly maintains rear brake pressure to stop the vehicle rolling back on an incline.							
Full-height steel bulkhead without window – Optional on Platform Cab models.		٠					
 Full-height ABS plastic bulkhead with window – Doublecab only. 		•		۲			
Full-height steel bulkhead with window	Option code: AX9	0				75.00	
Vertical luggage restraint – Half-height solid with black upper mesh.	Option code: AQ2				0		168.00
 FlexCargo load-through bulkhead: Dual front passengers' seat with storage, rotating clipboard and fold-flat centre Load-through bulkhead Panel Van models only 	Option code: AYW	0	•	•		265.00	
Dual front passengers' seat with storage, rotating clipboard and fold-flat centre Load-through bulkhead with window	Option code: AYV	0	1			330.00	
Dual front passengers' seat with storage, rotating clipboard and fold-flat centre Load-through bulkhead with window	Option code: AYV		0	0		75.00	

SECURITY		Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
Features:							
Electronic engine deadlock immobiliser Steering column lock Secure fuel filler flap							
Internal lockable rear and sliding side-access doors Anti-theft spare wheel cradle		•		•			
Remote control door locking (features depending on body type): • Remote control door locking • Two keys with integral remote • Door deadlocks		•	•	•	•		
• Selective door locking • Two three-button keys with integral remote – Only available with one-touch facility for electrically operated windows.	Option code: AUX	0	•	•	0	205.00	246.00
Third key with integral remote	Option code: K69	0	0	0	0	115.00	138.00
 Keyless entry and start: Keyless entry and start H1 models only. Start/Stop models. Only available with electronic climate control (all models excluding Combi). Adds one-touch facility for electrically operated front-windows. 	Option code: AVT	0	0	0	0	260.00	312.00
 Security alarm system: Engine compartment protection • Ultrasonic detectors in load area • Siren Thatcham Category 1 approved (TUL3–180/0116) - H1 models only. 	Option code: XBGY	0	0	0	0	325.00	390.00
Luggage cover: • Rigid luggage cover: • Solver: • Solver:	Option code: D42				0		540.00

COMFORT AND SEATING		Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
Comfort:							
 Height-adjustable steering wheel Leather-covered steering wheel (Sportive/Limited Edition models) Facia-mounted gear lever Floor-mounted handbrake lever Blue Tricess cloth seat trim (Standard models). Black Connect embossed cloth seat trim (Sportive / Limited Edition models) Vinyl floor covering Inertia-reel lap and diagonal seatbelts Height-adjustable outer front seatbelts 		•	•	•	•		
Driver's seat:							
 Height Reach Backrest recline Driver's active safety head restraint Height-adjustable padded head restraint Driver's seat armrest 		•	•	•	•		
Dual front passengers' bench seat:							
 Fixed position bench seat and backrest Height-adjustable outer front padded head restraint Fixed centre seat padded head restraint 		•			•		
Dual front passengers' seat with underseat storage							
 Fixed position bench seat and backrest Height-adjustable outer front padded head restraint 		0			0	175.00	210.00
 Fixed centre seat padded head restraint – Doublecab / Combi models. 	Option code: AGE						
Single front passenger's seat:							
• Lumbar adjustment • Height • Reach • Backrest recline • Height-adjustable padded head restraint		0	0	0	0	155.00	186.00
• Armrest – Sportive / Limited Edition models will be supplied with full-height steel bulkhead when this option is specified.	Option code: AGD						
Heated front seats:							
 Electrically heated driver and single front passenger seats 		0	0	0	0	160.00	192.00
– Only available with either single front passenger seat and curtain airbags / side-impact airbag options	Option code: KA1						

SEATING - DOUBLECAB

Second-row seating: • Three-individually contoured rear seats • Inertia-reel lap and diagonal seatbelts • Padded head restraints	•	•	•	
Underseat storage • 12-volt accessory socket				

SEATING – COMBI

 Second-row seating: Three-passenger second-row bench seat • 60/40 split-folding seat back for easier access to third-row bench seat Removable second-row bench seats • Inertia-reel lap and diagonal seatbelts 		•
Third-row seating: • Three passenger bench seat • Fold and tumble feature for creating extra load area without removing seats • Removable rear seats • Inertia-reel lap and diagonal seatbelts		•

CABIN STORAGE		Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
Accessory sockets:		•		•	•		
Facia-mounted 12-volt accessory socket		-	-		-		
Facia storage:							
Nine facia storage spaces offering more than 24 litres of storage • Open storage compartment above glovebox (lidded on Sportive / Limited Edition models) • Illuminated glovebox • Three drinks holders • Coin holder		•		•	•		
Front door pockets:							
Large door pockets with drinks holder		•					
Smoker Pack: • Removable ashtray • Illuminated cigar lighter	Option code: DT4	0	0	0	0	55.00	66.00
DRIVER ASSISTANCE							
Windscreen wipers:		•	•	•	•]	
Two-speed windscreen wipers Variable intermittent wipe Electric screenwash						-	
Multi-function trip computer:		-		•			
Trip odometer Vehicle range based on remaining fuel Average speed		•	•	•	•		
Average fuel economy Instantaneous fuel economy Driving time							
Parking assistance:	Outien ande UD7	0			0	235.00	282.00
Rear parking distance sensors	Option code: UD7						
• Rear-view camera - H1 models only. Not available on Platform Cab models.			0	0		295.00	
– Requires Sight and Light Pack (Sportive models).	Option code: UDS			0		295.00	
Rear-view camera Rear parking distance sensors	option code. 000						
– H1 models only. Not available on Platform Cab models.		0			0	520.00	624.00
– Requires Lighting Pack.	Option code: UDS	Ŭ				520.00	024.00
Nearside blind-spot / junction mirror located in front passenger sunvisor	'	•			•		
Cruise control, speed limiter	Option code: K34	0			0	260.00	312.00
Speed limiter:	Option code: (56mph) KYJ	-					
Choice of three speeds: 56mph / 62mph / 68mph	Option code: (62mph) KYK Option code: (68mph) KYL	0	0	0	0	85.00	102.00

DRIVER INFORMATION	Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
Instrumentation:		· ·				
 Speedometer Rev counter Fuel gauge with low fuel warning light Fuel economy gauge 		•				
Coolant temperature warning light						
ECO features:						
Shift-up indicator	•	•				
- Indicates when to change gear for optimum fuel economy.						
Driver information display:						
Monochrome display located in instrument cluster Odometer Service-due indicator Displays trip computer data	•		-	•		
Central facia display:						
Audio information • Digital clock with automatic RDS time adjustment • Outside air temperature with ice warning function	•	•				
Additional features and location dependent on infotainment unit (see Audio, Communication and Navigation for details)						
Warning indicators:						
 Low oil level, low brake fluid, brake pad wear, battery, fuel filter, low AdBlue[®] level, seatbelt warning and doors open 	-		-	-		
Digital tachograph:						
Odometer display is changed from miles to kilometres – Digital tachograph only available with R 16 audio unit.						
 Important: The digital tachograph must be specified at time of ordering as it cannot be fitted retrospectively. Option price does 						
not include calibration which must be carried out at an approved tachograph centre within 14 days of the vehicle's registration.	0			0	535.00	642.00
Please note: The legislation regarding the use of tachographs is complex and operators should seek independent advice or						
speak to the Commercial Vehicle specialist at your Vauxhall retailer to ensure compliance. Alternatively your local DVLA office						
will also be able to provide clarification of the relevant legislation. Option code: TGP						

Navigation Pack:					
 Satellite navigation – NAVI 50 IntelliLink Rear parking distance sensors Rear-view camera 		\circ		1005.00	1206.00
 One-touch electrically operated front windows Three-button key Selective door locking 		0		1005.00	1200.00
– H1 models only. Not available on Platform Cab models. Requires Lighting Pack.	Option code: 0EC				
Navigation Pack:				860.00	
 Satellite navigation – NAVI 50 IntelliLink Rear-view camera – Requires Sight and Light Pack. 	Option code: OEC			300.00	

INFOTAINMENT		Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
 R 16 BT USB:							
Onboard features: • DAB digital radio • AM/FM stereo radio with 6-station presets • RDS with Traffic Programme							
• Two speakers – Four on Combi models • 20 watts per channel output		•	11/0				
Media connections: • USB connection with iPod control • Aux-in socket • Bluetooth® audio streaming (A2DP Profile)			N/C	N/C			
Mobile phone portal: • Bluetooth® connectivity • Handsfree calls via steering wheel controls • Vehicle microphone							
Phone book access – Contacts / last calls / missed calls etc. (features dependent on mobile phone).							
CD 18 BT USB:							
Onboard features: • DAB digital radio • AM/FM stereo radio with 6-station presets • CD/MP3 CD player							
RDS with Traffic Programme • Two Speakers – Four on Combi models • 20 watts per channel output		0				205.00	25/00
Media connections: • USB connection with iPod control • Aux-in socket • Bluetooth® audio streaming (A2DP Profile)		0	•		0	295.00	354.00
Mobile phone portal: • Bluetooth [®] connectivity • Handsfree calls via steering wheel controls • Vehicle microphone							
 Phone book access – Contacts / last calls / missed calls etc. (features dependent on mobile phone). 	Option code: 2L2						
NAVI 50 IntelliLink – Not available when tachograph is specified:							
Onboard features: • DAB digital radio • AM/FM stereo radio with 18-station presets							
• 7-inch facia-mounted colour touchscreen • RDS with Traffic Programme • Two speakers – Four on Combi models.							
20 watts per channel output							
Navigation features: • Satellite navigation system • 3D street level mapping							
Major route mapping for Western Europe		0	0		0	660.00	792.00
Media connections: • USB connection with iPod control • Aux-in socket • Bluetooth® audio streaming (A2DP Profile)							
Siri voice control							
Mobile phone portal: • Bluetooth [®] connectivity • Handsfree calls via steering wheel controls • Vehicle microphone							
 Phone book access – Contacts / last calls / missed calls etc. are mirrored on the display and are easily navigated using 							
the touchscreen (features dependent on mobile phone).	Option code: 1oP						
NAVI 80 IntelliLink – Only available in conjunction with cruise control. Not available when tachograph is specified:							
Onboard features: • DAB digital radio • AM/FM stereo radio with 18-station presets							
 7-inch facia-mounted colour touchscreen RDS with Traffic Programme Two speakers – Four on Combi models. 							
• 20 watts per channel output							
Navigation features: • Satellite navigation system • TomTom LIVE services • 3D street level mapping		-			-		
Major route mapping for Europe Traffic Information		0	0	0	0	1080.00	1296.00
Media connections: • USB connection with iPod control • Aux-in socket • Bluetooth® audio streaming (A2DP Profile)							
Integrated voice control							
<i>Mobile phone portal:</i> • Bluetooth [®] connectivity • Handsfree calls via steering wheel controls							
• Vehicle microphone • Phone book access – Contacts / last calls / missed calls etc. are mirrored on the display and are							
easily navigated using the touchscreen (features dependent on mobile phone).	Option code: 2L9						
Flexdock for smartphone / tablet:		0	0		0	50.00	60.00
Universal smartphone docking station (up to 4.7-inch)	Option code: UV8						
 Tablet docking station (up to 4.8 – 10.6 inch) 		0			0	70.00	84.00
– Only available with R 16 audio unit.	Option code: B8L					70.00	04.00
Additional features:							
Steering column mounted audio controls • Flexible roof-mounted aerial		-	-	-			
Chandrad and an invest Q. Octional starting and NIC. No cost action		-		-	·		

• = Standard equipment. O = Optional at extra cost. N/C = No-cost option.

HEATING AND VENTILATION		Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
Cab heating:							
 Four-speed fan Illuminated controls Four adjustable facia vents Windscreen demist vents Side window demist vents 		•	•	•	•		
Climate and Cruise Pack: • Air conditioning with air recirculation facility (cab only) • CD 18 BT USB audio unit • Cruise control	Option code: XAEB	0			0	770.00	924.00
 Air conditioning – Cab only: Air recirculation facility Pollen filter Illuminated controls Chilled glovebox facility 	Option code: C60	0	•	•	0	750.00	900.00
Electronic climate control:							
Incorporating air conditioning • LCD temperature display • Automatic air direction and fan speed with manual override		0				890.00	
Illuminated controls Pollen filter Chilled glovebox facility – Requires Lighting Pack.	Option code: C68						
Electronic climate control:							
LCD temperature display Automatic air direction and fan speed with manual override Illuminated controls			0	0		260.00	
• Pollen filter • Chilled glovebox facility – Requires Sight and Light Pack.	Option code: C68						
Air conditioning – Cab and saloon:					0		4070.00
Air recirculation facility Pollen filter Illuminated controls Chilled glovebox facility Auxiliary heater	Option code: CJ5				0		1272.00
Auxiliary heating:							
• Fuel-fired – In cold conditions rapidly warms engine coolant which in turn quickly provides warm air for the cabin when					0		894.00
engine turned on.	Option code: KO8						

• = Standard equipment. O = Optional at extra cost.

Please note: The air conditioning in vehicles with N1 type approval relies upon fluorinated greenhouse gases (R134a) for its functioning. The front system contains a quantity of overall 580g of R 134a, which corresponds to a CO₂ equivalent of 0.83 tons. The front and rear system contains a quantity of overall 580g of R 134a, which corresponds to a CO₂ equivalent of 0.83 tons. The front and rear system contains a quantity of overall 580g of R 134a, which corresponds to a CO₂ equivalent of 1.27 tons. The global warming potential amounts to 1430. Information acc. to R (EU) No. 517/2014.

LOAD ACCESS		Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
Illuminated load area		٠	•	٠	٠		
Nearside access:							
Nearside side–access door:		•		•	•		
Nearside sliding side-access door • Unglazed							
Offside access – Panel Van only:							
Offside side-access door		0	0	0		300.00	
Offside sliding side-access door • Unglazed	Option code: BSJ						
Nearside and offside access:							
Side-access doors with fixed windows – Standard on Doublecab:							
 Fixed window to standard nearside side-access door 		0	0	0	•	380.00	
Offside side-access door							
 Fixed window to offside side-access door 	Option code: BSB						
Side-access doors with sliding windows. Panel Van models – Only available with glazed rear doors / tailgate:							
 Sliding window to standard nearside side-access door 		0	0	0		430.00	
Offside side-access door		0		0		430.00	
Sliding window to offside side-access door	Option code: BSC						
Side-access doors with sliding windows – Doublecab / Combi models. Only available with glazed rear doors / tailgate:							
Sliding window to standard glazed nearside side-access door		0	0	0	0	60.00	72.00
 Sliding window to standard glazed offside side-access door 	Option code: BSC						
Rear access:							
Rear solid doors:		•					
• Twin rear doors • 90°/180° opening							
• Twin rear doors • 270° opening							
– Not available on L1 models.	Option code: 7U4	0	0	0		250.00	
Rear glazed doors:							
• Glazed rear doors • 90°/180° opening		0	0	0	0	85.00	102.00
– Only available with glazed bulkhead options.	Option code: J1X				-		
• Glazed rear doors • 270° opening			-	-			
– Not available on L1 models.	Option code: J1T	0	0	0		250.00	
Glazed tailgate			-		-		
– Not available on H2 models. Only with glazed bulkhead and heated rear windows with wash/wipe facility options.	Option code: J1U	0	0	0	•	120.00	
Heated rear windows with wash/wipe facility – Only with glazed rear door and tailgate options.	Option code: C25	0	0	0		60.00	
Preated real windows with wash wipe factury - only with glozed real door and talgate options.	option code: C25				-	00.00	

LOAD RESTRAINT	Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
Load anchorage:						
 Fixed floor-mounted load restraint lashing eyes (Panel Van: L1 x 8, L2 x 10) 	•	•				
Load restraint lashing eyes (Panel Van: L1 x 8 / L2 x 10)						
Loading Pack with cargo lining:						
Unglazed steel bulkhead with FlexCargo load-through facility Dual passenger's seat with storage, rotating clipboard, fold-	0				430.00	
flat centre and load through compatibility • Resin-coated plywood load floor covering • Half-height plastic load lining panels Option code: XYA	7					
Bott® Vario Racking System – Pack One – <i>H1 Panel Van only</i>						
Offside unit 1525mm wide x 320mm deep x 1000mm high						
 End frames with corner protection 2 x low front shelf with anti-slip mat 						
Base compartment with lashing rail and ratchet strap	L1 O	L1 O	L1 O		1095.00	
Resin-coated, non-slip moisture repellent 9mm birch multiplex flooring		-	-			
Nearside unit 1025mm wide x 420mm deep x 900mm high	L2 O	L2 O	L2 O		1195.00	
• End frames with corner protection • 1 x low front shelf with anti-slip mat and divider • 1 x low front shelf						
Base compartment with lashing rail and ratchet strap						
Resin-coated, non-slip moisture repellent 9mm birch multiplex flooring Not available with floor covering, offside sliding side-access door or tailgate options. Option code: XCAA						
	\ 					
Bott [®] Vario Racking System – Pack Two – H1 Panel Van only Offside unit 2050mm wide x 320mm deep x 1000mm high						
• End frames with corner protection • 1 x 2000mm wide low front shelf with 2 dividers						
 1 x low front shelf with 4 x Bott storage boxes 1 x low front shelf with 7 x Bott storage boxes 						
• 1 x low front shelf with anti-slip mat • 1 x low front shelf with anti-slip mat and divider						
• Base compartment with lashing rail and ratchet strap • Full-height white plastic load lining	L1 O	L1 O	L1 O		1495.00	
Resin-coated, non-slip moisture repellent 9mm birch multiplex flooring			-		1505.00	
Nearside unit 1025mm wide x 420mm deep x 900mm high	L2 O	L2 O	L2 O		1595.00	
End frames with corner protection • 1 x low front shelf with anti-slip mat						
 1 x low front shelf with 7 x Bott storage boxes A4 aluminium document pocket Base compartment with lashing rail and ratchet strap Full-height white plastic load lining 						
Resin-coated, non-slip moisture repellent 9mm birch multiplex flooring						
– Not available with load lining, floor covering, offside sliding side-access door or tailgate options. Option code: XBG	-					
Load lining:		_				
Half-height plastic side load lining panels – Panel Van only. Option code: B48	0	0	0		90.00	
Full-height coated wooden load lining panels – H1 Panel Van only. Option code: ERK	0	0	0		310.00	
Full-height light plastic honeycomb load lining panels – H1 only.	0	0	0		305.00	
Resin-coated laminate plywood load floor covering – H1 only. Option code: B68	0	0	0		345.00	
Rubber-coated reinforced wooden load floor covering – Panel Van only. Option code: BIW	0	0	0		345.00	
Resin-coated laminate plywood wheel arch protection – H1 only. Option code: B65	0	0	0		210.00	

EXTERIOR CONVENIENCE / STYLING		Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
Exterior features: • Unique styled graphics – Black or silver dependent on exterior colour. Please see Exterior Colours page.				•			
Appearance Pack One: • Body-colour front bumper • Body-colour rear quarter bumpers - Not available when Ink Blue paint is specified. H2 models are only available when Glacier White or Platinum Silver colours are specified.	Option code: 5LK	0			0	310.00	372.00
Appearance Pack Two: • Leather-covered steering wheel • Black Connect embossed cloth seat trim • Chrome instrument surrounds • Lidded storage compartment above glovebox • LED daytime running lights • Front fog lights • Full-diameter wheel trims • Body-colour front bumper • Body-colour rear quarter bumpers - Not available when Ink Blue paint is specified.	Option code: XADR				0		1200.00
Windows:		•	•		•		
Electrically operated front windows		-		-	-		
One-touch facility for electrically operated windows	Option code: AXG	0	•	•	0	50.00	60.00
 Dark-tinted rear glazing – H1 models only. Only available with glazed rear doors / tailgate with heated windows and wash / wipe facility. – Excludes Platform Cab. 	Option code: AJS	0	0	0	0	360.00	432.00
 Foldable electrically adjustable/heated door mirrors Wide-angle mirror on driver's side 		•	•	•	•		
• Electrically adjustable / heated long arm exterior door mirrors – Platform Cab only. Long arm exterior mirrors should be applied to any vehicle with an overall width of 2.17 to 2.35 metres	Option code: DCI	0				170.00	
Paint finish: • Special paint – Restrictions apply, please consult your Retailer for details.		0			0	At ext	ra cost
GLAZED PACK – PANEL VAN							
 Fixed window to standard nearside side-access door Fixed window to opposite offside side-access door Rear glazed doors Rear glazed side panels – Panel Van only. Only available when the offside sliding side-access door is specified. 	Option code: A10	0	0	0		420.00	
EXTERIOR LIGHTING							
Standard lighting: • Lights-on audible warning • Electric headlight beam levelling • Twin reversing lights • Hazard warning lights • Rear fog lights • High-level brake light • High-level tail lights • Side-repeat indicators • Daytime running lights - LED on Sportive models.		•	•	•	•		
Front fog lights.	Option code: T3U	0	•	•	0	120.00	144.00
Lighting Pack: • Static cornering lights • Front fog lights • Automatic lighting control • Rain-sensitive windscreen wipers • Door-to-door illumination	Option code: XAEG	0			0	260.00	312.00
Sight and Light Pack: • Automatic lighting control • Rain-sensitive windscreen wipers	Option code: 5BT		0	•		245.00	

Effective 18 September 2017 | Model Year 2018

VIVARO EQUIPMENT / OPTIONS

EXTERIOR COLOURS	Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
Glacier White (10U) • Solid paint • Solid paint • Black alloy wheels / graphics on Limited Edition models Ink Blue (23U) • Solid paint • H1 models only • Not available on Sportive / Limited Edition models or when either Appearance Pack is specified	•	•	•	•		
Flame Red (79U / 79Z) • Brilliant paint • Black or silver alloy wheels / graphics on Limited Edition models • Brilliant paint • Silver alloy wheels / graphics on Limited Edition models						
Spring Green (10G / 10Z) Brilliant paint Black alloy wheels / graphics on Limited Edition models	0	N/C	N/C	0	320.00	384.00
 Panorama Blue (4UU) Two-coat pearlescent paint Silver alloy wheels / graphics on Limited Edition models 						
Cassiopeia Silver (10J) • Two-coat pearlescent paint • Silver alloy wheels / graphics on Limited Edition models Copper Brown (10K) • Two-coat pearlescent paint • Silver alloy wheels / graphics on Limited Edition models	0	N/C	N/C	0	450.00	540.00
 Jasper Brown (10E) Two-coat pearlescent paint Silver alloy wheels / graphics on Limited Edition models 						

• = Standard equipment. O = Optional at extra cost. N/C = No-cost option.

The colours reproduced may vary slightly from the actual paint colour. As a result they should be used as a guide only. Your Vauxhall Retailer has a comprehensive display of our paint samples.

WHEELS AND TYRES		Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
 16-inch steel wheels with centre cap: 205/65 R 16 tyres (1.6CDTi 95/120/125PS engines) 215/65 R 16 tyres (1.6CDTi 145PS engines) Full-size spare wheel 		•			•		
 16-inch steel wheels with wheel trims: 205/65 R 16 tyres (1.6CDTi 95/120/125PS engines) 215/65 R 16 tyres (1.6CDTi 145PS engines) Full-size spare wheel 			•				
 17-inch black alloy wheels: 215/60 R 17 tyres 16-inch steel spare wheel On Limited Edition models, wheel finish dependent on body colour. Please see Exterior Colours page. 				•			
 17-inch silver alloy wheels: 215/60 R 17 tyres 16-inch steel spare wheel Not available on H2 or Platform Cab models. On Limited Edition models, wheel finish dependent on body colour. Please see Exterior Colours page. 	Option code: RS6	0	0	•	0	630.00	756.00
• 205/65 R 16 (All engines)	Option code: NRK	0	0		0	215.00	258.00
Fyre inflation kit in lieu of spare wheel – Not available on L2 Combi models.	Option code: WTC	N/C	N/C	N/C	N/C	No-cos	t option

• = Standard equipment. O = Optional at extra cost. N/C = No-cost option.

TYRE RATINGS

T	Fuel efficiency	Wet grip	Extern	al noise
Tyre size	group	performance	Measured (dB)	Group
205/65 R 16	C-E	B-E	71-72	(((-)))
215/65 R 16	С	В	70	(((-)))
215/60 R 17	С	В	70	(((-))

Tyre rating according to EU Regulation 1222/2009

MECHANICAL		Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
Transmission:							
Six-speed manual gearbox:		•	•	•	•		
Front-wheel drive Transverse engine/gearbox							
Steering:							
Hydraulic power-assisted rack and pinion system Energy absorbing steering column							
Turning circles: Kerb-to-kerb			•		•		
FWD L1 11.8m (38.7ft.)							
FWD L2 13.2m (43.3ft.)							
Brakes:							
Front ventilated disc brakes:							
• 296mm x 28mm			•	•	•		
Rear disc brakes:							
• 280mm x 12mm							
Power take-off	Option code: V66	0				220.00	
 Engine driven power take-off Six-pin / two-pin connector for conversions 	Option code: KPD	0	0	0	0	220.00	
Fuel tank:			•	•			
• 80 litres (17.6 gallons) capacity		•	-	•	•		
AdBlue tank:							
• 22 litres (4.8 gallons) capacity		•	-	-	-		
Towing:							
Tow bar with 13-pin electrics • Trailer stability programme							
- Excludes Platform Cab models. Does not suit trailers with LED lights. For trailers with LED lights use genuine Vauxhall		0	0	0	0	325.00	390.00
Accessory tow bars which also include trailer stability programme. Unless specific exemptions apply, vehicles operated with a							
trailer, where the combined weight of the vehicle, trailer and payload exceeds 3500kg, require a digital tachograph.	Option code: VR2						
Electrical:							
• 80Ah maintenance-free battery (70Ah on air conditioned models) • 185A alternator (150A on air conditioned models)					-		
CANbus interface:		0	0	0	0	135.00	162.00
Allows the vehicle's electrical systems to integrate with additional equipment.	Option code: KC6	0			0	135.00	102.00
Six-pin / two pin electrical connector for conversions	Option code: KPD	0	0	0	0	60.00	72.00
Front suspension:							
MacPherson type Independent double wishbones Coil springs		•	•		•		
• Gas-pressure dampers							
Rear suspension:							
 Independent four-link, progressive-rate mini-block springs Gas-pressure dampers 		•		│			
= Standard equipment O = Ontional at extra cost		•		•			

MOVANO PANEL VAN PRICES



			Fuel econ	omy mpg (litres	/100km)#	CO ₂		On-the-road
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L1 H1 FWD PANEL VAN (EURO 6)								
2800 2.3CDTi (110PS) BlueInjection	1927	858	32.1 (8.8)	40.4 (7.0)	36.7 (7.7)	201	23775.00	24653.33
2800 2.3CDTi (130PS) BlueInjection	1927	858	32.1 (8.8)	40.4 (7.0)	36.7 (7.7)	201	24575.00	25453.33
3300 2.3CDTi (110PS) BlueInjection	1932	1353	32.1 (8.8)	40.4 (7.0)	36.7 (7.7)	201	25025.00	25903.33
3300 2.3CDTi (130PS) BlueInjection	1932	1353	32.1 (8.8)	40.4 (7.0)	36.7 (7.7)	201	25825.00	26703.33
3500 2.3CDTi (110PS) BlueInjection	1937	1548	32.1 (8.8)	40.4 (7.0)	36.7 (7.7)	201	25675.00	26553.33
3500 2.3CDTi (130PS) BlueInjection	1937	1548	32.1 (8.8)	40.4 (7.0)	36.7 (7.7)	201	26475.00	27353.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	1946	1539	38.2 (7.4)	42.8 (6.6)	40.9 (6.9)	179	27585.00	28463.33
L1 H2 FWD PANEL VAN (EURO 6)								
2800 2.3CDTi (110PS) BlueInjection	1955	830	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	24375.00	25253.33
2800 2.3CDTi (130PS) BlueInjection	1955	830	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	25175.00	26053.33
3300 2.3CDTi (110PS) BlueInjection	1960	1325	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	25625.00	26503.33
3300 2.3CDTi (130PS) BlueInjection	1960	1325	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	26425.00	27303.33
3500 2.3CDTi (110PS) BlueInjection	1965	1520	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	26275.00	27153.33
3500 2.3CDTi (130PS) BlueInjection	1965	1520	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	27075.00	27953.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	1974	1511	37.2 (7.6)	42.2 (6.7)	40.4 (7.0)	183	28185.00	29063.33
L2 H2 FWD PANEL VAN (EURO 6)								
3300 2.3CDTi (110PS) BlueInjection	2004	1281	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	26980.00	27858.33
3300 2.3CDTi (130PS) BlueInjection	2004	1281	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	27780.00	28658.33
3500 2.3CDTi (110PS) BlueInjection	2009	1476	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	27630.00	28508.33
3500 2.3CDTi (110PS) S/S BlueInjection	2009	1476	34.9 (8.1)	39.8 (7.1)	37.7 (7.5)	194	27920.00	28798.33
3500 2.3CDTi (130PS) BlueInjection	2009	1476	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	28430.00	29308.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2018	1467	37.2 (7.6)	42.2 (6.7)	40.4 (7.0)	183	29540.00	30418.33
3500 2.3CDTi BiTurbo (170PS) S/S Tecshift BlueInjection	2018	1467	36.2 (7.8)	40.9 (6.9)	39.2 (7.2)	187	31665.00	32543.33
L2 H3 FWD PANEL VAN (EURO 6)								
3500 2.3CDTi (110PS) BlueInjection	2050	1435	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	28330.00	29208.33
3500 2.3CDTi (130PS) BlueInjection	2050	1435	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	29130.00	30008.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2059	1426	37.2 (7.6)	42.2 (6.7)	40.4 (7.0)	183	30240.00	31118.33
3500 2.3CDTi BiTurbo (170PS) S/S Tecshift BlueInjection	2059	1426	36.2 (7.8)	40.9 (6.9)	39.2 (7.2)	187	32365.00	33243.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

MOVANO PANEL VAN PRICES



		C0 ₂		On-the-road				
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra-urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L3 H2 FWD PANEL VAN (EURO 6)								
3500 2.3CDTi (110PS) BlueInjection	2090	1395	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	28330.00	29208.33
3500 2.3CDTi (110PS) S/S BlueInjection	2090	1395	34.4 (8.2)	39.2 (7.2)	37.2 (7.6)	197	28620.00	29498.33
3500 2.3CDTi (130PS) BlueInjection	2090	1395	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	29130.00	30008.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2099	1386	36.2 (7.8)	41.5 (6.8)	39.2 (7.2)	186	30240.00	31118.33
3500 2.3CDTi BiTurbo (170PS) S/S BlueInjection	2099	1386	36.7 (7.7)	40.4 (7.0)	38.7 (7.3)	189	31490.00	32368.33
3500 2.3CDTi BiTurbo (170PS) S/S Tecshift BlueInjection	2099	1386	35.8 (7.9)	40.4 (7.0)	38.7 (7.3)	189	32365.00	33243.33
L3 H3 FWD PANEL VAN (EURO 6)								
3500 2.3CDTi (110PS) BlueInjection	2130	1355	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	29030.00	29908.33
3500 2.3CDTi (130PS) BlueInjection	2130	1355	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	29830.00	30708.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2139	1346	36.2 (7.8)	41.5 (6.8)	39.2 (7.2)	186	30940.00	31818.33
L3 H2 RWD PANEL VAN (EURO VIc)								
3500 2.3CDTi BiTurbo (130PS) BlueInjection	2356	1129	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	30430.00	31308.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2356	1129	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	31540.00	32418.33
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2375	1110	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	31030.00	31908.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2375	1110	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	32140.00	33018.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2375	2110	N/A	N/A	N/A	N/A	32505.00	33308.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2375	2110	N/A	N/A	N/A	N/A	34865.00	35668.33
L3 H3 RWD PANEL VAN (EURO VIc)								
3500 2.3CDTi BiTurbo (130PS) BlueInjection	2356	1129	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	31130.00	32008.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2356	1129	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	32240.00	33118.33
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2408	1077	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	31730.00	32608.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2408	1077	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	32840.00	33718.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2408	2077	N/A	N/A	N/A	N/A	33205.00	34008.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2408	2077	N/A	N/A	N/A	N/A	35565.00	36368.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

MOVANO PANEL VAN PRICES



			Fuel econ	omy mpg (litres	/100km)#	C0 ₂		On-the-road
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L4 H2 RWD PANEL VAN (EURO VIc)								
3500 2.3CDTi BiTurbo (130PS) BlueInjection	2398	1087	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	31330.00	32208.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2398	1087	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	32440.00	33318.33
3500 2.3CDTi BiTurbo (163PS) S/S BlueInjection	2398	1087	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	33690.00	34568.33
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2453	1032	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	31930.00	32808.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2453	1032	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	33040.00	33918.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2453	2032	N/A	N/A	N/A	N/A	33405.00	34208.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2453	2032	N/A	N/A	N/A	N/A	35765.00	36568.33
L4 H3 RWD PANEL VAN (EURO VIc)								
3500 2.3CDTi BiTurbo (130PS) BlueInjection	2429	1056	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	32030.00	32908.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2429	1056	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	33140.00	34018.33
3500 2.3CDTi BiTurbo (163PS) S/S BlueInjection	2429	1056	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	34390.00	35268.33
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2495	990	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	32630.00	33508.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2495	990	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	33740.00	34618.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2495	1990	N/A	N/A	N/A	N/A	34105.00	34908.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2495	1990	N/A	N/A	N/A	N/A	36465.00	37268.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

MOVANO DOUBLECAB PRICES

	Fuel economy mpg (litres/100km)#							
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	CO ₂ emissions (g/km)#	Price (£) exc. VAT	On-the-road RRP (£) exc. VAT
L2 H2 FWD DOUBLECAB (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	2205	1305	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	30080.00	30958.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2205	1305	36.2 (7.8)	41.5 (6.8)	39.2 (7.2)	186	31190.00	32068.33
3500 2.3CDTi BiTurbo (170PS) S/S Tecshift BlueInjection	2205	1305	36.7 (7.7)	40.4 (7.0)	38.7 (7.3)	189	33315.00	34193.33
L3 H2 FWD DOUBLECAB (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	2286	1224	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	30780.00	31658.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2286	1224	36.2 (7.8)	41.5 (6.8)	39.2 (7.2)	186	31890.00	32768.33
3500 2.3CDTi BiTurbo (170PS) S/S Tecshift BlueInjection	2286	1224	36.7 (7.7	40.4 (7.0)	38.7 (7.3)	189	34015.00	34893.33
L3 H2 RWD DOUBLECAB (EURO Vic)								
3500 2.3CDTi BiTurbo (130PS) BlueInjection	2553	957	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	32080.00	32958.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2553	957	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	33190.00	34068.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue[®] top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

MOVANO CHASSIS CAB PRICES

		Payload and Body	Fuel econ	omy mpg (litres	/100km)#	CO ₂		On-the-road
Model	Minimum Mass (kg)*	Allowance (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L2 H1 FWD CHASSIS CAB (EURO 6)								
3500 2.3CDTi (110PS) BlueInjection	1784	1756	30.4 (9.3)	37.7 (7.5)	34.4 (8.2)	212	25930.00	26808.33
3500 2.3CDTi (130PS) BlueInjection	1784	1756	30.4 (9.3)	37.7 (7.5)	34.4 (8.2)	212	26730.00	27608.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	1793	1747	35.8 (7.9)	39.8 (7.1)	38.2 (7.4)	192	27840.00	28718.33
L3 H1 FWD CHASSIS CAB (EURO 6)								
3500 2.3CDTi (110PS) BlueInjection	1810	1730	30.4 (9.3)	37.7 (7.5)	34.4 (8.2)	212	26430.00	27308.33
3500 2.3CDTi (130PS) BlueInjection	1810	1730	30.4 (9.3)	37.7 (7.5)	34.4 (8.2)	212	27230.00	28108.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	1819	1721	35.8 (7.9)	39.8 (7.1)	38.2 (7.4)	192	28340.00	29218.33
L2 H1 RWD CHASSIS CAB (EURO VIc)								
3500 2.3CDTi (130PS) BlueInjection	1928	1612	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	28030.00	28908.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	1928	1612	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	29140.00	30018.33
3500 HD 2.3CDTi (130PS) BlueInjection	2095	1445	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	28645.00	29523.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2095	1445	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	29755.00	30633.33
4500 HD 2.3CDTi (130PS) BlueInjection	2095	2445	N/A	N/A	N/A	N/A	30120.00	30923.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2095	2445	N/A	N/A	N/A	N/A	32480.00	33283.33
L3 H1 RWD CHASSIS CAB (EURO VIc)								
3500 2.3CDTi BiTurbo (130PS) BlueInjection	1979	1561	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	28530.00	29408.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	1979	1561	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	29640.00	30518.33
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2103	1437	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	29130.00	30008.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2103	1437	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	30240.00	31118.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2095	2445	N/A	N/A	N/A	N/A	30605.00	31408.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2095	2445	N/A	N/A	N/A	N/A	32965.00	33768.33
L4 H1 RWD CHASSIS CAB (EURO VIc)								
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2133	1407	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	29830.00	30708.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2133	1407	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	30940.00	31818.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2133	2407	N/A	N/A	N/A	N/A	31305.00	32108.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2133	2407	N/A	N/A	N/A	N/A	33665.00	34468.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

All conversions must follow 'Vauxhall Convertor Requirements' including recommended dimensional data, detailed within Part 1, available at: www.vauxhall.co.uk/conversiondata. The weight of any fitted conversion body will have to be deducted from these figures to establish actual payload and is subject to correct weight distribution. Variations from the recommended dimensions or weights may affect the vehicle's overall centre of gravity and stability. From 29 April 2013 conversion of N1 vehicles was affected by changes to type approval – for further information refer to the VCA website (N2 vehicles were affected from 29 October 2014). For further information please contact conversions@vauxhall.co.uk

* = For definitions please refer to Glossary of Terms.

= Fuel consumption information is official government environmental data, tested in accordance with the relevant EU directive. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

All conversions must follow 'Conversion Requirements' available on: www.vauxhall.co.uk/conversiondata

MOVANO CREW CAB PRICES

		Payload and Body	Fuel econ	omy mpg (litres	/100km)#	C0 ₂		On-the-road
Model	Minimum Mass (kg)*	Allowance (kg)*	Urban driving	Extra-urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L2 H1 FWD CREW CAB (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	1990	1550	30.4 (9.3)	37.7 (7.5)	34.4 (8.2)	212	27630.00	28508.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	1999	1541	35.8 (7.9)	39.8 (7.1)	38.2 (7.4)	192	28740.00	29618.33
L3 H1 FWD CREW CAB (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	2034	1506	30.4 (9.3)	37.7 (7.5)	34.4 (8.2)	212	28130.00	29008.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2043	1497	35.8 (7.9)	39.8 (7.1)	38.2 (7.4)	192	29240.00	30118.33
L2 H1 RWD CREW CAB (EURO VIc)								
3500 2.3CDTi BiTurbo (130PS) BlueInjection	2164	1376	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	28930.00	29808.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2164	1376	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	30040.00	30918.33
L3 H1 RWD CREW CAB (EURO VIc)								
3500 2.3CDTi BiTurbo (130PS) BlueInjection	2197	1343	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	29430.00	30308.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2197	1343	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	30540.00	31418.33
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2283	1257	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	30030.00	30908.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2283	1257	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	31140.00	32018.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2283	2257	N/A	N/A	N/A	N/A	31505.00	32308.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2283	2257	N/A	N/A	N/A	N/A	33865.00	34668.33
L4 H1 RWD CREW CAB (EURO VIc)								
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2352	1188	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	30730.00	31608.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2352	1188	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	31840.00	32718.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2352	2188	N/A	N/A	N/A	N/A	32205.00	33008.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2352	2188	N/A	N/A	N/A	N/A	34565.00	35368.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 (£165.00 on 4500kg models) and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue[®] top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

All conversions must follow 'Vauxhall Convertor Requirements' including recommended dimensional data, detailed within Part 1, available at: www.vauxhall.co.uk/conversiondata. The weight of any fitted conversion body will have to be deducted from these figures to establish actual payload and is subject to correct weight distribution. Variations from the recommended dimensions or weights may affect the vehicle's overall centre of gravity and stability. From 29 April 2013 conversion of N1 vehicles was affected by changes to type approval – for further information refer to the VCA website (N2 vehicles were affected from 29 October 2014). For further information please contact conversions@vauxhall.co.uk

* = For definitions please refer to Glossary of Terms.

= Fuel consumption information is official government environmental data, tested in accordance with the relevant EU directive. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

All conversions must follow 'Conversion Requirements' available on: www.vauxhall.co.uk/conversiondata

Commercial Vehicle Range Price Guide

MOVANO PLATFORM CAB PRICES

		Payload	Fuel econ	omy mpg (litres	/100km)#	60		On-the-road
Model	Minimum Mass (kg)*	and Body Allowance (kg)*	Urban driving	Extra–urban driving	Combined figure	CO ₂ emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L2 H1 FWD PLATFORM CAB (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	1697	1843	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	26730.00	27608.33
L2 H2 FWD PLATFORM CAB (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	1711	1829	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	27330.00	28208.33
L3 H1 FWD PLATFORM CAB (EURO 6)								
3500 2.3CDTi (110PS) BlueInjection	1719	1821	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	26430.00	27308.33
3500 2.3CDTi (130PS) BlueInjection	1719	1821	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	27230.00	28108.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	1728	1812	35.8 (7.9)	39.8 (7.1)	38.2 (7.4)	192	28340.00	29218.33
L3 H2 FWD PLATFORM CAB (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	1735	1805	30.4 (9.3)	37.7 (7.5)	34.4 (8.2)	212	27830.00	28708.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	1744	1796	35.8 (7.9)	39.8 (7.1)	38.2 (7.4)	192	28940.00	29818.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

All conversions must follow 'Vauxhall Convertor Requirements' including recommended dimensional data, detailed within Part 1, available at: www.vauxhall.co.uk/conversiondata. The weight of any fitted conversion body will have to be deducted from these figures to establish actual payload and is subject to correct weight distribution. Variations from the recommended dimensions or weights may affect the vehicle's overall centre of gravity and stability. From 29 April 2013 conversion of N1 vehicles was affected by changes to type approval – for further information refer to the VCA website (N2 vehicles were affected from 29 October 2014). For further information please contact conversions@vauxhall.co.uk

* = For definitions please refer to Glossary of Terms.

= Fuel consumption information is official government environmental data, tested in accordance with the relevant EU directive. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

All conversions must follow 'Conversion Requirements' available on: www.vauxhall.co.uk/conversiondata

MOVANO TIPPER PRICES

			Fuel ecor	omy mpg (litres	/100km)#	C0 ₂		On-the-road
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L2 H1 FWD CHASSIS CAB TIPPER (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	2381	1159	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	30480.00	31358.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2391	1149	36.2 (7.8)	40.4 (7.0)	38.7 (7.3)	189	31590.00	32468.33
3500 2.3CDTi BiTurbo (170PS) S/S BlueInjection	2391	1149	35.8 (7.9)	39.8 (7.1)	38.2 (7.4)	192	32840.00	33718.33
L2 H1 RWD CHASSIS CAB TIPPER (EURO VIc)								
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2661	879	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	32380.00	33258.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2661	879	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	33490.00	34368.33
3500 HD 2.3CDTi BiTurbo (163PS) S/S BlueInjection	2661	879	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	34740.00	35618.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2661	1879	N/A	N/A	N/A	N/A	33855.00	34658.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2661	1879	N/A	N/A	N/A	N/A	36215.00	37018.33
L3 H1 RWD CHASSIS CAB TIPPER (EURO VIc)								
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2773	767	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	34080.00	34958.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2773	767	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	35190.00	36068.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2773	1617	N/A	N/A	N/A	N/A	35555.00	36358.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2773	1617	N/A	N/A	N/A	N/A	37915.00	38718.33
L3 H1 FWD CREW CAB TIPPER (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	2511	1029	30.7 (9.2)	38.2 (7.4)	34.9 (8.1)	210	31880.00	32758.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2520	1020	36.2 (7.8)	40.4 (7.0)	38.7 (7.3)	189	32990.00	33868.33
L3 H1 RWD CREW CAB TIPPER (EURO VIc)								
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2830	1710	N/A	N/A	N/A	N/A	35255.00	36058.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2830	1710	N/A	N/A	N/A	N/A	37615.00	38418.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 (£165.00 on 4500kg models) and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

MOVANO DROPSIDE PRICES

			Fuel econ	omy mpg (litres	/100km)#	C0 ₂		On-the-road
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra-urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L2 H1 FWD CHASSIS CAB DROPSIDE (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	2156	1384	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	28680.00	29558.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2166	1374	37.2 (7.6)	42.2 (6.7)	40.4 (7.0)	183	29790.00	30668.33
L3 H1 FWD CHASSIS CAB DROPSIDE (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	2228	1312	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	29680.00	30558.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2237	1303	36.2 (7.8)	41.5 (6.8)	39.2 (7.2)	186	30790.00	31668.33
L2 H1 RWD CHASSIS CAB DROPSIDE (EURO VIc)								
3500 2.3CDTi BiTurbo (130PS) BlueInjection	2356	1184	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	29980.00	30858.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2356	1184	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	31090.00	31968.33
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2447	1093	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	30595.00	31473.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2447	1093	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	31705.00	32583.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2447	2093	N/A	N/A	N/A	N/A	32070.00	32873.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2447	2093	N/A	N/A	N/A	N/A	34430.00	35233.33
L3 H1 RWD CHASSIS CAB DROPSIDE (EURO VIc)								
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2491	1049	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	31580.00	32458.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2491	1049	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	32690.00	33568.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2496	2044	N/A	N/A	N/A	N/A	33055.00	33858.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2496	2044	N/A	N/A	N/A	N/A	35415.00	36218.33
L4 H1 RWD CHASSIS CAB DROPSIDE (EURO VIc)								
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2576	964	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	32280.00	33158.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2576	964	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	33390.00	34268.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2581	1959	N/A	N/A	N/A	N/A	33755.00	34558.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2581	1959	N/A	N/A	N/A	N/A	36115.00	36918.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 (£165.00 on 4500kg models) and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

MOVANO DROPSIDE PRICES

			Fuel economy mpg (litres/100km)#			C0 ₂		On-the-road
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L2 H1 FWD CREW CAB DROPSIDE (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	2313	1227	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	29580.00	30458.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2322	1218	36.2 (7.8)	41.5 (6.8)	39.2 (7.2)	186	30690.00	31568.33
L3 H1 FWD CREW CAB DROPSIDE (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	2384	1156	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	30080.00	30958.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2393	1147	36.2 (7.8)	41.5 (6.8)	39.2 (7.2)	186	31190.00	32068.33
3500 2.3CDTi BiTurbo (170PS) S/S BlueInjection	2393	1147	36.7 (7.7)	40.4 (7.0)	38.7 (7.3)	189	32440.00	33318.33
L2 H1 RWD CREW CAB DROPSIDE (EURO VIc)								
3500 2.3CDTi BiTurbo (130PS) BlueInjection	2471	1069	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	30880.00	31758.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2471	1069	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	31990.00	32868.33
L3 H1 RWD CREW CAB DROPSIDE (EURO VIc)								
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2642	1898	N/A	N/A	N/A	N/A	33455.00	34258.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2642	1898	N/A	N/A	N/A	N/A	35815.00	36618.33
L4 H1 RWD CREW CAB DROPSIDE (EURO VIc)								
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2626	1914	N/A	N/A	N/A	N/A	34655.00	35458.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2626	1914	N/A	N/A	N/A	N/A	37015.00	37818.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 (£165.00 on 4500kg models) and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue[®] top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

MOVANO BOX VAN PRICES

			Fuel economy mpg (litres/100km)#			CO		On-the-road
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	CO ₂ emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L3 H1 FWD CHASSIS CAB BOX VAN 20 cu.m (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	2400	1140	30.7 (9.2)	38.2 (7.4)	34.9 (8.1)	210	32910.00	33788.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2400	1140	36.2 (7.8)	40.4 (7.0)	38.7 (7.3)	189	34020.00	34898.33
3500 2.3CDTi (170PS) BiTurbo S/S BlueInjection	2400	1140	35.8 (7.9)	39.8 (7.1)	38.2 (7.4)	192	35270.00	36148.33
L3 H1 RWD CHASSIS CAB BOX VAN 20 cu.m (EURO VIc)								
3500 2.3CDTi BiTurbo (130PS) BlueInjection	2560	980	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	35410.00	36288.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2560	980	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	36520.00	37398.33
3500 2.3CDTi BiTurbo (163PS) S/S BlueInjection	2560	980	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	37770.00	38648.33
L4 H1 RWD CHASSIS CAB BOX VAN 20 cu.m (EURO Vic)								
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2735	805	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	35660.00	36538.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2735	805	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	36770.00	37648.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2735	1805	N/A	N/A	N/A	N/A	37135.00	37938.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2735	1805	N/A	N/A	N/A	N/A	39495.00	40298.33
L4 H1 RWD CHASSIS CAB BOX VAN 22 cu.m (EURO VIc)								
3500 HD 2.3CDTi (130PS) BlueInjection	2760	780	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	35860.00	36738.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2760	780	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	36970.00	37848.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 (£165.00 on 4500kg models) and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

MOVANO COMBI / MINIBUS PRICES

			Fuel econ	Fuel economy mpg (litres/100km)#				On-the-road
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	CO ₂ emissions (g/km)#	Price (£) exc. VAT	RRP (£) inc. VAT
L1 H1 FWD 9-SEAT COMBI (EURO 6)								
3300 2.3CDTi (110PS) S/S BlueInjection	2074	1141	35.8 (7.9)	45.6 (6.2)	41.5 (6.8)	176	26195.83	32990.00
L2 H2 FWD 9-SEAT COMBI (EURO 6)								
3500 2.3CDTi (110PS) S/S BlueInjection	2184	1231	34.9 (8.1)	44.8 (6.3)	40.9 (6.9)	179	28804.17	36120.00
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2184	1231	37.7 (7.5)	46.3 (6.1)	42.8 (6.6)	173	29066.67	36435.00
3500 2.3CDTi BiTurbo (170PS) S/S BlueInjection	2184	1231	37.7 (7.5)	46.3 (6.1)	42.8 (6.6)	173	30316.67	37935.00
L3 H2 FWD 17-SEAT MINIBUS (EURO VIc)								
3900 2.3CDTi BiTurbo (145PS) S/S Tacho BlueInjection	2660	1340	N/A (M2)	N/A (M2)	N/A (M2)	N/A (M2)	34529.17	42355.00

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £800.00 on Combi and £165.00 on Minibus models and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue[®] top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

MOVANO TRABUS PRICES/FEATURES

		Payload	Fuel econ	omy mpg (litres	/100km) #	60		On the read
Model	Minimum Mass (kg)*	and Body Allowance (kg)*	Urban driving	Extra–urban driving	Combined figure	CO ₂ emissions (g/km)#	Price (£) exc. VAT	On-the-road RRP (£) exc. VAT
L2 H2 FWD TRABUS (EURO VIc)								
3900 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2093	1837	N/A (M2)	N/A (M2)	N/A (M2)	N/A (M2)	30640.00	31443.33
L3 H2 FWD TRABUS (EURO VIc)								
3900 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2171	1759	N/A (M2)	N/A (M2)	N/A (M2)	N/A (M2)	31190.00	31993.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £165.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

All conversions must follow 'Vauxhall Convertor Requirements' including recommended dimensional data, detailed within Part 1, available at: www.vauxhall.co.uk/conversiondata. The weight of any fitted conversion body will have to be deducted from these figures to establish actual payload and is subject to correct weight distribution. Variations from the recommended dimensions or weights may affect the vehicle's overall centre of gravity and stability. From 29 April 2013 conversion of N1 vehicles was affected by changes to type approval – for further information refer to the VCA website (N2 vehicles were affected from 29 October 2014). For further information please contact conversions@vauxhall.co.uk * = For definitions please refer to Glossary of Terms.

= Fuel consumption information is official government environmental data, tested in accordance with the relevant EU directive. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

The Vauxhall Trabus is a fully glazed panel van without bulkhead suitable for conversion into a passenger vehicle by a third-party Convertor. The Trabus includes basic Type Approval for registration as a Category M* Passenger Vehicle and 2nd stage Type Approval must be completed by the Convertor to enable registration. Available in two wheelbases the Trabus is fitted with the highly efficient and economical 2.3CDTi BiTurbo Euro VI engine with Start/Stop. There are no interior seats or internal trim within the load compartment.

Movano Trabus feature highlights:

- Type-approved for Euro VI Category M emissions
- Driver's airbag
- Electronic stability programme
- Six-way adjustable driver's seat with armrest
- Dual front passengers' bench seat with dump latch facility
- Pulse cloth trim for front seats
- Digital Tachograph
- 62mph hardcoded Speed Limiter
- Front fog lights
- High beam assist
- Lane departure warning
- Multi-function trip computer
- Bulkhead not fitted

- Digital radio/CD/MP3 CD player/stereo radio/aux-in socket/Bluetooth[®] connectivity for compatible mobile phones/USB connectivity/integrated display/four 15-watt speakers (CD 16 DAB BT USB)
- No second or third-row seating
- Fixed windows nearside and offside rear panels
- Selective door locking with three-button key
- Uprated battery (110Ah)
- Glazed rear doors (90°/180° opening)
- Under-floor full-size spare wheel
- Centre wheel covers (full-diameter wheel covers optional)
- Nearside sliding side-access door and opposite panel with fixed windows
- * = M1 or M2 dependent on passenger configuration.

All conversions must follow 'Conversion Requirements' available on: www.vauxhall.co.uk/conversiondata

SAFETY		Movano	Combi/ Minibus	Trabus	Price (£) exc. VAT	Total (£) inc. VAT
Airbags:						
Driver's airbag		•	•	•		
Front passengers' airbag:						
 Front passengers' airbag with deactivation switch 		0	0	0	260.00	312.00
– Not available with Convenience Pack option.	Option code: AK5					
Stability:						
Electronic Stability Programme-plus (ESP-plus) with traction control						
- Works in conjunction with the vehicle's electronic braking and engine systems to keep the vehicle stable in many different situations. ESP		•	•			
monitors a variety of inputs to determine when the vehicle starts to lose traction, it can then immediately respond by varying the brake						
pressure between up to three wheels and adjust the engine output to help correct the loss of traction and improve stability.						
Anti-lock braking:						
Four-channel Anti-lock Braking System (ABS) – Prevents the vehicle's wheels from locking up under heavy braking by momentarily reducing brake pressure at the appropriate wheel, ensuring that you can maintain control of the steering.						
Emergency brake assist – When emergency braking is detected the vehicle automatically applies the maximum possible braking						
assistance.		•	•	•		
Electronic brakeforce distribution – Automatically apportions the optimum braking force to each wheel.						
Hill start assist – Briefly maintains rear brake pressure to stop the vehicle rolling back on an incline.						
Advanced Safety Assist Pack:						
Front fog lights High beam headlight assist Lane departure warning Multi-function trip computer						
– Not available with Lighting Pack option.		0	0		395.00	474.00
– Standard on Minibus / RWD HD 4500 models.	Option code: XYCO					
Bulkhead:						
Full-height steel bulkhead without window – Standard on Panel Van / optional on Platform Cab models.	Option code: AX6	0			135.00	
Full-height ABS plastic bulkhead with window – Doublecab only.	· ·	•				
• Full-height steel bulkhead with window – Standard on Chassis / Crew Cab models. Optional on Panel Van / Platform Cab models.	Option code: AX9	0			50.00	
Protection grille for bulkhead window	Option code: XBEO	0			410.00	
ISOFIX child seat fixings:	· ·					
• 1 x front row. 2 x second row – Combi models.						
SECURITY		1	1	<u> </u>	I	
• Electronic engine deadlock immobiliser • Steering column lock • Secure fuel filler flap		•	•	•		
 Internal lockable rear and sliding side-access doors Under-floor spare wheel storage – Wind down only when rear doors opened. Standard on Panel Van / Doublecab. 		•	•	•		
Remote control door locking (features depending on body type):						
Selective door locking • Two keys with integral remote • Door deadlocks		•				
Third key with integral remote	Option code: K69	0	0	0	60.00	72.00
Security alarm system:	option code. NO7				00.00	72.00

Security alarm system: • Engine compartment protection • Ultrasonic detectors in load area • Siren • Thatcham Category 1 approved (TCL1–101/1103) - Not available on Platform Cab models.

• = Standard equipment. O = Optional at extra cost.

305.00

Ο

Option code: UA6

COMFORT AND SEATING	Movano	Combi/ Minibus	Trabus	Price (£) exc. VAT	Total (£) inc. VAT
Comfort:					
Height-adjustable steering wheel • Facia-mounted gear lever • Floor-mounted handbrake lever • Pulse cloth seat trim	•	•			
Vinyl floor covering • Inertia-reel lap and diagonal seatbelts • Height-adjustable outer front seatbelts					
Vinyl seat trim:					
Grey vinyl seat trim	0	0		50.00	60.00
– Not available with Convenience Pack / Construction Pack / air-suspended driver's seat options / dual front passengers' multi-function				50.00	00.00
office bench seat. – Not available on Minibus models. Option code:	TACQ				
Driver's seat:	•	•			
Height Reach Backrest recline Height-adjustable padded head restraint Driver's seat armrest			•		
'Comfort' driver's seat:					
Lumbar adjustment Height Reach Backrest recline Height-adjustable padded head restraint Centre fold-away armrest - Not available with Construction Pack option. L4 R3500 HD Dropside models. Option codes	0 B21	0	0	135.00	162.00
Air-suspended driver's seat:					
• Lumbar adjustment • Height • Reach • Backrest recline • Height-adjustable padded head restraint • Centre fold-away armrest	0		0	445.00	534.00
- Not available with vinyl seat trim option.				445.00	534.00
- Not available on L2 Doublecab / Tipper models. Option code:	A5Z				
Dual front passengers' bench seat:					
• Fixed position bench seat and backrest • Centre seat features flat-folding backrest with twin drinks holders, flat work surface and storage tray	•				
Height-adjustable outer front padded head restraint Fixed centre seat padded head restraint					
Dual front passengers' multi-function office bench seat:					
Dual front passengers' bench seat Centre seat features flat-folding backrest with twin drinks holders, flat work surface and swivelling tray	0		0	210.00	252.00
Underseat storage – Optional on Combi models. Option code:	ASY				
Single front passenger's seat:					
Reach Backrest recline Height-adjustable padded head restraint	0	0	0	60.00	72.00
– Not available on Minibus or with Convenience Pack option. Please note: On Combi models this option reduces CO2 emissions which may				00.00	72.00
result in a reduction in Vehicle Excise Duty. Option code:	AE1				
Single 'Comfort' front passenger's seat:					
Lumbar adjustment Reach Backrest recline Height-adjustable padded head restraint Centre fold-away armrest					
 Only available with driver's comfort / air-suspended driver's seat options. 	0	0	0	60.00	72.00
– Not available on Minibus. Please note: On Combi models this option reduces CO ₂ emissions which may result in a reduction in					
Vehicle Excise Duty. Option code:	AHZ				
Convenience Pack:					
Comfort' driver's seat with armrest and lumbar support Multi-function office bench seat with folding seat back on centre passenger					
seat including swivelling work tray and tilt forward seat cushions with underseat storage • Retractable A4 facia document clip	0			235.00	
One-touch down' facility for driver's electrically operated window Bulkhead soundproofing (Panel Van only)	Vici				
- Not available on Crew Cab models. Option code:	ΛΙΟ				
Full-length soft-trimmed headling		•			
Full-height interior side mouldings		•			
Window blinds – <i>Minibus only.</i> Option code:	DED	0		910.00	1092.00

SEATING – DOUBLECAB		Movano	Combi/ Minibus	Trabus	Price (£) exc. VAT	Total (£) inc. VAT
 Rear seating: Four-individually contoured rear seats Inertia-reel lap and diagonal seatbelts Padded head restraints Integrated storage nets and cup holders Full-length tray under rear seat cushion – Standard on Doublecab. 		•				
Side and overhead rear seat storage pockets – Doublecab only.	Option code: D29	0			70.00	
SEATING – COMBI						
Rear seating: • Three-passenger, second-row bench seat • Three-passenger, third-row bench seat			•			
SEATING – MINIBUS						
 Rear seating: 14-individual rear passenger seats in staggered layout Raised seating with illuminated gangway 			•			
Floor-mounted seat fixing rails and removable seats – Last two rows of seats. Minibus only.	Option code: ATW		0		440.00	528.00
CABIN STORAGE						
Accessory sockets: • 12-volt accessory socket beside gear lever		•	•	•		
 Facia storage: Driver's coin, ticket and card holder Driver's oddments storage Lidded glovebox (11-litre capacity) Central drinks holder Front passenger semi-covered document tray 		•	•	•		
 Front door pockets: Large door pocket with capacity for a 2-litre drink bottle Oddments pocket 		•	•	•		
Additional storage: • Overhead storage shelf		•	•			
Smoker Pack: • Removable ashtray • Illuminated cigar lighter	Option code: DT4	0	0	0	50.00	60.00

DRIVER ASSISTANCE		Movano	Combi/ Minibus	Trabus	Price (£) exc. VAT	Total (£) inc. VAT
Windscreen wipers:						
Two-speed windscreen wipers Variable intermittent wipe Electric screenwash						
Parking assistance:					7/0.00	040.00
• Rear-view camera – Panel Van / Doublecab / Combi models.	Option code: UVC	0	0		760.00	912.00
Rear parking distance sensors – Not available on Chassis / Crew / Platform Cab models or derivatives.	Option code: UD7	0	0	0	275.00	330.00
Rear-view camera Rear parking distance sensors – Panel Van / Doublecab / Combi models.	Option code: UCI	0	0		1025.00	1230.00
Nearside blind-spot / junction mirror located in front passenger sunvisor		•	•			
Cruise control, speed limiter and multi-function trip computer:						
Cruise control • Trip odometer • Vehicle range based on remaining fuel • Average speed • Average fuel economy		0	0	0	260.00	312.00
Instantaneous fuel economy Oriving time	Option code: K34					
Speed limiter:						
Choice of three speeds: 56mph / 62mph / 68mph	Option code: (56mph) KYJ	0			95.00	102.00
– 56mph speed limiter standard on RWD HD 4500 models.	Option code: (62mph) KYK		0		85.00	102.00
– 62mph speed limiter standard on Minibus / Trabus.	Option code: (68mph) KYL					
Rear reversing lens – Not available on Combi models.	Option code: D31		0		60.00	72.00

DRIVER INFORMATION

Instrumentation:	•	•	•		
Speedometer Rev counter Digital fuel gauge with low fuel warning light Coolant temperature gauge with warning light					
ECO features:					
Shift-up indicator (manual models)					
– Indicates when to change gear for optimum fuel economy.					
Driver information display:					
• Monochrome display located in instrument cluster • Odometer • Service-due indicator • Displays trip computer data (when	•		•		
fitted)					
Central facia display:					
Audio information • Digital clock with automatic RDS time adjustment • Outside air temperature with ice warning function	•				
 Additional features and location dependent on infotainment unit (see Audio, Communication and Navigation for details) 					
Warning indicators:					
 Low oil level, low brake fluid, brake pad wear, battery, fuel filter, low AdBlue[®] level, seatbelt warning and doors open 	•		-		
Digital tachograph:					
CANbus interface Odometer display is changed from miles to kilometres					
– Standard on RWD HD 4500 / Minibus / Trabus models.					
– Not available with pneumatic rear suspension.					
 Important: The digital tachograph must be specified at time of ordering as it cannot be fitted retrospectively. Option price does not 	0	0		535.00	642.00
include calibration which must be carried out at an approved tachograph centre within 14 days of the vehicle's registration. Please					
note: The legislation regarding the use of tachographs is complex and operators should seek independent advice or speak to the					
Commercial Vehicle specialist at your Vauxhall retailer to ensure compliance. Alternatively your local DVLA office will also be able					
to provide clarification of the relevant legislation. Option code: TG	P				
• = Standard equipment. Q = Optional at extra cost.	1				

6 Commercial Vehicle Range Price Guide

HEATING AND VENTILATION	Movano	Combi/ Minibus	Trabus	Price (£) exc. VAT	Total (£) inc. VAT	
Cab heating:						
Four-speed fan Illuminated controls Four adjustable facia vents Windscreen demist vents Side window demist vents						
Air conditioning: • Air recirculation facility • Pollen filter • Illuminated controls • Chilled glovebox facility - Not available on Minibus models.	Option code: C60	0	0	0	700.00	840.00
Air conditioning front and rear	Option code: CJ5		0	0	2210.00	2652.00
Additional rear compartment heating – Not available on Combi models.	Option code: C46		0		2010.00	2412.00
Additional rear compartment air conditioning and heating – Not available on Combi models.	Option code: CAW		0	0	4210.00	5052.00
Electronic climate control: • Incorporating air conditioning • LCD temperature display • Automatic air direction and fan speed with manual override • Illuminated controls • Pollen filter • Chilled glovebox facility	Option code: C61	0			910.00	

• = Standard equipment. O = Optional at extra cost. .

Please note: The air conditioning in vehicles with N1, N2 or M2 type approval relies upon fluorinated greenhouse gases (R134a) for its functioning. The front system contains a quantity of overall 580g of R 134a, which corresponds to a CO₂ equivalent of 0.83 tons. The front and rear system in versions with up to 9-seats contains a quantity of overall 1,700g of R 134a, which corresponds to a CO₂ equivalent of 1.57 tons. The front and rear system in versions with more than 16-seats contains a quantity of overall 1,700g of R 134a, which corresponds to a CO₂ equivalent of 2.43 tons. The global warming potential amounts to 1430. Information acc. to R (EU) No. 517/2014.

INFOTAINMENT		Movano	Combi/ Minibus	Trabus	Price (£) exc. VAT	Total (£) inc. VAT
CD 16 BT USB:						
Onboard features: • DAB digital radio / AM/FM stereo radio with 18-station presets • CD/MP3 CD player • High-level display						
RDS with Traffic Programme • Two 15–watt speakers						
Media connections: • USB connection with iPod control • Aux-in socket • Bluetooth® audio streaming (A2DP Profile)			•			
Mobile phone portal: Bluetooth [®] connectivity Handsfree calls via steering wheel controls						
Vehicle microphone Phone book access – Contacts/last calls/missed calls etc. (features dependent on mobile phone).						
NAVI 50 IntelliLink:						
Onboard features: • DAB digital radio / AM/FM stereo radio with 18-station presets • 7-inch facia-mounted colour touchscreen						
• RDS with Traffic Programme • Two 20-watt speakers						
Navigation features: • Satellite navigation system • 3D street level mapping • Major route mapping for Western Europe					((0 0 0	
<i>Media connections:</i> • USB connection with iPod control • Aux-in socket • Bluetooth [®] audio streaming (A2DP Profile)		0	0	0	660.00	792.00
<i>Mobile phone portal:</i> • Bluetooth [®] connectivity • Handsfree calls via steering wheel controls • Vehicle microphone						
• Phone book access - Contacts/last calls/missed calls etc. are mirrored on IntelliLink's display and are easily navigated using the						
touchscreen (features dependent on mobile phone).						
– Not available on Minibus models.	Option code: 1oo					
NAVI 80 IntelliLink:						
Onboard features: • DAB digital radio / AM/FM stereo radio with 18-station presets • 7-inch facia-mounted colour touchscreen						
RDS with Traffic Programme Two speakers 20 watts per channel output						
<i>Navigation features:</i> • Satellite navigation system • TomTom LIVE services • 3D street level mapping						
Major route mapping for Western Europe						
Media connections: • USB connection with iPod control • Aux-in socket • Bluetooth® audio streaming (A2DP Profile)		0	0	0	1080.00	1296.00
Integrated voice control						
Mobile phone portal: Bluetooth[®] connectivity Handsfree calls via steering wheel controls Vehicle microphone 						
Phone book access – Contacts/last calls/missed calls etc. are mirrored on IntelliLink's display and are easily navigated using the						
touchscreen (features dependent on mobile phone).						
– Not available on Minibus models.	Option code: 2L9					
Additional features:						
Steering column mounted audio controls • Flexible roof-mounted aerial						

LOAD ACCESS		Movano	Combi/ Minibus	Trabus	Price (£) exc. VAT	Total (£) inc. VAT
Nearside access:						
Nearside side-access door:						
 Nearside sliding side-access door Unglazed Standard on Panel Van. 		•				
Nearside side-access door with fixed windows: • Fixed window to standard nearside side-access door (£165) • Fixed window to opposite offside body panel (£165) – Standard on Doublecab.			•	•	330.00	
Nearside side–access door with sliding windows:						
 Sliding window to standard nearside side-access door (£335) Sliding window to opposite offside body panel (£335) Not available on Minibus models. 					670.00	
Offside access:						
Offside side-access door: Offside sliding side-access door Unglazed Panel Van only. 					310.00	
Offside side-access door with fixed windows:						
 Fixed window to standard nearside side-access door (£165) Offside side-access door (£310) Fixed window to offside side-access door (£165) 					640.00	
 Offside side-access door with sliding windows: Sliding window to standard nearside side-access door (£335) Offside side-access door (£310) Sliding window to offside side-access door (£335) 					980.00	1176.00
Rear access:						
Rear solid doors: • Twin rear doors • 90°/180° opening		•				
• Twin rear doors • 270° opening						
– Not available on L1 models.	Option code: 7U4	0			285.00	
Rear glazed doors: • Glazed rear doors • 90°/180° opening	Option code: J1X	0	•	•	110.00	
Glazed rear doors • 270° opening – Not available on L1 models.	Option code: J1T	0			385.00	
 Heated rear windows Only available with glazed rear doors. 	Option code: C49	0	0	0	110.00	132.00

• = Standard equipment. O = Optional at extra cost. \blacktriangle = Please refer to ordering guide.

GLAZED PACK		Movano	Combi/ Minibus	Trabus	Price (£) exc. VAT	Total (£) inc. VAT
 Fixed window to standard nearside side-access door Fixed window to opposite offside body panel Rear glazed side panels 	Option code: A10	0	•	•	430.00	
LOAD RESTRAINT – PANEL VAN						
 Load anchorage/net: Fixed floor-mounted load restraint lashing eyes (L1 models x 6, L2/L3 models x 8, L4 models x 10) Nearside/offside rear door column load restraint lashing eyes 		•				
• Fixed side-mounted anchorage points (x 8) – Not available with grab handle options.	Option code: ANY	0			85.00	
 Load protection net (L2/L3 models only) Not available on RWD HD 4500 HD models / with floor and roof fixing rail. 	Option code: XBEC	0			570.00	
Load fixing rails: Floor/roof fixing rails (FWD L2 H2/L3 H2 models only): • Two parallel roof rails • Two parallel floor rails • Anti-slip wooden floor - Not available with resin-coated load floor / load protection net.	Option code: XBDB	L2 () L3 ()			1005.00 1185.00	
Floor fixing rails (FWD L2/L3 models only): Two parallel floor rails Anti-slip wooden floor Not available with resin-coated load floor / load protection net. 	Option code: XBCE	L2 O L3 O			795.00 970.00	
Dual side fixing rails – dual height (FWD L2/L3 models only): • Two nearside parallel side rails • Two parallel side rails • Plastic infill protective load lining panels - Not available with half or full-height load lining trim / Glazing Pack.	Option code: XBCO	L2 O L3 O			880.00 1100.00	
 Side fixing rails – mid height (FWD L2/L3 models only): Single nearside side rail • Single offside side rail • Plastic infill protective load lining panels Not available with half or full-height load lining trim / Glazing Pack. 	Option code: XBBA	L2 O L3 O			750.00 925.00	
Adjustable securing lashing eyes for use with fixing rails	Option code: XBCI	0			55.00	
Ratcheted strap for use with fixing rails	Option code: XBDX	0			50.00	
Telescopic blocking bars – Only available with floor or side fixing rails.	Option code: XBDT	0			205.00	
Adjustable partition wall – Only available with floor and roof fixing rails.	Option code: XBDI	0			1205.00	

LOAD PROTECTION – PANEL VAN	Movar	Combi/ o Minibus		Price (£) exc. VAT	Total (£) inc. VAT
oad lining:	L1/L2 (\mathbf{r}		170.00	
Half-height plywood load lining panels	L3 O	-		190.00	
Option code	: N18 L4 O			210.00	
Full-height plywood load lining Plywood wheel arch protection	L1 O			490.00	
– Not available with glazed side-access door(s) / Only available with resin-coated plywood load floor covering.	L2 O			535.00	
	L3 O			570.00	
Option code	: N20 L4 O			710.00	
Resin-coated plywood load floor covering	L1/L2 (2		330.00	
Option code	: B68 L3/L4 (2 C		370.00	
ADDITIONAL LOAD AREA FEATURES – PANEL VAN / DOUBLECAB					
wo grab handles (side-access and rear doors) Panel Van only. Not available with side-mounted anchorage points. Option code	XBBG O			75.00	
			1	1	

– Panel Van only. Not available with side-mounted anchorage points.	Option code: XBBG	0	75.00
Three grab handles (two side–access and rear doors) – Panel Van only. Not available with side-mounted anchorage points.	Option code: XBEJ	0	100.00
Illuminated load area		•	
LED illuminated load area	Option code: XBHN	0	95.00
Glazed load area roof panel - Not available on H3 models.	Option code: 0C6	0	260.00
Two glazed load area roof panels – L2 H2, L3 H2 and L4 H2 Panel Van models.	Option code: 0C7	0	510.00

EXTERIOR CONVENIENCE / STYLING		Movano	Combi/ Minibus	Trabus	Price (£) exc. VAT	Total (£) inc. VAT
Exterior features:						
Integral steps in front bumper Laminated windscreen Body side-protection mouldings		•	•	•		
• Front and rear mudflaps C	ption code: Q8H	0	0	0	80.00	96.00
 Rear bumper with integral step Standard on RWD / RWD HD Panel Van / Doublecab models. Optional on FWD Panel Van / Doublecab models. 	ption code: VF6	0			260.00	312.00
Windows:						
Electrically operated front windows		-				
• Top opening rear windows – Not available on Combi models. L3 Trabus models only. C	ption code: AD5		0	0	1510.00	1812.00
Door mirrors:						
Foldable electrically adjustable/heated door mirrors Wide-angle mirror on driver's side Integrated side-repeat indicators			•	•		
Extendable door mirrors (Chassis, Crew and Platform Cab): • Long arm exterior mirrors – Long arm exterior mirrors should be applied to any vehicle with an overall width of 2.17 to 2.35 metres C	ption code: DBE	0			85.00	
Paint finish:						
Special paint		0	0	0	At ext	ra cost
– Restrictions apply, please consult your Retailer for details.						

EXTERIOR LIGHTING

 Standard lighting: Lights-on audible warning Manual headlight beam levelling Twin reversing lights Hazard warning lights Rear fog lights Centre rear brake light (excluding Chassis / Crew / Platform Cab models or derivatives) 		•	•	•		
 Front fog lights – Standard on 4500 / Minibus models. 	Option code: T3U	0	0	•	105.00	126.00
Lighting Pack: • Static cornering lights • Front fog lights • Automatic lighting control • Rain-sensitive windscreen wipers • Door-to-door illumination - Standard on 4500 / Minibus models.	Option code: HME	0	0	•	255.00	306.00

MOVANO OPTIONS

EXTERIOR COLOU	RS		Movano	Combi/ Minibus	Trabus	Price (£) exc. VAT	Total (£) inc. VAT
	Arctic White (11U) • Solid paint	Signal Blue (GKX) • Solid paint					
	North Sea Blue (24U) • Solid paint	Ink Blue (23U) ● Solid paint	•	•	•		
	Saffron Yellow (98U) • Solid paint						
	Poppy Red (74U) • Brilliant paint	Mandarin Orange (99U) • Brilliant paint	0	0	0	320.00	384.00
	Halo Silver (GKY) • Two-coat metallic paint	Ambient Blue (GKW) • Two-coat metallic paint				(50.00	5/0.00
	Pearl Black (GUK) • Two-coat metallic paint		0	0	0	450.00	540.00

• = Standard equipment. O = Optional at extra cost.

The colours reproduced may vary slightly from the actual paint colour. As a result they should be used as a guide only. Your Vauxhall Retailer has a comprehensive display of our paint samples. On Cab and Conversion variants the colours illustrated apply to the vehicle cab only.

	Movano	Combi/ Minibus	Trabus	Price (£) exc. VAT	Total (£) inc. VAT
	-				
	-		•		
	-				
	-				
		0		2(0.00	(22.00
		0		360.00	432.00
Option code: NRK					
		0	0	(0.00	70.00
Option code: QP9	0	0	0	60.00	72.00
	N/C	N/C	N/C	N	
Option code: WTC	N/C	N/C	N/C	No-cos	t option
	Option code: QP9	Option code: NRK	Movano Minibus Image:	Movano Minibus Trabus Image:	Movano Minibus Trabus Intervention Image: Image of the state of

• = Standard equipment. O = Optional at extra cost. N/C = No-cost option.

TYRE RATINGS

Tyre size	Fuel efficiency	Wet grip	Extern	al noise
	group	performance	Measured (dB)	Group
195/75 R 16	В	В	72	((;-))
215/65 R 16	В	В	71	(((-1))
225/65 R 16	B-E	B-C	70	((- 1))
235/65 R 16	C-E	В	70	(C +))

Tyre rating according to EU Regulation 1222/2009

MECHANICAL				Movano	Combi/ Minibus	Trabus	Price (£) exc. VAT	Total (£) inc. VAT
Transmission:								
Six-speed manual gearbox	:							
FWD models: • Transverse				•	•	•		
RWD / RWD HD models: • I	∟ongitudinal engine/gea	arbox • L3/L4 models						
Electronic clutch control – Tee 'automatic-only' driving licena Electronic gear selection – T Automatic mode – The drive Manual mode – The driver c	electronic control for bc cshift automatically oper ce holder. Tecshift also controls ge er selects forward or rev can change gear sequer.	oth the clutch and gear selection to the standard six speed transmission. rates the clutch, meaning that there is no clutch pedal and the vehicle can be driven by a ar selection, leaving the driver with two gear-shifting options – automatic or manual verse gear and Tecshift does everything else, just like an automatic gearbox. ntially by pushing the lever forward (higher gear) or pulling it backwards (lower gear) ears – is also possible in manual mode.		0			See pric	e pages
Steering:								
 Power-assisted rack and p 	oinion system • Turns la	ock-to-lock: 3.7						
Turning circles:	Kerb-to-kerb	Wall-to-wall						
FWD L1	12.0m (39.3ft.)	12.5m (41.0ft.)						
FWD/RWD/RWD HD L2	13.6m (44.6ft.)	14.1m (46.2ft.)			-			
FWD L3	15.7m (51.5ft.)	16.2m (53.1ft.)						
RWD/RWD HD L3	13.6m (44.6ft.)	14.1m (46.2ft.)						
RWD/RWDHDL4	15.7m (51.5ft.)	16.2m (53.1ft.)						
Brakes: Front ventilated disc brakes • FWD / RWD / RWD HD: 30 Rear disc brakes: • FWD / RWD: 305mm x 12	02mm x 28mm			•	•	•		
Power take-off (manual models								
 Engine driven power take- – Single turbo FWD. Not ava. 	-off ilable on Minibus / Trab	us or with air conditioning / electronic climate control options. conditioning / electronic climate control options. – Not available on Minibus models.	Option code: V66	0	0		160.00	192.00
 Gearbox-driven power tak RWD / RWD HD models or Not available with increase 	nly.		Option code: M1F	0			460.00	
 Increased engine idle spee Not available with 110PS 			Option code: UF3	0			60.00	
Fuel tank: • 80 litres (17.6 gallons) cap	acity			•	•	•		
 105 litres (23.1 gallons) ca Not available on Core Conv 		Box) / Minibus models.	Option code: NH7	0	0	0	110.00	132.00
AdBlue tank: • 22 litres (4.8 gallons) capa	city			•	•	•		
• = Standard equipment. $\Omega = Op$	utional at extra cost.							

MECHANICAL		Movano	Combi/ Minibus	Trabus	Price (£) exc. VAT	Total (£) inc. VAT
Towing:						
• Tow bar with 13-pin electrics (does not suit trailers with LED lights) • Trailer stability programme – Unless specific exemptions apply, vehicles operated with a trailer, where the combined weight of the vehicle, trailer and payload exceeds 3500kg, require a digital tachograph. For trailers with LED lights use genuine Vauxhall Accessory tow bars which also include trailer stability programme. – Not available on Minibus models.	Option code: VR2 / VT0	0	0		385.00	462.00
Electrical:			-	-		
95Ah maintenance-free battery (105Ah on Tecshift models) • 185A alternator		•	•			
 Second battery Not available with single passenger seat options / Air-suspended driver's seat. 	Option code: OBC	0	0		485.00	582.00
CANbus interface:						
Allows the vehicle's electrical systems to integrate with additional equipment. – Standard on RWD HD 4500 models.		0	0		135.00	162.00
- Not available on Combi models when front and rear air conditioning is specified or Minibus models.	Option code: KC6					
Six-pin electrical connector for conversions: - Standard on Dropside / Tipper. Not available on Combi models when front and rear air conditioning is specified or Minibus models.	Option code: KPD	0	0		60.00	72.00
 Front suspension: MacPherson type Independent double wishbones Coil springs Telescopic dampers 		•	•	•		
Rear suspension: • Tubular axle • Telescopic dampers • Variable rate leaf springs FWD models: • Single leaf springs • Single rear wheels RWD models: • Double leaf springs • Single rear wheels RWD HD models: • Triple leaf springs • Twin rear wheels		•	•	•		
Pneumatic rear suspension:						
– Only available with six-pin connector and CANbus. – Only available on FWD 3300 / FWD 3500 L2/L3 models.	Option code: F47	0			2010.00	
 Construction Pack (RWD models only): Air-suspended driver's seat with armrest Automatic locking rear differential Tow bar with 13-pin electrics (does not suit trailers with LED lights) Trailer stability programme – Not available on Tipper / Box Van. For trailers with LED lights use genuine Vauxhall Accessory tow bars which also include trailer stability programme. 	Option code: HMG	0			1035.00	
Body Conversion Pack A (Chassis and Platform Cab):		0			95.00	
Extended wiring loom Six-pin connector for conversions 16-pin connector for cab-based conversions	Option code: XZCM				75.00	
 Body Conversion Pack B (Crew Cab): Extended wiring loom Six-pin connector for conversions 	Option code: XZCN	0			60.00	
Automatic locking rear differential (RWD models only)	Option code: G94	0			510.00	

ADDITIONAL FEATURES – TIPPER			Price (£) exc. VAT	Total (£ inc. VAT
Tipper assembly: • Five-stage chrome-plated underfloor ram • Sliding and internal self-lubricating components made of reinforced nylon and Teflon • Anti-vibration Teflon plates on a secondary frame				
 Tipper deck: Steel platform, powder coated in dark grey • Integrated cabin protection, ladder rack and side under-run protection 400mm anodised aluminium removable side and rear alloy panels with recessed hinges Top and bottom hinged rear panel • Recessed side and tailboard operating levers • Removable rear posts • Galvanised fixing bolts • Automatically releasing rear panel during the rear tipping phase • Frame and cross-members in edged galvanised sheet Electrics: • Audible warning during operation • Fused power supply with isolator switch • Electro/hydraulic power pack • Side lights where required • Remote control on wander-lead located behind driver's seat Exterior: • Additional half-height tool box on L3 Chassis Cab Tipper models (2100 x 650 x 750mm) • Rear mudflaps 		•		
Eight integrated load lashing points conforming to DIN 75410 standards				
Rear light protection grilles	Option code: SCW	0	160.00	

ADDITIONAL FEATURES – DROPSIDE

 Exterior: Plywood load floor with non-slip resin surface coating • Integrated cabin protection, ladder rack and side under-run protection 400mm anodised aluminium removable side and rear alloy panels with recessed hinges • Removable rear posts Integrated load lashing rings conforming to DIN 75410 standards • Rear mudguards • Galvanised fixing bolts Side lights where required • Frame and cross-members in edged galvanised sheet 		•	
Removable rear ladder rack and tool box Option code: K		0	400.00


ADDITIONAL FEATURES – BOX VAN


Interior / exterior: • Polyester lightweight box with smooth external appearance • Aluminium frame • • Long arm exterior mirrors • Side under-run protection • 18mm plywood covered anti-slip floor • Twin rear 270° opening aluminium doors • Folding rear step fitted to offside Wind deflector Option code: G7M 0 485.00 0 Luton head Option code: Z1D 700.00 Rear roller shutter door Option code: D5W Ο 685.00 Retractable rear step - Optional on L3 Box Van. Option code: VF6 Ο 260.00

MOVANO ONE-INVOICE APPROVED CONVERSIONS

Approved by Vauxhall for the UK Market

- All Approved Conversions are approved by Vauxhall Engineering
- These Conversions will be managed as approved 'Options' and can only be ordered via the M.S.I.T. Special Build Programme (specialbuild@gm.com)
- Warranty of Base Vehicle remains the responsibility of Vauxhall
- Warranty and Servicing of Conversion remains the responsibility of the Converter
- All Approved Conversions are supplied with EC WVTA (European Community Whole Vehicle Type Approval) from long-standing conversion partners





4WD CONVERSION



LIGHTWEIGHT TIPPER



LUTON BOX VAN



LOW FLOOR LUTON VAN

MOVANO ONE-INVOICE APPROVED CONVERSIONS



exc. VAT

14500.00

4WD CONVERSION BY OBERAIGNER

Type approved numbers: EC WVTA: e11*2007/46*1191*00

- Available on: RWD/RWD HD Panel Van, Doublecab, Tipper, Dropside, Chassis or Crew Cab
- Switchable All-Wheel Drive (AWD) for use under poor road conditions and off-road driving
- Additional weight kept to a minimum by use of lightweight components
- Minimal vehicle lift due to compact AWD system
- Switchable 1:1.42 gearing ratio (Terrain gear) with facia-mounted control panel for AWD system

Requires Automatic locking rear differential factory options.

AWD drivetrain warranty is limited to 2 years/75,000 miles.

With over 20 years' experience in the design and production of 4X4 conversions, the Oberaigner Group is one of the leading suppliers of off-road vehicles in this sector of the Commercial Vehicle market.

Oberaigner Automotive GmbH Email: cs@oberaigner.com Website: www.oberaigner.com Tel: +49 38454 3290-280

For further information please use the following website link:

4WD CONVERSION BY OBERAIGNER



Price (£) exc. VAT

4530.00

Type approved numbers: EC WVTA: e11*2007/46*1022*00

- Available on: L2 H1 Chassis Cab or L3 H1 Crew Cab
- Lightweight, high-strength steel design optimised for UK
- Increased payload and lowered deck height compared to ex-Factory conversion
- Powder-coated and wax injected steel box section construction
- Steel platform, powder coated in dark grey

LIGHTWEIGHT TIPPER BY VFS

• Crew cab also available as utility cab for additional security

Recognised options*:

Tow bar	425.00
Beacon Pack	150.00
Chevron Pack	250.00
Worklamp Pack	250.00
Utility Cab	1840.00
Lightweight galvanised mesh cage (1.35m high)	2135.00
Lightweight galvanised mesh cage (2.0m high)	2650.00

Tail lift warranty is limited to 12 months.

* = Further options may be available. Please consult the Converter for further information.


VFS is a wholly owned subsidiary of Scattolini SpA.

/FS (Southampton) Limited	
Email: sales@vfs.co.uk	
Website: www.vfs.co.uk	
Tel: 02380 613612	


For further information please use the following website link:

LIGHTWEIGHT TIPPER BY VFS

MOVANO ONE-INVOICE APPROVED CONVERSIONS



MOVANO ONE-INVOICE APPROVED CONVERSIONS



LOW FLOOR LUTON VAN 'KNEEHI' BY TRUCKSMITH

RANGE GLOSSARY OF TERMS

PLATED WEIGHT

The maximum weight to which a vehicle or an axle may be loaded, determined either by the design of the components or by legislation. All commercial vehicles must carry a manufacturer's 'plate' showing the vehicle and axle gross 'plated weights'. It is an offence to drive a vehicle in a condition where any of these weights are exceeded.

MINIMUM MASS

Minimum Mass ('Mass in running order' on Certificate of Conformity and 'Mass in Service' on V5C form) is defined according to European Type Approval and include all fluids, tools, 90% fuel load and driver (75kg). It is minimum mass for this variant and does not consider local specification/trim or deletable options (specific to Movano). Weights are also subject to manufacturing tolerances (EU Legislation allows 5% tolerance).

GROSS VEHICLE WEIGHT (GVW)

The total permissible weight of a vehicle including payload and passengers, as shown on the manufacturer's plate.

GROSS COMBINATION WEIGHT (GCW)

The maximum permissible weight of a vehicle, including payload and passengers, combined with the total weight of any trailer it is towing. The maximum GCW weight limit is quoted on the vehicle plate and must not be exceeded.

PAYLOAD

The total permissible weight that can be carried without exceeding the vehicle's plated weight. Payload do not include driver but do take into consideration specification/trim level:

- For Combo included are UK specification (Panel Van 15kg; Crew Van 25kg) and also trim (Sportive L1 Panel Van 45kg; Sportive L2 Panel Van 30kg; Sportive Crew Van 20kg; Glazed Crew Van 40kg)
- For Vivaro included are UK specification (15kg) and trim (Sportive Panel Van 30kg: Sportive Doublecab 40kg: Limited Edition NAV Panel Van 45kg and Limited Edition NAV Doublecab 55kg)
- For Movano included are UK specification (10kg) and deletable options such as Bulkhead (25kg); Sliding Doors (30kg each) and Spare Wheel (25kg)

Weights are also subject to manufacturing tolerances (EU Legislation allows 5% tolerance). Payload does not consider any additional options that a customer may order.

ROOF LOADS

- Corsavan roof load should not exceed 75kg including the weight of the roof rack/carrier
- Combo roof load should not exceed 100kg on H1 models including the weight of the roof rack/carrier. H2 are not permitted to carry roof loads
- Vivaro roof load should not exceed 200kg (150kg on H2 models) including the weight of the roof rack/ carrier
- Movano roof load should not exceed 200kg (150kg on H1 models) including the weight of the roof rack/ carrier. H3 are not permitted to carry roof loads

MAXIMUM TOWING WEIGHT

The maximum weight of any trailer and its load which may be towed within the limit of the vehicle's plated Gross Combination Weight (GCW). It is based on the ability of the vehicle – at full GCW – to restart on a 12% gradient, which is approximately 1 in 8.3, at sea level. At altitudes above 1500 metres, the engine output may drop with a corresponding reduction in towing capability. It is the operator's responsibility to ensure that the trailer noseweight does not cause the rear axle plated weight of the towing vehicle to be exceeded.

Always fit Vauxhall towing attachments and accessories available from your Vauxhall Commercial Vehicle retailer. They are designed specifically for Vauxhall models and carry a 12–month warranty.

LIGHT DUTY AND HEAVY DUTY CYCLES

For a Light Duty cycle (EC regulation 715/2007 with designation 'Euro 6') the emissions of the whole vehicle are evaluated whereas for Heavy Duty cycle (EC regulation 595/2009 with designation 'Euro VI') only the engine is bench tested. The requirement of which cycle is necessary is determined by the reference mass of the vehicle. In the case of Vivaro, reference mass calculations dictate that:

N1 FWD and M1 FWD are approved as Light Duty
N1 RWD, N2 RWD and M2 FWD are approved as Heavy Duty When Euro 5 was previously introduced, there was an agreement between Member States and the Commission (Reference TEC 740/2011) that, assuming there was no alteration to the emissions system itself, a multi-stage build vehicle should be covered by the base vehicle emissions approval, irrespective of whether the reference mass had changed. The Department for Transport has confirmed that this interpretation will remain in place for Euro 6/VI.

COMMERCIAL VEHICLE CATEGORIES Differences between M1/N1 and M2/ N2 (Vehicles with GVW above 3500kg)

Category M: Passenger carriers Category M1: Vehicles designed and constructed for the carriage of passengers and comprising no more than eight seats in addition to the driver's seat.

Category M2: Vehicles designed and constructed for the carriage of passengers, comprising more than eight seats in addition to the driver's seat, and having a maximum mass not exceeding 5 tonnes.

Category N: Goods vehicles

Category N1: Vehicles designed and constructed for the carriage of goods and having a maximum mass not exceeding 3.5 tonnes.

Category N2: Vehicles designed and constructed for the carriage of goods and having a maximum mass exceeding 3.5 tonnes but not exceeding 12 tonnes.

Specific differences, all M2/N2 require the following:

Speed limiter: All M2/N2 vehicles are legally required to be speed limited. M2 to 62mph and N2 to 56mph.

Driver licence: Commercial vehicles with GVW greater than 3.5 tonnes have different license requirements. For any new drivers C1 category

To illustrate this better – a F3500 L3 H1 (130PS) Vivaro Chassis Cab is type approved as Light Duty (Euro 6). Regardless of any conversion to this vehicle and even if its reference mass transgresses above the 2840kg threshold, then it is still be covered by the original Light Duty cycle emissions. One situation where this may not apply is when a vehicle changes category from N1 (Commercial) to M1 (Passenger) during the process of conversion.

is necessary. Under some circumstances (social purposes for a non-commercial body) it is possible to drive a minibus without a D1 entitlement (Minibus) however eligibility for this exemption should be confirmed with DVSA.

Driver CPC: Driver Certificate of Professional Competence mandates 35 hours of periodic training every 5 years to maintain licence (from September 2014).

Tachograph: It is a legal requirement to administer the activities of drivers subject to the EU or AETR drivers' hours rules, and also record the vehicle's speed, distance and time. A Smart Card is required for digital tachograph and these are available from the DVLA. The tachograph of a new vehicle must be calibrated within two weeks of first registration.

Operator's Licence: This may also be required to ensure that vehicles are kept safe and in good condition at all times. Specifically for M2, PSV (public service vehicle) operator's licence is required. Exemptions in some circumstances may be permitted but this should always be confirmed with DVSA.

MOT Testing: M2/N2 must be tested each year, and vehicle presented with a completed Certificate of Conformity (CoC). This is available from Vauxhall (regdata@gm.com) or from converter in case of second-stage conversion.

CUSTOMER CARE PRICING AND ADDITIONAL INFORMATION

Vauxhall on-the-road recommended retail prices (RRP)

To eliminate uncertainty about hidden costs incurred when buying a new commercial vehicle, Vauxhall publishes on-the-road prices and these are shown in the pricing tables within this price guide. The prices shown are manufacturer's recommended retail prices (RRP) unless otherwise stated, exclusive of VAT (currently at a rate of 20% which may be payable). These prices include the recommended cost of number plates, delivery to a Vauxhall Retailer of £583.33 (£700.00 including VAT), 12 months' Government Vehicle Excise Duty* and the DVLA new vehicle first registration fee of £55.00*.

Please note: The RRP does not include fuel supplied by the Retailer, motor insurance or any other goods or services supplied by agreement between the Retailer and customer.

Price protection for all Vauxhalls

Order a new Vauxhall for build in the current model year (as confirmed by your Retailer) for delivery no more than three months in advance and the price you are quoted is the price you pay. This is irrespective of any subsequent price rises between placing your order and delivery of your new commercial vehicle, but you must take delivery as soon as the commercial vehicle is available. Vauxhall Motors Limited is not liable for price adjustments caused by Government changes in the rate of VAT (currently 20%), Vehicle Excise Duty, DVLA new vehicle first registration fee or by any other applicable legislation or regulations.

Vehicle Excise Duty

The amount of Vehicle Excise Duty (road fund licence) payable on new commercial vehicles varies depending on gross vehicle weight (GVW) and European standard emissions compliance, as shown below*.

Up to 3500kg GVW	£240.00
Over 3500kg GVW	£165.00

*Correct at time of publication.

In the event of an accident...

Vauxhall Accident Management helps keep you mobile following an accident. Benefits include vehicle recovery, Vauxhall-approved repairs and contacting your insurer. For more details, visit vauxhall.co.uk/AccidentManagement

Customer Care Commitment

For added peace of mind, Vauxhall has an innovative Customer Care Commitment** that offers the following:

- Three-year vehicle warranty consisting of a one-year/unlimited mileage manufacturer's warranty and a second and third year manufacturer's warranty with a 60,000 miles (Corsavan and Combo) and 100,000 miles (Vivaro and Movano) limitation
- Vauxhall Assistance for 12 months from first registration
- Six years' body panel anti-perforation warranty
- ** Warranty is only on vehicles sourced from Vauxhall Motors Limited. Terms and conditions apply – please see your Vauxhall Retailer for details.

Vauxhall Assistance

Vauxhall Assistance is provided automatically with every new Vauxhall Commercial Vehicle for 12 months from first registration and covers everything from accidents, mechanical breakdown to flat tyres. With Vauxhall Assistance help is literally just a free[†] phone call away, 24 hours a day, 365 days a year!

[†] Mobile phone users will be charged at their standard tariff.

Vauxhall Extended Warranty

For complete peace of mind Vauxhall offers an extended warranty that can be purchased on an annual basis following the expiry of the original new vehicle warranty. It covers most mechanical and electrical components. Terms and conditions apply, for further details please contact your local Vauxhall Retailer.

Protecting the environment

Our products are increasingly winning environmental awards, both through the use of more recycled materials and by becoming cleaner and more efficient. For information on Vauxhall's efforts to achieve an environmentally sustainable future, including information on Design for Recycling, take-back of End-of-Life Vehicles (ELVs), and the recycling of ELVs, see www.vauxhall.co.uk/recycling

Vauxhall Service Plan

Vauxhall Retailers offer a great service for owners of all Vauxhall vehicles. Value for money, regular offers and free check-ups, combined with the peace of mind that comes from using Vauxhall-trained technicians and genuine parts, help keep your vehicle in peak condition at all times. Every Vauxhall Retailer supports our customer promise:

We are Vauxhall experts

- Fully Vauxhall-trained technicians
- We use Vauxhall approved diagnostic equipment and specialist tools
- Full access to Vauxhall repair databases and technical centres

We are transparent

• Our invoicing will clearly set out the work at the price agreed with no hidden extras

We are never beaten on price

 We will match any written like for like service/ repair quote from a local⁺⁺ competitor using genuine repair methods and parts

We are convenient

- Flexible booking times to suit you
- 'One-stop shop' for every type of Vauxhall service
- While you wait facility on stocked tyres, batteries and exhausts
- Free courtesy vehicle or local collection with annual services and warranty work

We are thorough

- 25 point safety check with any workshop visit
- No obligation advice on essential and nonessential work
- Free check for safety enhancements and upgrades to your vehicle and software
- Free 'Wash and Vac' with every annual service
- Free fitting of wipers and external bulbs with annual services

tt A radius of five miles/20 minutes from your Vauxhall Retailer.

Premier Van Centres

To maximise mobility and minimise downtime, our dedicated network of over 100 Premier Van Centres is increasing its emphasis on faster turnaround and fewer vehicle days spent off-road. We're your commercial vehicle 'one-stop shop' with all the specialised equipment, tools and training to support your aftersales needs, using only genuine parts fitted by Vauxhall-trained technicians. What's more, we promise convenience, expertise and value:

- Drop in for a diagnosis, no appointment necessary
- While-you-wait repairs where the parts are on-site
- A 25-point vehicle safety check with every workshop visit
- Access to Class 7 MOT facilities
- Onward mobility and a dedicated Premier Van Helpline call 0800 026 0034


CORSAVAN SPECIFICATIONS


ENGINES

	1.2i (70PS)	1.3CDTi (75PS) Start/Stop	1.3CDTi (95PS) Start/Stop ecoTEC	1.3CDTi (95PS) Start/Stop	
Fuel type	Petrol	Diesel	Diesel	Diesel	
Capacity	1229cc	1248cc	1248cc	1248cc	
Maximum power	70PS (51kW) @ 5600rpm	75PS (55kW) @ 3750rpm	95PS (70kW) @ 3750rpm	95PS (70kW) @ 3750rpm	
Maximum torque	115Nm (85 lb.ft.) @ 4000rpm	190Nm (140 lb.ft.) @ 1500-2500rpm	190Nm (140 lb.ft.) @ 1500-3500rpm	210Nm (155 lb.ft.) @ 1500-3000rpm	
Configuration		4 cylinders, 4 valves per cylind	er, double overhead camshafts		
Fuel/induction system	Naturally aspirated with Variable Valve Timing. Multi-point sequential fuel injection	Turbocharger with intercooler. Common rail fuel injection	Variable geometry turbocharger with intercooler. Common rail fuel injection		
Emission compliance	Euro 6		Euro 6 with Diesel Particulate Filter		
Service interval		20,000 miles or 1-year (whichever occurs sooner)			

PLATED WEIGH	ITS AND TOWING DATA KG – CAR-I	DERIVED VAN					
		Gross Vehicle	Plated weights		Towing weights		Plated Gross Combination
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
Corsavan	1.2i	1605	815	820	950	540	2555
	1.3CDTi	1695	905	820	1200	580	2895
	1.3CDTi ecoTEC	1695	905	820	1250	580	2945
	1.3CDTi Sportive	1720	930	820	1250	600	2970
	1.3CDTi ecoTEC Easytronic	1705	915	820	1250	580	2955

Gross plated weights (including axle weights) quoted on the vehicle plate are to UK plated weight specification and must never be exceeded. For further information please see Glossary of Terms.





LOADSPACE DIMENSIONS	MM (INCHES)					
Maximum length	1257 (49.5)					
Maximum width	1264 (49.8)					
Width between wheel arches	969 (38.1)					
Maximum height	921 (36.2)					
LOADSPACE ACCESS MM (IN	ICHES)					
Aperture height	650 (25.6)					
Aperture width (at floor)	771 (30.3)					
Loading height (unladen)	532 (20.9)					
LOADSPACE VOLUMES CU.N	LOADSPACE VOLUMES CU.M (CU.FT.)					
All models – ECIE method	0.92 (32.5)					


Dimensions mm (inches). Height shown unladen.


COMBO SPECIFICATIONS

ENGINES

	1.4i 95PS with Start/Stop	1.3CDTi 95PS with or without Start/Stop	1.6CDTi 105PS with or without Start/Stop	
Capacity	1368cc	1248cc	1598cc	
Maximum power	95PS (70kW) @ 6000rpm	95PS (70kW) @ 3500 – 3750 rpm	105PS (77kW) @ 3500rpm	
Maximum torque	127Nm (94 lb.ft.) @ 4500rpm	200Nm (148 lb.ft.) @ 1500rpm	300Nm (221 lb.ft.) @ 1750 – 2000rpm	
Configuration	4 cylin	ders, 4 valves per cylinder, double overhead camsha	afts	
Fuel/induction system	Multi-point fuel injection	Variable geometry turbocharger wit	ntercooler. Common rail fuel injection	
Emission compliance		Euro 6		
Service interval	18,000 miles or two years (whichever occurs sooner)	20,000 miles or two year	rs (whichever occurs sooner)	

COMBO PANEL VAN SPECIFICATIONS





LOADSPACE DIMENSIONS MM (INCHES) - PANE	EL VAN	
	L1	L2
Maximum length	1820 (71.7)	2170 (85.4)
Maximum width	1714 (67.5)	1714 (67.5)
Width between wheel arches	1230 (48.4)	1230 (48.4)
Maximum height – H1	1305 (51.4)	1305 (51.4)
Maximum height – H2	1550 (61.0)	1550 (61.0)
LOADSPACE ACCESS MM (INCHES) - PANEL VAI	N	
	L1	L2
Side door aperture height	1175 (46.2)	1175 (46.2)
Side door aperture width	700 (27.5)	700 (27.5)
Rear door aperture height – H1	1250 (49.2)	1250 (49.2)
Rear door aperture height – H2	1455 (57.2)	1455 (57.2)
Rear door aperture width	1231 (48.5)	1231 (48.5)
Loading height (unladen)	545 (21.4)	545 (21.4)

PLATED WEIGHTS AND TOWING DATA KG – PANEL VAN


		Gross Vehicle	Plated weights		Towing weights		Plated Gross Combination	
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)	
L1 H1 Panel Van	2000 1.4i	2030	1090	1140	1000	500	3030	
	2000 1.3CDTi	2040	1090	1140	1000	500	3040	
	2000 1.6CDTi	2098	1090	1140	1300	500	3398	
	2300 1.3CDTi	2320	1090	1450	1000	500	3320	
	2300 1.6CDTi	2418	1200	1450	1300	500	3500	
L2 H1 Panel Van	2300 1.4i	2215	1090	1450	1000	500	3215	
	2300 1.3CDTi	2385	1120	1450	1000	500	3385	
	2300 1.6CDTi	2458	1200	1450	1300	500	3500	
L1 H2 Panel Van	2000 1.6CDTi	2120	1090	1140	1300	500	3420	
	2300 1.6CDTi	2428	1200	1450	1300	500	3500	
L2 H2 Panel Van	2300 1.6CDTi	2488	1200	1450	1300	500	3500	

Gross plated weights (including axle weights) quoted on the vehicle plate are to UK plated weight specification and must never be exceeded. For further information please see Glossary of Terms.

LOADSPACE VOLUMES CU.M (CU.FT.) - PANEL VAN

	L1	L2
H1 Panel Van	3.4 (121)	4.2 (148)
H2 Panel Van	4.0 (141)	5.0 (177)

COMBO CREW VAN SPECIFICATIONS



Please note, Glazed Crew Van illustrated. Height shown unladen.

Plated Gross

Combination

Weights (GCW)

	L1	L2
Maximum length – with seats up	991 (39.0)	1341 (52.8)
Maximum length – with seats down	1400 (55.1)	1750 (68.9)
Maximum width	1714 (67.5)	1714 (67.5)
Width between wheel arches	1230 (48.4)	1230 (48.4)
Maximum height	1305 (51.4)	1305 (51.4)
LOADSPACE ACCESS MM (INCHES) - CREW	/ \/ A NI	
	VAN	
	L1	L2
		L2 1175 (46.2)
Side door aperture height	L1	
Side door aperture height Side door aperture width	L1 1175 (46.2)	1175 (46.2)
Side door aperture height Side door aperture width Rear door aperture height Rear door aperture height	L1 1175 (46.2) 700 (27.5)	1175 (46.2) 700 (27.5)

2300 1.6CDTi

2300 1.3CDTi

L2 H1 Colorado

LOADSPACE VOLUMES CU.M (CU.FT.) - CREW VAN

	L1 H1	L2 H1
Crew Van – with seats up (to top of seats)	0.8 (28.2)	1.0 (35.3)
Crew Van – with seats up (to roof)	1.4 (49.4)	1.9 (67.1)

PLATED WEIGHTS AND TOWING DATA KG – CREW VAN / COLORADO						
		Gross Vehicle	Plated weights		Towing weights	
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked
L1 H1 Crew Van	2300 1.3CDTi	2234	1090	1310	1000	500
	2300 1.6CDTi	2254	1090	1310	1300	500
L2 H1 Crew Van	2300 1.3CDTi	2254	1120	1310	1000	500

Gross plated weights (including axle weights) quoted on the vehicle plate are to UK plated weight specification and must never be exceeded. For further information please see Glossary of Terms.

VIVARO SPECIFICATIONS


ENGINES


	1.6CDTi (95PS) BlueInjection with or without Start/Stop	1.6CDTi (120PS) BlueInjection	
Capacity	1598cc	1598cc	
Maximum power	95PS (70kW) @ 3500rpm	120PS (89kW) @ 3500rpm	
Maximum torque	260Nm (192 lb.ft.) @ 1500rpm	300Nm (221 lb.ft.) @ 1750rpm	
Configuration	4 cylinders, 4 valves per cylinder, double overhead camshafts		
Fuel/induction system	Variable geometry turbocharger with	i intercooler. Common rail fuel injection	
Emission compliance	Eu	iro 6	
Service interval	25,000 miles or two-year	s (whichever occurs sooner)	

	1.6CDTi BiTurbo (125PS) ecoTEC BlueInjection Start/Stop	1.6CDTi BiTurbo (145PS) BlueInjection Start/Stop
Capacity	1598cc	1598cc
Maximum power	125PS (92kW) @ 3500rpm	145PS (107kW) @ 3500rpm
Maximum torque	320Nm (236 lb.ft.) @ 1500rpm	340Nm (251 lb.ft.) @ 1750rpm
Configuration	4 cylinders, 4 valves per cyli	nder, double overhead camshafts
Fuel/induction system	Twin variable geometry turbochargers	with intercoolers. Common rail fuel injection
Emission compliance	E	uro 6
Service interval	25,000 miles or two-yea	rs (whichever occurs sooner)

* = Please note: Vehicles with Bluelnjection technology will need regular AdBlue[®] top-ups also between servicing requirements. An indicator integrated into the onboard computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

VIVARO PANEL VAN SPECIFICATIONS






LOADSPACE DIMENSIONS MM (INCHES) - PANEL VAN

	L1	L2
Maximum length at load floor	2537 (99.9)	2937 (115.6)
Maximum length with load-through facility maximum length to seat – <i>Approximate</i> .	2967 (116.8)	3367 (132.5)
Maximum length with load-through facility maximum length to front footwell – <i>Approximate</i> .	3750 (147.6)	4150 (163.4)
Maximum width	1662 (65.5)	1662 (65.5)
Width between wheel arches	1268 (49.9)	1268 (49.9)
Maximum height - H1	1387 (54.6)	1387 (54.6)
Maximum height - H2	1898 (74.7)	1898 (74.7)
LOADSPACE ACCESS MM (INCHES) - PANEL VAN		
	L1	L2
Side door aperture height	1284 (50.5)	1284 (50.5)
Side door aperture width	1030 (40.5)	1030 (40.5)
Rear door aperture height – H1	1320 (52.0)	1320 (52.0)
Rear door aperture height – H2	1820 (71.6)	1820 (71.6)
Rear door aperture width	1391 (54.8)	1391 (54.8)
Loading height (unladen)	552 (21.7)	552 (21.7)


PLATED WEIGHTS AND TOWING DATA KG - PANEL VAN


		Gross Vehicle	Plated weights		Towing weights		Plated Gross Combination	
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)	
L1 H1/H2 Panel Van	2700	2800	1585	1650	2000	750	4800	
	2700 BiTurbo	2820	1585	1650	2000	750	4820	
	2900	2960	1585	1650	2000	750	4960	
	2900 BiTurbo	2980	1585	1650	2000	750	4980	
L2 H1 Panel Van	2900	3030	1585	1650	2000	750	5030	
	2900 BiTurbo	3040	1585	1650	2000	750	5040	
L2 H2 Panel Van	2900 BiTurbo	3070	1585	1650	2000	750	5070	




LOADSPACE VOLUMES CU.M (CU.FT.) – PANEL VAN		
	L1	L2
H1 Panel Van	5.2 (183.6)	6.0 (211.9)
H2 Panel Van	7.2 (254.3)	8.6 (303.7)

VIVARO DOUBLECAB SPECIFICATIONS








1.4

Dimensions mm (inches). Heights shown unladen.

	L1	L2
Maximum length at load floor	2023 (79.6)	2423 (95.4)
Maximum length behind rear seats	1340 (42.7)	1740 (68.5)
Maximum width	1662 (65.5)	1662 (65.5)
Width between wheel arches	1268 (49.9)	1268 (49.9)
Maximum height	1387 (54.6)	1387 (54.6)
LOADSPACE ACCESS MM (INCHES) - DOUBLEC	AB	
	L1	L2
Side door aperture height	1284 (50.5)	1284 (50.5)
Side door aperture width	1030 (40.5)	1030 (40.5)
Rear door aperture height	1320 (52.0)	1320 (52.0)
Rear door aperture width	1391 (54.8)	1391 (54.8)
Loading height (unladen)	552 (21.7)	552 (21.7)
LOADSPACE VOLUMES CU.M (CU.FT.) - DOUBLI	ECAB	
	L1	L2
	LI	








PLATED WEIGHTS AND TOWING DATA KG - DOUBLECAB

		Gross Vehicle	Plated	weights	eights Towing		Plated Gross Combination
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
L1 H1 Doublecab	2900	2834	1585	1650	2000	750	4834
	2900 BiTurbo	2844	1585	1650	2000	750	4844
L2 H1 Doublecab	2900	2940	1585	1650	2000	750	4940
	2900 BiTurbo	2950	1585	1650	2000	750	4950

VIVARO COMBI SPECIFICATIONS









Dimensions mm (inches). Heights shown unladen.

	L1	L2
Maximum length behind rear seats	736 (30.0)	1136 (44.7)
Maximum width	1662 (65.5)	1662 (65.5)
Width between wheel arches	1268 (49.9)	1268 (49.9)
Maximum height	1369 (53.9)	1369 (53.9)
LOADSPACE ACCESS MM (INCHES) – COMBI		
	L1	L2
Side door aperture height	1284 (50.5)	1284 (50.5)
Side door aperture width	1030 (40.5)	1030 (40.5)
Rear door aperture height	1320 (52.0)	1320 (52.0)
Rear door aperture width (at floor)	1391 (54.8)	1391 (54.8)
Loading height (unladen)	552 (21.7)	552 (21.7)
LOADSPACE VOLUMES CU.M (CU.FT.) – COMBI		
	L1	L2
Combi	1.0 (35.3)	1.8 (63.6)
Combi – third-row seats down	2.1 (74.2)	2.9 (102.4)
Combi – third-row seats removed	3.2 (113.0)	4.0 (141.3)






PLATED WEIGHTS AND TOWING DATA KG - COMBI

Model		Gross Vehicle	Plated	ted weights Tow		weights	Plated Gross Combination
		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
L1 H1 Combi	2900	2880	1585	1650	2000	750	4880
	2900 BiTurbo	2970	1585	1650	2000	750	4970
L2 H1 Combi	2900	3010	1585	1650	2000	750	5010
	2900 BiTurbo	3020	1585	1650	2000	750	5020

VIVARO PLATFORM CAB SPECIFICATIONS



Platform cabs

Platform cabs are ideal for those conversions requiring a low floor and walk-through access from the cab. The interface panel makes for easy integration of the cab with the conversion body, while an extended-length wiring loom is available to power the rear lights or extended conversions.

All conversions must follow 'Conversion Requirements' guidelines available on: www.vauxhall.co.uk/conversiondata

PLATED WEIGHTS	AND TOWING DATA KG -	PLATFORM CAB					
		Gross Vehicle	Plated	weights	Towing	weights	Plated Gross Combination
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
L2 H1 Platform Cab	2900 BiTurbo	3030	1585	1735	2000	750	5030

MOVANO SPECIFICATIONS


ENGINES


	2.3CDTi (110PS) BlueInjection	2.3CDTi (130PS) BlueInjection	2.3CDTi BiTurbo (130PS) BlueInjection	2.3CDTi BiTurbo (145PS) BlueInjection with Start/Stop	
Capacity	2298cc	2298cc	2298cc	2298cc	
Maximum power	110PS (81kW) @ 3500rpm	130PS (96kW) @ 3500rpm	130PS (96kW) @ 3500rpm	145PS (107kW) @ 3500rpm	
Maximum torque	290Nm (214 lb.ft.) @ 1500rpm	320Nm (236 lb.ft.) @ 1500rpm	330Nm (243 lb.ft.) @ 1500rpm	360Nm (266 lb.ft.) @ 1500rpm	
Configuration		4 cylinders, 4 valves per cyli	inder, double overhead camshafts		
Fuel/induction system		charger and intercooler. I fuel injection	Twin variable geomet intercoolers. Comm		
Emission compliance	Euro 6	Euro 6	Euro VI	Euro 6 (FWD) / Euro VI (RWD)	
Service interval		25,000 miles (20,000 miles on Minibus n	odels) or two years (whichever occurs sooner)		


	2.3CDTi BiTurbo (163PS) BlueInjection with Start/Stop	2.3CDTi BiTurbo (170PS) BlueInjection with Start/Stop		
Capacity	2298cc	2298cc		
Maximum power	163PS (120kW) @ 3500rpm	170PS (125kW) @ 3500rpm		
Maximum torque	360Nm (266 lb.ft.) @ 1500-2750rpm	380Nm (280 lb.ft.) @ 1500rpm		
Configuration	4 cylinders, 4 valves per cylind	ler, double overhead camshafts		
Fuel/induction system		bochargers and intercoolers. I fuel injection		
Emission compliance	Euro VI	Euro 6		
Service interval	25,000 miles or two years (whichever occurs sooner)			

Vehicles with Bluelnjection technology will need regular AdBlue[®] top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

MOVANO FWD PANEL VAN SPECIFICATIONS







ANEL VAN		
L1	L2	L3
2583 (101.7)	3083 (121.4)	3733 (147.0)
1765 (69.5)	1765 (69.5)	1765 (69.5)
1380 (54.3)	1380 (54.3)	1380 (54.3)
1700 (66.9)	-	-
1894 (74.6)	1894 (74.6)	1894 (74.6)
-	2144 (84.4)	2144 (84.4)
VAN		
L1	L2	L3
1581 (62.2)	-	_
1780 (70.1)	1780 (70.1)	1780 (70.1)
1780 (70.1) 1050 (41.3)	1780 (70.1) 1270 (50.0)	1780 (70.1) 1270 (50.0)
1050 (41.3)		
1050 (41.3) 1627 (64.0)	1270 (50.0)	1270 (50.0)
	L1 2583 (101.7) 1765 (69.5) 1380 (54.3) 1700 (66.9) 1894 (74.6) - VAN L1	L1 L2 2583 (101.7) 3083 (121.4) 1765 (69.5) 1765 (69.5) 1380 (54.3) 1380 (54.3) 1700 (66.9) - 1894 (74.6) 1894 (74.6) - 2144 (84.4) VAN L1 L2

PLATED WEIGHTS AND TOWING DATA KG - PANEL VAN


		Gross Vehicle	Plated	weights	Towing	weights	Plated Gross Combination
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
L1 H1/H2 Panel Van	F2800	2800	1550	1650	2500	750	5300
	F3300	3300	1650	1900	2500	750	5800
	F3500	3500	1850	2100	2500	750	6000
L2 H2/H3 Panel Van	F3300	3300	1700	1900	2500	750	5800
	F3500	3500	1850	2100	2500	750	6000
L3 H2/H3 Panel Van	F3500	3500	1850	2100	2500	750	6000


LOADSPACE VOLUMES CU.M (CU.FT.) – FWD PANEL VAN								
	L1 H1	L1 H2	L2 H2	L2 H3	L3 H2	L3 H3		
Panel Van – Maximum	7.8 (275)	8.6 (304)	10.8 (381)	12.3 (434)	13.0 (459)	14.8 (523)		
-VDA	7.0 (247)	-	9.4 (322)	-	11.3 (399)	-		

MOVANO FWD DOUBLECAB SPECIFICATIONS

L2 H2

L3 H2





For exterior dimensions see FWD Panel Van.

LOADSPACE DIMENSIONS MM (INCHES) – FWD DOUBLECAB				
	L2	L3		
Maximum length at load floor	2175 (85.6)	2825 (111.2)		
Maximum length behind rear seats	1990 (78.3)	2640 (103.9)		
Maximum width	1765 (69.5)	1765 (69.5)		
Width between wheel arches	1380 (54.3)	1380 (54.3)		
Maximum height	1894 (74.6)	1894 (74.6)		
LOADSPACE ACCESS MM (INCHES) - FWD	DOUBLECAB			
	L2	L3		
Side door aperture height	1780 (70.1)	1780 (70.1)		
Side door aperture width	1270 (50.0)	1270 (50.0)		
Rear door aperture height	1820 (71.7)	1820 (71.7)		
Rear door aperture width	1577 (62.1)	1577 (62.1)		
Loading height (unladen)	562 (22.1)	557 (21.9)		


PLATED WEIGHTS AND TOWING DATA KG – DOUBLECAB							
		Gross Vehicle	Plated	weights	Towing	weights	Plated Gross Combination
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
L2 H2/L3 H2 Doublecab	F3500	3500	1850	2100	2500	750	6000

Gross plated weights (including axle weights) quoted on the vehicle plate are to UK plated weight specification and must never be exceeded. For further information please see Glossary of Terms.

LOADSPACE VOLUMES CU.M (CU.FT.) - FWD DOUBLECAB L2 H2 L3 H2 Doublecab 6.9 (244) 9.0 (318)

MOVANO RWD DOUBLECAB SPECIFICATIONS

L3 H2



For exterior dimensions see RWD Panel Van.

	L3
Maximum length at load floor	2825 (111.2)
Maximum length behind rear seats	2640 (103.9)
Maximum width	1765 (69.5)
Width between wheel arches	1380 (54.3)
Maximum height	1798 (70.8)
LOADSPACE ACCESS MM (INCHES) - RWD DOUBL	ECAD
LUADSPACE ALLESS MM (INCHES) - KWD DUUBL	ECAD
	L3
Side door aperture height	
	L3
Side door aperture height	L3 1684 (66.3)
Side door aperture height Side door aperture width	L3 1684 (66.3) 1270 (50.0)


PLATED WEIGHTS AND TOWING DATA KG – DOUBLECAB							
		Gross Vehicle	Plated	weights	Towing	weights	Plated Gross Combination
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
L3 H2 Doublecab	R3500	3500	1850	2300	2500	750	6000


Gross plated weights (including axle weights) quoted on the vehicle plate are to UK plated weight specification and must never be exceeded. For further information please see Glossary of Terms.

LOADSPACE VOLUMES CU.M (CU.FT.) - RWD DOUBLECAB

	L3 H2
Doublecab	8.4 (297)

MOVANO RWD PANEL VAN SPECIFICATIONS







LOADSPACE DIMENSIONS MM (INCHES) - RWD PANEL VAN				
	L3	L4		
Maximum length	3733 (147.0)	4383 (172.6)		
Maximum width	1765 (69.5)	1765 (69.5)		
Width between wheel arches	1380 (54.3)	1380 (54.3)		
Maximum height – H2	1798 (70.8)	1798 (70.8)		
Maximum height – H3	2048 (80.6)	2048 (80.6)		
LOADSPACE ACCESS MM (INCHES) -	RWD PANEL VAN			
	L3	L4		
Side door aperture height	1684 (66.3)	1684 (66.3)		
Side door aperture width	1270 (50.0)	1270 (50.0)		
Rear door aperture height	1724 (67.9)	1724 (67.9)		
Rear door aperture width	1577 (62.1)	1577 (62.1)		
Loading heights (unladen)	696 (27.4) – 724 (28.5)	717 (28.2)		

	L3 H2	L3 H3	L4 H2	L4 H3
Panel Van – Maximum	12.4 (438)	14.2 (501)	14.9 (526)	17.0 (600)
-VDA	10.9 (385)	12.2 (431)	12.9 (456)	14.1 (498)

PLATED WEIGHTS AND TOWING DATA KG – RWD PANEL VAN								
		Gross Vehicle	Plated	weights	Towing weights		Plated Gross Combination	
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)	
L3 H2/H3 Panel Van	R3500	3500	1850	2300	2500	750	6000	
L4 H2/H3 Panel Van	R3500	3500	1850	2300	2500	750	6000	

MOVANO RWD HD PANEL VAN SPECIFICATIONS






LOADSPACE DIMENSIONS MM (INCHES) - RWD HD PANEL VAN					
	L3	L4			
Maximum length	3733 (147.0)	4383 (172.6)			
Maximum width	1765 (69.5)	1765 (69.5)			
Width between wheel arches	1080 (42.5)	1080 (42.5)			
Maximum height – H2	1798 (70.8)	1798 (70.8)			
Maximum height – H3	2048 (80.6)	2048 (80.6)			
LOADSPACE ACCESS MM (INCHES) - F	RWD HD PANEL VAN				
	L3	L4			
Side door aperture height	1684 (66.3)	1684 (66.3)			
Side door aperture width	1270 (50.0)	1270 (50.0)			
Rear door aperture height	1724 (67.9)	1724 (67.9)			
Rear door aperture width	1577 (62.1)	1577 (62.1)			
Loading heights	723 (28.4) – 724 (28.5)	717 (28.2)			

LOADSPACE VOLUMES CU.M (CU.FT.) - RWD HD PANEL VAN							
	L3 H2	L3 H3	L4 H2	L4 H3			
Panel Van – Maximum	12.4 (438)	14.2 (501)	14.9 (526)	17.0 (600)			
-VDA	10.7 (378)	12.0 (424)	12.7 (448)	13.9 (491)			


PLATED WEIGHTS AND TOWING DATA KG - RWD HD PANEL VAN

		Gross Vehicle	Plated	weights	Towing	weights	Plated Gross Combination
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
L3 H2/H3 Panel Van	R3500HD	3500	1850	2800	3000	750	6500
L3 H2/H3 Panel Van	R4500HD	4500	1850	3200	3000	750	7500
L4 H2/H3 Panel Van	R3500HD	3500	1850	2800	3000	750	6500
L4 H2/H3 Panel Van	R4500HD	4500	1850	3200	3000	750	7500

MOVANO TIPPER / CREW CAB TIPPER SPECIFICATIONS



+ 842 + (33.1)




L3 RWD HD

- 1365 -(53.7)

4332 (170.6)

-6539 (257.4)



3682 (145.0

6389 (251.5)

L3 RWD HD


+ 842 (33.1)

Dimensions mm (inches). Heights shown unladen.


- 1865 -(73.4)

LOADSPACE AREA DIMENSIONS MM (IN) – TIPPER				LOADSPACE AREA DIMEN	ISIONS MM (IN) - CREW	CAB TIPPER	
	L2 FWD	L2 RWD HD	L3 RWD HD	_	L3 FWD	L3 RWD HD	
Maximum length	3205 (126.2)	3205 (126.2)	3105 (122.2)	Maximum length	3205 (126.2)	3105 (122.2)	
Maximum width	2040 (80.3)	2040 (80.3)	2040 (80.3)	Maximum width	2040 (80.3)	2040 (80.3)	
Body side height	400 (15.7)	400 (15.7)	400 (15.7)	Body side height	400 (15.7)	400 (15.7)	
Loading height (unladen)	1090 (42.9)	1090 (42.9)	1090 (42.9)	Loading height (unladen)	1090 (42.9)	1090 (42.9)	
Load area sq.m (sq.ft.)	6.5 (69.4)	6.5 (69.4)	6.3 (68.2)	Load area sq.m (sq.ft.)	6.5 (69.4)	6.3 (68.2)	


MOVANO DROPSIDE SPECIFICATIONS



+ 842 -(33.1)








L2 RWD HD

L4 RWD HD



Dimensions mm (inches). Heights shown unladen.

LOADSPACE AREA DIMENSIONS MM (IN) – DROPSIDE										
	L2 FWD	L3 FWD	L2 RWD / RWD HD	L3 RWD HD	L4 RWD HD					
Maximum length	3170 (124.8)	3900 (153.5)	3170 (124.8)	3700 (145.7)	4470 (176.0)					
Maximum width	2040 (80.3)	2040 (80.3)	2040 (80.3)	2040 (80.3)	2040 (80.3)					
Body side height	400 (15.7)	400 (15.7)	400 (15.7)	400 (15.7)	400 (15.7)					
Loading height (unladen)	1026 (40.4)	1026 (40.4)	1026 (40.4)	1026 (40.4)	1026 (40.4)					
Load area sq.m (sq.ft.)	6.5 (70.0)	7.8 (83.9)	6.5 (70.0)	7.6 (81.8)	8.9 (95.8)					

- 1244 -(49.0)


4332 (170.6)

-6418 (252.7)

+ 842 + (33.1) 3682 (145.0)

- 5749 (226.3) -

MOVANO DROPSIDE CREW CAB SPECIFICATIONS



+ 842 + (33.1) - 1874 -(73.8)

+ 842 + (33.1)

3682 (145.0)

-6398 (251.9)

Dimensions mm (inches). Heights shown unladen.

4332 (170.6)


-7048 (277.5) -

1874 -(73.8)

LOADSPACE AREA DIMENSIONS MM (IN) – DROPSIDE CREW CAB										
	L2 FWD	L3 FWD	L2 RWD	L3 RWD HD	L4 RWD HD					
Maximum length	2501 (98.5)	3170 (124.8)	2501 (98.5)	3070 (120.9)	3702 (145.7)					
Maximum width	2040 (80.3)	2040 (80.3)	2040 (80.3)	2040 (80.3)	2040 (80.3)					
Body side height	400 (15.7)	400 (15.7)	400 (15.7)	400 (15.7)	400 (15.7)					
Loading height (unladen)	1026 (40.4)	1026 (40.4)	1026 (40.4)	1026 (40.4)	1026 (40.4)					
Load area sq.m (sq.ft.)	4.9 (52.7)	6.5 (70.0)	4.9 (52.7)	6.3 (67.8)	7.6 (81.8)					


- 1225 → (48.2)

MOVANO BOX VAN SPECIFICATIONS



L4 RWD HD (20cu.m)


L4 RWD HD (22cu.m)



Dimensions mm (inches). Heights shown unladen.


LOADSPACE DIMENSIONS MM (INCHES) – BOX VAN								
	L3 20cu.m FWD/RWD	L4 20cu.m RWD	L4 22cu.m RWD					
Maximum internal length	4100 (161.4)	4300 (169.3)	4580 (180.3)					
Maximum internal width	2150 (84.6)	2150 (84.6)	2150 (84.6)					
Maximum internal height	2200 (86.6)	2200 (86.6)	2200 (86.6)					
Loading height (unladen)	1050 (41.3)	1050 (41.3)	1050 (41.3)					
LOADSPACE VOLUME CU.M (CU.FT.) - BOX VAN								
VDA method	19.4 (685.1)	20.3 (716.9)	21.7 (766.3)					

MOVANO COMBI / MINIBUS SPECIFICATIONS



		Gross Vehicle	Plated	weights	Towing) weights	Plated Gross Combination
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
L1 H1 Combi	F3300	3300	1650	1900	2500	750	5800
L2 H2 Combi	F3500	3500	1850	2100	2500	750	6000
L3 H2 Minibus	F3960	3960	1850	2150	n/a	n/a	n/a

MOVANO CHASSIS CAB SPECIFICATIONS




Dimensions mm (inches). Heights shown unladen.

All conversions must follow 'Vauxhall Convertor Requirements' including recommended dimensional data, detailed within Part 1, available at: www.vauxhall.co.uk/conversiondata. The weight of any fitted conversion body will have to be deducted from these figures to establish actual payload and is subject to correct weight distribution. Variations from the recommended dimensions or weights may affect the vehicle's overall centre of gravity and stability. From 29 April 2013 conversion of N1 vehicles was affected by changes to type approval – for further information refer to the VCA website (N2 vehicles were affected from 29 October 2014). For further information please contact conversions@vauxhall.co.uk

PLATED WEIGHTS AND TOWING DATA KG – CHASSIS CAB

		Gross Vehicle	Plated	weights	Towing	weights	Plated Gross Combination
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
L2 H1/L3 H1/L4 H1	F3500	3500	1850	2100	2500	750	6000
Chassis	R3500	3500	1850	2300	2500	750	6000
	R3500HD	3500	1850	2800	3500	750	7000
	R4500HD	4500	1850	3200	3000	750	7500

MOVANO CHASSIS CREW CAB SPECIFICATIONS



All conversions must follow 'Vauxhall Convertor Requirements' including recommended dimensional data, detailed within Part 1, available at: www.vauxhall.co.uk/conversiondata. The weight of any fitted conversion body will have to be deducted from these figures to establish actual payload and is subject to correct weight distribution. Variations from the recommended dimensions or weights may affect the vehicle's overall centre of gravity and stability. From 29 April 2013 conversion of N1 vehicles was affected by changes to type approval - for further information refer to the VCA website (N2 vehicles were affected from 29 October 2014). For further information please contact conversions@vauxhall.co.uk

6293 (247.8)

PLATED WEIGHTS AND TOWING DATA KG – CHASSIS CREW CAB

		Gross Vehicle	Plated	weights	Towing	weights	Plated Gross Combination
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
L2 H1/L3 H1/L4 H1	F3500	3500	1850	2100	2500	750	6000
Chassis Crew Cab	R3500	3500	1850	2300	2500	750	6000
	R3500HD	3500	1850	2800	3500	750	7000
	R4500HD	4500	1850	3200	3000	750	7500

(65.7)

6193 (243.8)

Gross plated weights (including axle weights) quoted on the vehicle plate are to UK plated weight specification and must never be exceeded. For further information please see Glossary of Terms.

64 感


- 1119 → (44.1)

1669 -

6843 (269.4)

Dimensions mm (inches). Heights shown unladen.

MOVANO PLATFORM CAB SPECIFICATIONS



Dimensions mm (inches). Heights shown unladen.

All conversions must follow 'Vauxhall Convertor Requirements' including recommended dimensional data, detailed within Part 1, available at: www.vauxhall.co.uk/conversiondata. The weight of any fitted conversion body will have to be deducted from these figures to establish actual payload and is subject to correct weight distribution. Variations from the recommended dimensions or weights may affect the vehicle's overall centre of gravity and stability. From 29 April 2013 conversion of N1 vehicles was affected by changes to type approval – for further information refer to the VCA website (N2 vehicles were affected from 29 October 2014). For further information please contact conversions@vauxhall.co.uk

PLATED WEIGHTS AND TOWING DATA KG – PLATFORM CAB

		Gross Vehicle	Plated weights		Towing weights		Plated Gross Combination	
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)	
L2 H1/L2 H2/L3 H1/ L3 H2 Platform Cab	F3500	3500	1850	2100	2500	750	6000	

CORSAVAN ACCESSORIES

Тс	otal (exc. VAT)	
INFOTAINMENT		PRACTICAL
		Spare bulb kit
Sat Nav updates ¹		Stretch tow rope – 3 tonne
Please consult your Retailer for latest r	map updates or	· · ·
visit www.vauxhall.co.uk/accessories.		SECURITY
1 = For use with optional factory-fit satellite navig	ation systems.	Locking wheel bolts – set of
SAFETY		
Safety pack – first aid kit, warning		PROTECTION – INTERIOR
triangle, hi-visibility vest	£30.00	Rubber floor mats – front p
First aid kit	£12.00	
Warning triangle	£14.00	PROTECTION – LOAD ARE
Hi-visibility vest	£7.00	Hard cargo liner
Fire extinguisher – 2kg	£59.00	
Temporary tyre inflation kit	£125.00	PROTECTION – EXTERIOR
Tyre sealant	£46.00	Mudflaps – set of four ³
Tyre sedicin	240.00	Rear parking distance sens

	Total (exc. VAT)
PRACTICAL	
Spare bulb kit	£16.00
Stretch tow rope – 3 tonne	£29.00
SECURITY	
Locking wheel bolts – set of four	£36.00
PROTECTION – INTERIOR	
Rubber floor mats – front pair	£41.00
PROTECTION – LOAD AREA	
Hard cargo liner	£172.15
PROTECTION – EXTERIOR	
Mudflaps – set of four ³	£100.00
Rear parking distance sensors	£265.00

3 = Not available with certain exterior styling accessories.

ROOF CARRIER SYSTEM	
T-track base carrier – two roof bars	£121.00

Please note:

Prices shown are fully fitted and painted where applicable.

All prices are exclusive of VAT.

It is advisable to ensure your insurance policy is adequate to cover additional fitted accessories.

Prices correct at time of publication.

COMBO ACCESSORIES

	Total (exc. VAT)	Total (exc. VAT)
SAFETY		PROTECTION – LOAD AREA	
Safety pack – first aid kit, warning		Wooden floor protection	
triangle, hi-visibility vest	£30.00	– L1	£173.00
First aid kit	£12.00	- L2	£205.00
Warning triangle	£14.00	Cargo liner (rigid)	£67.00
Hi-visibility vest	£7.00		
Fire extinguisher – 2kg	£59.00	PROTECTION – EXTERIOR	
Temporary tyre inflation kit	£125.00	Mudflaps – rear pair only	£78.00
Tyre sealant	£46.00		
		ROOF CARRIER SYSTEM	
PRACTICAL		Pair of roof bars (70kg) ¹	£178.00
Stretch tow rope – 3 tonne	£29.00	Three roof bars (100kg) ¹	£282.00
		Complete roof rack with spoiler and	
SECURITY		loading system (L1)	£517.00
Security alarm system		Complete roof rack with spoiler and	
 without pre-installation 	£364.00	loading system (L2)	£571.00
 with pre-installation 	£335.00	1 = Can only be used in conjunction with optional factory	/-fitted
Steering wheel security bar	£78.00	roof rails.	,
Locking wheel bolts – set of four	£41.00	701//110	
Rear window grilles – rear doors,		TOWING	65///7
not tailgate	£131.00	Fixed tow bar with 13-pin electrics	£544.67
		Flange tow bar with 13-pin electrics	£550.65
PROTECTION – INTERIOR		Heavy duty tow bar with 13-pin electrics	£621.00
Heavy duty carpet mat	£18.00	Removable tow bar with 13-pin electrics	£712.00

Tot	al (exc. VAT)
PROTECTION – LOAD AREA	
Wooden floor protection	
– L1	£173.00
- L2	£205.00
Cargo liner (rigid)	£67.00
PROTECTION – EXTERIOR	
Mudflaps – rear pair only	£78.00
ROOF CARRIER SYSTEM	
Pair of roof bars (70kg) ¹	£178.00
Three roof bars (100kg) ¹	£282.00
Complete roof rack with spoiler and	
loading system (L1)	£517.00
Complete roof rack with spoiler and	
loading system (L2)	£571.00
1 = Can only be used in conjunction with optional far roof rails.	actory-fitted
TOWING	
Fixed tow bar with 13-pin electrics	£544.67
Flange tow bar with 13-pin electrics	£550.65
Heavy duty tow bar with 13-pin electr	ics £621.00

C10(00
C10(00
£106.00
from £89.00

EXTERIOR STYLING

Chromed door mirrors	£70.00

Please note:

Prices shown are fully fitted and painted where applicable.

All prices are exclusive of VAT. It is advisable to ensure your insurance policy is adequate to cover additional fitted accessories. Prices correct at time of publication.

VIVARO ACCESSORIES

	Total (exc. VAT)	
SAFETY		ROOF CARRIE
Safety pack – first aid kit, warning ti	riangle,	Base carrier
hi-visibility vest	£30.00	– H1 aluminiun
First aid kit	£12.00	– H2 aluminiun
Warning triangle	£14.00	– H1 steel (blad
Hi-visibility vest	£7.00	– H2 steel (blac
Fire extinguisher – 2kg	£58.00	L1 H1
Temporary tyre inflation kit	£125.00	– roof rack tray
Tyre sealant	£46.00	– walkway
		L2 H1
PRACTICAL		– roof rack tray
Spare bulb kit	£16.00	– walkway
Stretch tow rope – 3 tonne	£29.00	L1 H2
		– roof rack tray
SECURITY		– walkway
Security alarm system	£315.00	L2 H2
Rear window grilles for rear doors,		– roof rack tray
not tailgate	£195.00	– walkway
PROTECTION – LOAD AREA		TOWING ¹
Plywood floor panel	from £411.00	Fixed tow bar w
Plywood side panel	from £93.00	Fixed heavy-du
		7-pin electrics
PROTECTION – EXTERIOR		Removable tov
Mudflaps – set of four	£123.00	Fixed tow bar w
Protective wheel arch mouldings	from £152.00	Fixed heavy-du
		13-pin electric
		Removable tov

	otal (e	exc. VAT)
ROOF CARRIER SYSTEM		
Base carrier		
– H1 aluminium		£134.00
– H2 aluminium		£170.00
– H1 steel (black)		£159.00
– H2 steel (black)		£149.00
L1 H1		
– roof rack tray	from	£773.00
– walkway	from	£215.00
L2 H1		
– roof rack tray	from	£724.00
– walkway	from	£252.00
L1 H2		
– roof rack tray	from	£874.00
– walkway	from	£215.00
L2 H2		
– roof rack tray	from	£898.00
– walkway	from	£248.00
TOWING ¹		
Fixed tow bar with 7-pin electrics		£620.00
Fixed heavy-duty tow bar with		
7-pin electrics		£754.00
Removable tow bar with 7-pin electrics		£738.00
Fixed tow bar with 13-pin electrics		£631.20
Fixed heavy-duty tow bar with		
13-pin electrics		£682.15
Removable tow bar with 13-pin elec	trics	£849.00
1 = Prices for standard vehicles only		

1 = Prices for standard vehicles only.

Please note:

Prices shown are fully fitted and painted where applicable.

All prices are exclusive of VAT.

It is advisable to ensure your insurance policy is adequate to cover additional fitted accessories. Prices correct at time of publication.

MOVANO ACCESSORIES

Total (exc. VAT)	
SAFETY		ROOF CARRIER SY
Safety pack – first aid kit, warning		Base carrier
triangle, hi-visibility vest	£30.00	– H1
First aid kit	£12.00	– H2
Warning triangle	£14.00	L1 H1
Hi–visibility vest	£7.00	– Aluminium roof rad
i		– Steel walkway
PRACTICAL		L1 H2
Spare bulb kit	£16.00	– Aluminium roof rad
Stretch tow rope – 3 tonne	£29.00	– Steel walkway
Smoker Pack	£44.00	L2 H2
		– Aluminium roof rad
SECURITY		– Steel walkway
Steering wheel security bar	£78.00	L3 H2
Rear window grilles – H1, H2, H3	£133.00	– Aluminium roof rad
Side sliding door (offside) window grille		– Steel walkway
– L2, L3, L4	£134.00	L4 H2
Side sliding door (nearside) window grille		– Aluminium roof rad
– L2, L3, L4	£159.00	– Steel walkway
PROTECTION		TOWING
	£54.00	
Carpet front floor mat	£54.00 £76.00	Flange tow bar with
Anti-slip mat		
Seat covers – standard (all models) from	£146.00	

£168.00

£291.00

from £135.00

Seat covers – premium (all models)

Rear parking distance sensor (4 sensors) £204.00

Mudflaps – set of four

Rear-view camera

– L1/L2

ROOF CARRIER SYSTEM	(exc. VAT)
Base carrier	
– H1	£271.00
– H2	£273.00
L1 H1	
– Aluminium roof rack including roller	£860.00
– Steel walkway	£257.00
L1 H2	
– Aluminium roof rack including roller	£860.00
– Steel walkway	£257.00
L2 H2	
– Aluminium roof rack including roller	£970.00
– Steel walkway	£301.00
L3 H2	
– Aluminium roof rack including roller	£962.00
– Steel walkway	£299.00
L4 H2	
– Aluminium roof rack including roller	£955.00
– Steel walkway	£296.00

Flange tow bar with 13-pin electrics from £494.0
--

Please note:

Prices shown are fully fitted and painted where applicable. All prices are exclusive of VAT.

It is advisable to ensure your insurance policy is adequate to cover additional fitted accessories. Prices correct at time of publication.

FOR MORE PRODUCT INFORMATION

For a brochure on any Vauxhall model (up to a maximum of three per caller) or location of your nearest Vauxhall Retailer please call 0345 600 1500. Alternatively, details can be found on our website at www.vauxhall.co.uk



PROUD SPONSOR OF OUR NATIONAL FOOTBALL TEAMS



Privacy Policy – For full details please visit: vauxhall.co.uk/privacy

Vauxhall OnStar privacy details are available at vauxhall.co.uk/onstar

Some feature descriptions in this guide may refer to, and some illustrations may show, optional equipment not included in the standard delivery. The information contained in this guide was accurate at the time of publication. We reserve the right to make changes in design and equipment. The colours in this guide are only approximate actual colours. Illustrated optional equipment is available at extra charge. Availability, technical features and equipment provided on our vehicles can vary by model. For precise information on the equipment provided on our vehicles, please contact your local Vauxhall Retailer.

VAUXHALL

vauxhall.co.uk ©2017 Vauxhall Motors Limited Published 18 September 2017 Vauxhall Motors Limited

COMMERCIAL VEHICLE RANGE PRICE GUIDE



1 August 2017



Range pricing information

Contents

Corsavan Prices	3
Corsavan Equipment/Options	4
Combo Prices	14
Combo Equipment/Options	18
Vivaro Prices	27
Vivaro Equipment/Options	31
Movano Prices	44
Movano Equipment/Options	57
Movano One-Invoice Approved Conversions	72
Glossary of Terms	76
Customer Care	77
Corsavan Specifications	78
Combo Specifications	79
Vivaro Specifications	82
Movano Specifications	87
Accessories	101

Vauxhall on-the-road recommended retail prices (RRP)

To eliminate uncertainty about hidden costs incurred when buying a new commercial vehicle, Vauxhall publishes on-the-road prices and these are shown in the pricing tables within this price guide. The prices shown are manufacturer's recommended retail prices (RRP) unless otherwise stated, exclusive of VAT (currently at a rate of 20% which may be payable). These prices include the recommended cost of number plates, delivery to a Vauxhall Retailer of £583.33 (£700.00 including VAT), 12 months' Government Vehicle Excise Duty* (shown on each model page) and the DVLA new vehicle first registration fee of £55.00*.

Please note: The RRP does not include fuel supplied by the Retailer, motor insurance or any other goods or services supplied by agreement between the Retailer and customer. *Correct at time of publication.

Price protection for all Vauxhalls

Order a new Vauxhall for build in the current model year (as confirmed by your Retailer) for delivery no more than three months in advance and the price you are quoted is the price you pay. This is irrespective of any subsequent price rises between placing your order and delivery of your new commercial vehicle, but you must take delivery as soon as the commercial vehicle is available. Vauxhall Motors Limited is not liable for price adjustments caused by Government changes in the rate of VAT (currently 20%), Vehicle Excise Duty, DVLA new vehicle first registration fee or by any other applicable legislation or regulations.

* = Please note that vehicles are limited from stock and that specifications may differ from those described in this Price Guide – consult your Retailer for further details.

CORSAVAN PRICES

Fuel economy mpg (litres/100km)#							
Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra-urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	On-the-road RRP (£) exc. VAT
1045	560	42.2 (6.7)	61.4 (4.6)	52.3 (5.4)	126	11830.00	12708.33
1124	571	55.4 (5.1)	83.1 (3.4)	70.6 (4.0)	107	13080.00	13958.33
1124	571	68.9 (4.1)	88.3 (3.2)	78.5 (3.6)	94	13530.00	14408.33
1124	581	70.6 (4.0)	91.1 (3.1)	83.1 (3.4)	91	14066.67	14945.00
1177	543	57.6 (4.9)	78.5 (3.6)	68.9 (4.1)	108	14530.00	15408.33
	Mass (kg)* 1045 1124 1124 1124	Mass (kg)* (kg)* 1045 560 1124 571 1124 571 1124 581	Minimum Mass (kg)*Payload (kg)*Urban driving104556042.2 (6.7)112457155.4 (5.1)112457168.9 (4.1)112458170.6 (4.0)	Minimum Mass (kg)* Payload (kg)* Urban driving Extra-urban driving 1045 560 42.2 (6.7) 61.4 (4.6) 1124 571 55.4 (5.1) 83.1 (3.4) 1124 571 68.9 (4.1) 88.3 (3.2) 1124 581 70.6 (4.0) 91.1 (3.1)	Minimum Mass (kg)* Payload (kg)* Urban driving Extra-urban driving Combined figure 1045 560 42.2 (6.7) 61.4 (4.6) 52.3 (5.4) 1124 571 55.4 (5.1) 83.1 (3.4) 70.6 (4.0) 1124 571 68.9 (4.1) 88.3 (3.2) 78.5 (3.6) 1124 581 70.6 (4.0) 91.1 (3.1) 83.1 (3.4)	Minimum Mass (kg)* Payload (kg)* Urban driving Extra-urban driving Combined figure emissions (g/km)# 1045 560 42.2 (6.7) 61.4 (4.6) 52.3 (5.4) 126 1124 571 55.4 (5.1) 83.1 (3.4) 70.6 (4.0) 107 1124 571 68.9 (4.1) 88.3 (3.2) 78.5 (3.6) 94 1124 581 70.6 (4.0) 91.1 (3.1) 83.1 (3.4) 91	Minimum Mass (kg)* Payload (kg)* Urban driving Extra-urban driving Combined figure emissions (g/km)# Price (£) exc. VAT 1045 560 42.2 (6.7) 61.4 (4.6) 52.3 (5.4) 126 11830.00 1124 571 55.4 (5.1) 83.1 (3.4) 70.6 (4.0) 107 13080.00 1124 571 68.9 (4.1) 88.3 (3.2) 78.5 (3.6) 94 13530.00 1124 581 70.6 (4.0) 91.1 (3.1) 83.1 (3.4) 91 14066.67

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. * = For definitions please refer to Glossary of Terms.

= Fuel consumption information is official government environmental data, tested in accordance with the relevant EU directive. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

CORSAVAN EQUIPMENT / OPTIONS

SAFETY	Corsavan	Sportive	Price (£) exc. VAT
Airbags:			
Driver's dual-stage airbag Passenger's dual-stage airbag with deactivation switch Side-impact airbags Full-size-curtain airbags			
Seating:			
Height-adjustable seat head restraints Anti-submarining ramps – Helps prevent occupants sliding underneath the lap belt during a collision.			
Seatbelts:			
• Inertia-reel lap and diagonal seatbelts • Height-adjustable seatbelts • Seatbelt pretensioner system – Pretensioners tighten the seatbelt in the event of an			
accident limiting forward movement. • Seatbelt force limiters – Reduces potential upper body injuries during a frontal impact. • Seatbelt unfastened audible			
warning and warning light			
Body:			
 Pedal release system – Reduces potential injury to the driver's legs and feet during a severe frontal impact. 			
Laminated windscreen Side-impact protection beams Reinforced passenger safety cell Fuel tank located ahead of rear axle			
Stability:			
Electronic Stability Programme-plus (ESP-plus) with traction control – Works in conjunction with the vehicle's electronic braking and engine systems to keep the			
vehicle stable in many different situations. ESP monitors a variety of inputs to determine when the vehicle starts to lose traction, it can then immediately respond by			
varying the brake pressure between up to three wheels and adjust the engine output to help correct the loss of traction and improve stability.			
Drag torque control – Helps maintain stability when suddenly lifting off the accelerator.			
Tyre pressure:			
• Tyre pressure monitoring system			
Braking:			
Four-channel Anti-lock Braking System (ABS) – Prevents the vehicle's wheels from locking up under heavy braking by momentarily reducing brake pressure at the			
appropriate wheel, ensuring that you can maintain control of the steering.			
Emergency brake assist – When emergency braking is detected the vehicle automatically applies the maximum possible braking assistance.			
Electronic brakeforce distribution – Automatically apportions the optimum braking force to each wheel.			
Hill start assist – Briefly maintains rear brake pressure to stop the vehicle rolling back on an incline.			
Cornering brake control / Straight line stability control – Senses the different speeds of each wheel and applies differing braking levels to each one to ensure the whole vehicle remains under control.			

SECURITY

Features:	
• Electronic engine deadlock immobiliser • Steering column lock • Electronic theft protection for audio equipment • 'Key left in ignition' audible warning	
Visible Vehicle Identification Number (VIN)	
Locking wheel bolts for alloy wheels	
Remote control door locking (doors, tailgate and fuel flap):	
Remote control door locking Two folding keys with integral remote Door deadlocks	

• = Standard equipment.

COMFORT AND SEATING	Corsavan	Sportive	exc. VAT
Comfort:			
Steering column adjustable for reach and rake Leather-covered steering wheel (Sportive models) Floor-mounted handbrake lever			
Spot Shimmer black cloth seat trim (Standard models) Lace cloth seat trim (Sportive models) Height-adjustable seatbelts			
Seating:			
Reach Backrest recline Easy-entry seats with memory function			
Driver's seat height adjuster Option code: AH3	0		70.00
Sports-style seats			

INTERIOR CONVENIENCE

Accessory sockets:	
Facia-mounted 12-volt accessory socket	
Interior:	
• Storage box on driver's side lower facia • Illuminated glovebox with lid • Coin holder • Drinks holder in centre console • Door pockets • Dipping rear-view mirror	
• Twin sunvisors, driver's with vanity mirror and cover • Chrome-effect door handles and handbrake button • Driver and passenger's tiltable assist handles	
Automatic anti-dazzle rear-view mirror	
Lighting:	
Centre fade up/fade down courtesy light Map reading lights	
Ambient lighting	
	1

• = Standard equipment. • = Optional at extra cost.

r = (c)

DRIVER ASSISTANCE		Corsavan	Sportive	Price (£) exc. VAT
Driving Assistance Pack (deletes City mode steering): A wide range of class-leading driver assistance and safety features are controlled by the front camera system. Forward collision alert: The system warns you when approaching another vehicle too quickly – operates at speeds above 25mph. • Visual warnings – projected onto windscreen and shown in the instrument cluster • Audible warning • Sensitivity can be adjusted via a steering wheel mounted control Traffic sign recognition: Detects and then displays speed limits, reducing uncertainty and the risk of speeding.				
 Recognises different road signs, including temporary speed restrictions Displays reminder in the instrument cluster Following distance indicator: At speeds above 25mph indicates how many seconds you are behind the vehicle in front – helping you maintain a safe distance. Timings are shown in the instrument cluster Lane departure warning: If the driver has not actively steered or signalled, the lane departure warning system warns when the car moves outside of lane markings at speeds above 37mph. Warning light in instrument cluster Audible warning Facia on/off switch On Corsavan, Driving Assistance Pack is only available in conjunction with optional cruise control. 	Option code: OBG	0	0	1110.00
Automatic anti-dazzle rear-view mirror			•	
Cruise control, includes leather-covered steering wheel	Option code: N34	0		120.00
Speed limiter: • Choice of two speeds: 62mph / 68mph – Only available on 1.3CDTi (95PS) manual models.	Option code: (62mph) KYK Option code: (68mph) KYL	0		85.00
Windscreen wipers: • Two-speed windscreen wipers • Variable intermittent wipe • Electric screenwash • Intermittent rear windows wash/wipe		•	•	
Rain-sensitive windscreen wipers				
Parking assistance: • Rear parking distance sensors • Audible warning • Distance warning graphic showing in driver information display	Option code: UD7	0	0	260.00
 Rear-view camera Camera view appears in infotainment screen Rear bumper and one-metre grid lines shown as reference points – Activated when reverse gear selected. Requires rear parking distance sensors and IntelliLink. 	Option code: UVC		0	235.00

DRIVER INFORMATION	Corsavan	Sportive	Price (£) exc. VAT
Instrumentation:			
• Speedometer • Rev counter • Fuel gauge with low fuel warning light • Fuel economy gauge • Coolant temperature warning light			
ECO features:			
• Shift-up indicator			
– Indicates when to change gear for optimum fuel economy.			
Driver information display:			
Monochrome display located in instrument cluster Odometer Service-due indicator			
Central facia display:			
Audio information • Digital clock with automatic RDS time adjustment • Outside air temperature with ice warning function			
Additional features and location dependent on infotainment unit (see Infotainment for details)			
Warning indicators:			
Low oil level, low brake fluid, brake pad wear, battery, seatbelt warning, doors open, headlight/brake light failure and handbrake on			
INFOTAINMENT			
CD 30 BT: Onboard features: • CD/MP3 CD player • DAB digital radio • AM/FM stereo radio with 36-station presets • RDS with Traffic Programme • Four speakers • 20 watts per channel output			

20 watts per channel output				
Media connections: • USB connection with iPod control • Aux-in socket				
Mobile phone portal: • Bluetooth [®] connectivity • Handsfree calls via steering wheel controls • Vehicle microphone				
Phone book access - Contacts/last calls/missed calls etc. (features dependent on mobile phone)				
R4.0 IntelliLink touchscreen infotainment system:				
Onboard features: • DAB digital radio • AM/FM stereo radio with 36-station presets • 7-inch facia-mounted colour touchscreen • RDS with Traffic Programme				
Four speakers 20 watts per channel output				
Media connections: • USB connection with iPod control • Bluetooth® audio streaming (A2DP Profile)		0	0	760.00
Mobile phone portal: • Bluetooth [®] connectivity • Handsfree calls via steering wheel controls • Vehicle microphone				1
• Phone book access - Contacts/last calls / missed calls etc. are mirrored on the display and are easily navigated using the touchscreen (features dependent on	Option code:			1
mobile phone)	iOA/U91/U2Q			
Additional features:				
Steering wheel mounted audio controls • Flexible roof-mounted aerial				

ONSTAR						Corsavan	Sportive	Total (£) inc. VAT
SOS Automatic Crash Response	Wi-Fi Hotspot	Smartphone App	Stolen Vehicle Assistance	Vehicle Diagnostics				
revolutionary: host of innova	alk about innov 24/7, 365 day tions, from Veh	vation as soon as ti s a year, Vauxhall C icle Diagnostics an	hey improve their c InStar puts you in t	up holders but this innovative system, now available on selected models**, is buch with a trained advisor, not a machine. With OnStar you have access to a ction to a fully integrated 4G Wi-Fi Hotspot [†] . In the event of an accident, Vauxhall ng of safety.		0	0	360.00
customer accepts tl with security alarm ** = The OnStar Se network operator. † = 4G is subject to	ne nominated networ system. rvices require actival mobile network cove	"k operator Wi-Fi T's&Ĉ's. tion and are subject to mo rrage and availability. Char	Does not include destinat bile network coverage and rges apply after the free tr	Wi-Fi free trial period (whichever comes first) effective from the date the on download feature. Theft alert feature only operates on models fitted availability. Wi-Fi Hotspot service requires account with nominated al period. The OnStar subscription packages could be different from the onditions, details of availability, coverage and charges.	Option code: UE1			

O = Optional at extra cost.

HEATING AND VENTILATION

			exc. VAT
Air blend heater:			
Four-speed fan Illuminated controls Four adjustable facia vents Windscreen demist vents Side window demist vents			
Air conditioning:			435.00
Air recirculation facility Cabin particulate filter – Removes dust, airborne particles and pollen Illuminated controls Option code: C60			435.00
Electronic climate control:			
Incorporating air conditioning Single-zone control Six-speed fan Advanced predictive logic control system using sun sensor		0	360.00
Cabin particulate filter LCD temperature display Automatic air direction and fan speed with manual override Illuminated controls			500.00
Pollen filter – On Corsavan, only in conjunction with air conditioning. Option code: C68			
Winter Pack:			
Heated leather-covered steering wheel Heated seats	0	0	205.00
- On Corsavan, only available in conjunction with cruise control. Option code: OBL			

LOAD ACCESS

Rear glazed tailgate:	
Heated rear window with wash/wipe facility Interior tailgate handle	

LOAD RESTRAINT / PROTECTION

Load anchorage:			
Load restraint lashing eyes		• •	
• Cargo net	Option code: BNN	0 0	35.00
Fixing points for cargo net	Option code: V91	0 0	35.00
• Half-height plastic side load lining panels		•	
Bulkhead: • Half-height steel bulkhead		•	
Load area rubber floor mat	Option code: BG9	0 0	55.00
Upper load restraint mesh	Option code: AP9	0 0	75.00
Load compartment cover	Option code: B75	0 0	55.00
		• •	

• = Standard equipment. • = Optional at extra cost.

Please note: The air conditioning in vehicles with N1 type approval relies upon fluorinated greenhouse gases (R134a) for its functioning. The front system contains a quantity of overall 580g of R 134a, which corresponds to a CO₂ equivalent of 0.83 tons. The front and rear system contains a quantity of overall 580g of R 134a, which corresponds to a CO₂ equivalent of 0.83 tons. The global warming potential amounts to 1430. Information acc. to R (EU) No. 517/2014.

Price (£)

EXTERIOR CONVENIENCE / STYLING		Corsavan	Sportive	Price (£) exc. VAT
Windows: • Heated windscreen Opt	ion code: C50	0	•	100.00
Electrically operated windows • Tinted windows • Heated rear window			•	
Door mirrors: • Foldable electrically adjustable door mirrors – Heated on Sportive models. • Wide-angle mirror on driver's side		•	•	
Body colour door mirrors			•	

EXTERIOR LIGHTING

Standard lighting:		
• Halogen headlights • Welcome lighting • Lights-on audible warning • Electric headlight beam levelling • Reversing lights • Hazard warning lights		
• Rear fog light • Adaptive brake lights • High-level LED centre brake light • Side-repeat indicators • Daytime running lights – LED on Sportive models.		
Front fog lights – With chrome-effect surround.		1
Automatic lighting control		

EXTERIOR COLOURS	Corsavan	Sportive	Price (£) exc. VAT
 Summit White (GAZ) Solid paint Royal Blue (GEK) Solid paint 	•	N/C	
Eava Red (GG7) Brilliant paint	0	N/C	260.00
Mineral Black (GB9) • Two-coat metallic paint Satin Steel Grey (GF6) • Two-coat metallic paint Steel Grey (GF6) • Two-coat metallic paint			
Sovereign Silver (GAN) • Two-coat metallic paint • Two-coat metallic paint • Two-coat metallic paint	0	N/C	390.00
Dark Sea Blue (H07) • Two-coat pearlescent paint			

• = Standard equipment. • = Optional at extra cost. N/C = No-cost option.

The colours reproduced may vary slightly from the actual paint colour. As a result they should be used as a guide only. Your Vauxhall Retailer has a comprehensive display of our paint samples.

WHEELS AND TYRES	Corsavar	Sportive	Price (£) exc. VAT
Full-size steel spare wheel			
Steel space-saver spare wheel			
14-inch steel wheels with flush covers – Petrol models: • 185/70 R 14 tyres • Full-size steel spare wheel	•		
15-inch steel wheels with flush covers – Diesel models: • 185/65 R 15 tyres • Full-size steel spare wheel	•		
16-inch alloy wheels: 195/55 R 16 tyres Steel space-saver spare wheel		•	
16-inch black alloy wheels: • 195/55 R 16 tyres • Steel space-saver spare wheel Option code: R	/5	0	110.00

• = Standard equipment. • = Optional at extra cost.

TYRE RATINGS

Turna airea	Fuel efficiency	Wet grip	Externa	al noise
Tyre size	group	performance	Measured (dB)	Group
185/70 R 14	В	В	70	(((-)))
185/65 R 15	B-C	В	69-70	(((-))
195/55 R 16	B-C	В	68-71	(((+)))-))

Tyre rating according to EU Regulation 1222/2009

MECHANICAL	Corsavan	Sportive	Price (£) exc. VAT
Standard features:	Corsavan		
Front-wheel drive Transverse engine / gearbox Gas-pressure dampers Front anti-roll bar			
Transmissions:			
Five-speed manual gearbox			
Six-speed manual gearbox			
Five-speed Easytronic transmission			See prices
–Available on 1.3CDTi (95PS) ecoFLEX models	0		page
Steering:			F-5-
Speed-sensitive electrically assisted power steering – Variable rate on diesel models. Rack and pinion			
• City-mode button providing lighter steering at parking speeds – Deleted if Driving Assistance Pack is specified.			
Turning circle: Kerb-to-kerb			
All models 10.6m (34.8ft.)			
Brakes:			
Front ventilated disc brakes:			
• 257mm diameter (1.2i models)			
• 284mm diameter (1.3CDTi models)			
Rear drum brakes:			
• 228mm diameter (all models)			
Fuel tank:			
• 45 litres (9.9 gallons) capacity			
Electrical:			
Maintenance-free battery:			
• 40Ah (1.2i models) • 60Ah (1.3CDTi models)			
Alternator:			
• 130A (1.2i models) • 140A (1.3CDTi models)			
Front suspension:			
Independent lightweight MacPherson struts Coil springs Telescopic gas-pressure dampers			
Rear suspension:			
Compound crank Coil springs Gas pressure dampers			
- Standard equipment Ontional at extra cost			

COMBO PANEL VAN PRICES

BEST SMALLTRADES VAN Vauxhall Combo 1.3CDTi 2300L1H1 95ps Eu6 ecoFlex S/Stop



Model			Fuel ecor	nomy mpg (litres	/100km)#	100km)# CO ₂		On-the-road
	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra-urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L1 H1 PANEL VAN (EURO 6)								
2000 1.4i (95PS) Start/Stop	1355	740	30.7 (9.2)	49.6 (5.7)	40.4 (7.0)	163	14340.00	15218.33
2000 1.3CDTi (95PS)	1365	740	43.5 (6.5)	67.3 (4.2)	56.5 (5.0)	133	15625.00	16503.33
2000 1.3CDTi (95PS) Start/Stop ecoFLEX	1365	740	52.3 (5.4)	68.9 (4.1)	61.4 (4.6)	120	15910.00	16788.33
2000 1.6CDTi (105PS)	1395	768	44.8 (6.3)	64.2 (4.4)	55.4 (5.1)	134	16615.00	17493.33
2000 1.6CDTi (105PS) Start/Stop	1395	768	53.3 (5.3)	68.9 (4.1)	62.8 (4.5)	120	16900.00	17778.33
2300 1.3CDTi (95PS)	1395	990	43.5 (6.5)	67.3 (4.2)	56.5 (5.0)	133	15820.00	16698.33
2300 1.3CDTi (95PS) Start/Stop ecoFLEX	1395	990	52.3 (5.4)	68.9 (4.1)	61.4 (4.6)	120	16105.00	16983.33
2300 1.6CDTi (105PS)	1465	1018	43.5 (6.5)	64.2 (4.4)	54.3 (5.2)	135	16810.00	17688.33
2300 1.6CDTi (105PS) Start/Stop	1465	1018	53.3 (5.3)	67.3 (4.2)	61.4 (4.6)	121	17095.00	17973.33
L1 H1 SPORTIVE PANEL VAN (EURO 6)								
2000 1.3CDTi (95PS)	1365	695	43.5 (6.5)	67.3 (4.2)	56.5 (5.0)	133	16895.00	17773.33
2000 1.3CDTi (95PS) Start/Stop ecoFLEX	1365	695	52.3 (5.4)	68.9 (4.1)	61.4 (4.6)	120	17180.00	18058.33
2000 1.6CDTi (105PS) Start/Stop	1395	723	53.3 (5.3)	68.9 (4.1)	62.8 (4.5)	120	18170.00	19048.33
2300 1.3CDTi (95PS)	1395	945	43.5 (6.5)	67.3 (4.2)	56.5 (5.0)	133	17090.00	17968.33
2300 1.3CDTi (95PS) Start/Stop ecoFLEX	1395	945	52.3 (5.4)	68.9 (4.1)	61.4 (4.6)	120	17375.00	18253.33
2300 1.6CDTi (105PS) Start/Stop	1465	973	53.3 (5.3)	67.3 (4.2)	61.4 (4.6)	121	18365.00	19243.33
L1 H2 PANEL VAN (EURO 6)								
2000 1.6CDTi (105PS) Start/Stop	1445	740	53.3 (5.3)	60.1 (4.7)	57.6 (4.9)	131	17650.00	18528.33
2300 1.6CDTi (105PS) Start/Stop	1475	1018	53.3 (5.3)	60.1 (4.7)	57.6 (4.9)	131	17845.00	18723.33
L1 H2 SPORTIVE PANEL VAN (EURO 6)								
2000 1.6CDTi (105PS) Start/Stop	1445	695	53.3 (5.3)	60.1 (4.7)	57.6 (4.9)	131	18920.00	19798.33
2300 1.6CDTi (105PS) Start/Stop	1475	973	53.3 (5.3)	60.1 (4.7)	57.6 (4.9)	131	19115.00	19993.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT). 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance.

* = For definitions please refer to Glossary of Terms.

COMBO PANEL VAN PRICES

BEST SMALL TRADES VAN Vauxhall Combo 1.3CDTi 2300L1H1 95ps Eu6 ecoFlex S/Stop



Model			Fuel econ	omy mpg (litres	/100km)#	CO ₂		On-the-road
	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L2 H1 PANEL VAN (EURO 6)								
2300 1.4i (95PS) Start/Stop	1360	920	30.7 (9.2)	49.6 (5.7)	40.4 (7.0)	163	15340.00	16218.33
2300 1.3CDTi (95PS)	1460	990	42.8 (6.6)	65.7 (4.3)	55.4 (5.1)	136	16625.00	17503.33
2300 1.3CDTi (95PS) Start/Stop ecoFLEX	1460	990	51.4 (5.5)	67.3 (4.2)	60.1 (4.7)	123	16910.00	17788.33
2300 1.6CDTi (105PS)	1505	1018	43.5 (6.5)	64.2 (4.4)	54.3 (5.2)	135	17615.00	18493.33
2300 1.6CDTi (105PS) Start/Stop	1505	1018	53.3 (5.3)	67.3 (4.2)	61.4 (4.6)	121	17900.00	18778.33
L2 H1 SPORTIVE PANEL VAN (EURO 6)								
2300 1.3CDTi (95PS)	1460	960	42.8 (6.6)	65.7 (4.3)	55.4 (5.1)	136	17710.00	18588.33
2300 1.3CDTi (95PS) Start/Stop ecoFLEX	1460	960	51.4 (5.5)	67.3 (4.2)	60.1 (4.7)	123	17995.00	18873.33
2300 1.6CDTi (105PS) Start/Stop	1505	988	53.3 (5.3)	67.3 (4.2)	61.4 (4.6)	121	18985.00	19863.33
L2 H2 PANEL VAN (EURO 6)								
2300 1.6CDTi (105PS) Start/Stop	1535	1018	50.4 (5.6)	60.1 (4.7)	56.5 (5.0)	133	18900.00	19778.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance.

* = For definitions please refer to Glossary of Terms.

COMBO CREW VAN PRICES

BEST SMALL TRADES VAN Vauxhall Combo 1.3CDTI 2300L1H1 95ps Eu6 ecoFlex S/Stop



Model		Fuel economy mpg (litres/100km)# CO ₂						
	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra-urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	On-the-road RRP (£) exc. VAT
L1 H1 CREW VAN (EURO 6)								
2300 1.3CDTi (95PS)	1485	804	42.8 (6.6)	65.7 (4.3)	55.4 (5.1)	136	16620.00	17498.33
2300 1.3CDTi (95PS) Start/Stop ecoFLEX	1485	804	51.4 (5.5)	67.3 (4.2)	60.1 (4.7)	123	16905.00	17783.33
2300 1.6CDTi (105PS)	1505	804	44.1 (6.4)	62.8 (4.5)	54.3 (5.2)	136	17610.00	18488.33
2300 1.6CDTi (105PS) Start/Stop	1505	804	54.3 (5.2)	65.7 (4.3)	61.4 (4.6)	122	17895.00	18773.33
L1 H1 SPORTIVE CREW VAN (EURO 6)								
2300 1.3CDTi (95PS)	1485	784	42.8 (6.6)	65.7 (4.3)	55.4 (5.1)	136	17705.00	18583.33
2300 1.3CDTi (95PS) Start/Stop ecoFLEX	1485	784	51.4 (5.5)	67.3 (4.2)	60.1 (4.7)	123	17990.00	18868.33
2300 1.6CDTi (105PS) Start/Stop	1505	784	54.3 (5.2)	65.7 (4.3)	61.4 (4.6)	122	18980.00	19858.33
L2 H1 CREW VAN (EURO 6)								
2300 1.3CDTi (95PS)	1505	804	42.8 (6.6)	65.7 (4.3)	55.4 (5.1)	136	17425.00	18303.33
2300 1.3CDTi (95PS) Start/Stop ecoFLEX	1505	804	51.4 (5.5)	67.3 (4.2)	60.1 (4.7)	123	17710.00	18588.33
2300 1.6CDTi (105PS)	1600	804	43.5 (6.5)	61.4 (4.6)	53.3 (5.3)	139	18415.00	19293.33
2300 1.6CDTi (105PS) Start/Stop	1600	804	53.3 (5.3)	64.2 (4.4)	60.1 (4.7)	125	18700.00	19578.33
L2 H1 SPORTIVE CREW VAN (EURO 6)								
2300 1.3CDTi (95PS)	1505	784	42.8 (6.6)	65.7 (4.3)	55.4 (5.1)	136	18510.00	19388.33
2300 1.3CDTi (95PS) Start/Stop ecoFLEX	1505	784	51.4 (5.5)	67.3 (4.2)	60.1 (4.7)	123	18795.00	19673.33
2300 1.6CDTi (105PS) Start/Stop	1600	784	53.3 (5.3)	64.2 (4.4)	60.1 (4.7)	125	19785.00	20663.33

			Fuel econ		On-the-road			
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra-urban driving	Combined figure	CO ₂ emissions (g/km)#	Price (£) exc. VAT	RRP (£) inc. VAT
L1 H1 GLAZED CREW VAN (EURO 6)								
2300 1.3CDTi (95PS)	1485	764	42.8 (6.6)	65.7 (4.3)	55.4 (5.1)	136	16820.00	21179.00
2300 1.3CDTi (95PS) Start/Stop ecoFLEX	1485	764	51.4 (5.5)	67.3 (4.2)	60.1 (4.7)	123	17105.00	21521.00
2300 1.6CDTi (105PS) Start/Stop	1505	764	54.3 (5.2)	65.7 (4.3)	61.4 (4.6)	122	18095.00	22709.00
L2 H1 GLAZED CREW VAN (EURO 6)								
2300 1.3CDTi (95PS)	1505	764	42.8 (6.6)	65.7 (4.3)	55.4 (5.1)	136	17625.00	22145.00
2300 1.3CDTi (95PS) Start/Stop ecoFLEX	1505	764	51.4 (5.5)	67.3 (4.2)	60.1 (4.7)	123	17910.00	22487.00
2300 1.6CDTi (105PS) Start/Stop	1600	764	53.3 (5.3)	64.2 (4.4)	60.1 (4.7)	125	18900.00	23675.00

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance.

* = For definitions please refer to Glossary of Terms.

COMBO COLORADO PRICES

			On-the-road					
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) inc. VAT
L2 H1 COLORADO CREW VAN (EURO 6)								
2300 1.3CDTi (95PS)	1505	814	42.8 (6.6)	65.7 (4.3)	55.4 (5.1)	136	18710.00	23447.00
Please note: On-the-road recommended retail prices (RRP) include number plates and d	elivery to Retailer of £58	3.33 (exc. VAT), 12 mor	ths' Vehicle Excise Duty at §	£240.00 and new vehicle	e first registration fee (of £55.00. Excludes fuel and	insurance.	

* = For definitions please refer to Glossary of Terms.

= Fuel consumption information is official government environmental data, tested in accordance with the relevant EU directive. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

The Combo Colorado is a fully glazed crew van without bulkhead suitable for conversion into a wheelchair accessible vehicle by a third-party Convertor. The Colorado includes basic Type Approval for registration as a Category N* Commercial Vehicle and 2nd stage Type Approval must be completed by the Convertor to enable registration. Available as an L2 H1 the Colorado is fitted with the highly efficient and economical 1.3CDTi (95PS) engine and includes second-row seats and interior trim.

Feature highlights:

- Type-approved for Euro 6 Category N* emissions
- Glazed between C- and D-pillars
- Air conditioning

- Two-coat metallic/Brilliant paint
- Body-coloured mirrors and bumpers
- Height-adjustable driver's seat with armrest and lumbar support
- Nearside and offside side-access doors with sliding windows
- Glazed tailgate with wash/wipe facility

- r conditioning
- * = As a Category N Commercial Vehicle, the Colorado is subject to speed restrictions not applicable to a Passenger Vehicle. Please consult the DVSA website for further details.

COMBO COLORADO OPTIONS

OPTION PACKS	Colorado	Price (£) exc. VAT
Driver Pack: • CD/MP3 CD player / stereo radio / Bluetooth [®] connectivity for compatible mobile phones / aux-in socket / USB connectivity / AM/FM stereo radio with 24 station presets / RDS with Traffic Programme / steering wheel mounted audio controls • Leather-covered steering wheel • Leather-covered gear knob • Pre-installation for TomTom navigation system – Excludes sat nav / cradle. Accessory sat nav and bespoke cradle combination available at extra cost. • Option code: LPW1	0	670.00
Smoker Pack: • Removable ashtray • Illuminated cigar lighter Option code: DT4	0	55.00

SAFETY AND SECURITY

Front passenger's airbag with deactivation switch	Option code: AK5	0	235.00
Front passenger's airbag with driver and front passenger's side-impact airbags	Option code: AJ7	0	385.00
Active-safety head restraints – Front seats only.	Option code: AJF	0	45.00
Alarm pre-installation kit – Accessory alarm available at extra cost.	Option code: TJD	0	60.00
Third key	Option code: KTN	0	60.00

INTERIOR

Option code: C68	0	840.00
Option code: K34	0	185.00
	0	495.00
Ontion code: UGi		
		Option code: K34 O

EXTERIOR

Front fog lights	Option code: T3U	0	115.00
Electrically adjustable/heated door mirrors	Option code: DL8	0	135.00
Electrically adjustable/heated door mirrors with exterior temperature sensor	Option code: UGM	0	195.00
Glazed asymmetric rear doors – 90º/180º opening	Option code: J1X	0	155.00
Rear parking distance sensors	Option code: UD7	0	205.00
Brilliant paint (Tomato Red)	Option code: G6Z	N/C	No-cost
Two-coat metallic paint – <i>Please see Combo exterior colours.</i>		N/C	No-cost

MECHANICAL

Uprated alternator	Option code: KX3	0	55.00
WHEELS AND TYRES			

18

No-cost

N/C

Option code: QQ5

Full-size spare wheel (in lieu of tyre inflation kit)

• = Standard equipment. • = Optional at extra cost. N/C = No-cost option.

16-inch steel wheels with full-diameter wheel trims and 195/60 R 16 tyres

Please note: The air conditioning in vehicles with N1 type approval relies upon fluorinated greenhouse gases (R134a) for its functioning. It contains a quantity of overall 450g of R 134a, which corresponds to a CO₂ equivalent of 0.64 tons. The global warming potential amounts to 1430. Information acc. to R (EU) No. 517/2014.

SAFETY		Combo	Sportive	Price (£) exc. VAT
Airbags:				
• Driver's dual-stage airbag				
Front passenger's airbag with deactivation switch	Option code: AK5	0	0	235.00
Front passenger's airbag with deactivation switch Driver and front passenger's side-impact airbags	Option code: AJ7	0	0	385.00
Seating:			•	
Height-adjustable head restraints				
Active safety head restraints – Front seats only.	Option code: AJF	0	0	45.00
Seatbelts: • Inertia-reel lap and diagonal seatbelts • Height-adjustable front seatbelts • Seatbelt pretensioner system – Pretensioners tighten the seatbelt in the event of an accident limiting forward movement. • Front seatbelt force limiters – Reduces potential upper body injuries during a frontal impact. • Seatbelt unfastened audible warning and warning light		•	•	
Body: • Laminated windscreen • Side-impact protection beams • Reinforced passenger safety cell • Fuel tank located ahead of rear axle		•	•	
Stability:				
Electronic Stability Programme-plus (ESP-plus) with traction control – Works in conjunction with the vehicle's electronic braking and engine systems to keep the vehicle stable in many different situations. ESP monitors a variety of inputs to determine when the vehicle starts to lose traction, it can then immediately respond by varying the brake pressure between up to three wheels and adjust the engine output to help correct the loss of traction and improve stability.		•	•	
Drag torque control – Helps maintain stability when suddenly lifting off the accelerator.				
Anti-lock braking: Four-channel Anti-lock Braking System (ABS) – Prevents the vehicle's wheels from locking up under heavy braking by momentarily reducing brake pressure at the appropriate wheel, ensuring that you can maintain control of the steering. Emergency brake assist – When emergency braking is detected the vehicle automatically applies the maximum possible braking assistance. Electronic brakeforce distribution – Automatically apportions the optimum braking force to each wheel. Hill start assist – Briefly maintains rear brake pressure to stop the vehicle rolling back on an incline.	2	•	•	
Fire protection system:				
Fire protection system Fuel cut-off				
SECURITY				
Features:				
Electronic engine deadlock immobiliser Steering column lock Electronic theft protection for audio equipment 'Key left in ignition' audible warning Lockable glovebox Lockable fuel filler cap		•	•	

• Electionic engine deadlock infiniobiliser • Steering column lock • Electionic their protection for addio equipment • Key left in grinton addible warning	/			
Lockable glovebox • Lockable fuel filler cap				
Remote control door locking (doors, tailgate and fuel flap):				
Remote control door locking Two folding keys with integral remote Door deadlocks				
• Alarm pre-installation kit – Accessory alarm available at extra cost.	Option code: TJD	0	0	60.00
• Third key	Option code: KTN	0	0	60.00
Third key with remote control – Panel Vans only.	Option code: Z1V	0	0	85.00

COMFORT AND SEATING		Combo	Sportive	Price (£) exc. VAT
Comfort:		•		
Steering column adjustable for reach and rake Floor-mounted handbrake lever Cube cloth seat trim Height-adjustable front seatbelts				
Seating – Panel Van: • Reach • Backrest recline		•	•	
Oriver's seat height adjuster • Armrest • Lumbar support – Not available with vinyl seat trim.	Option code: DCW	0		75.00
• Front passenger's seat with under cushion storage compartment – Panel Van only. Not available with vinyl seat trim.	Option code: BA8	0	0	35.00
Rear seating – Crew Van: • Three passenger rear seat • 'Fold and tumble' facility • 60/40 split seat back and cushion		•	•	
 Vinyl seat trim: Black vinyl seat trim – Base models only. Not available with driver's seat height adjuster or front passenger's seat with under cushion storage compartment. 	Option code: TAiB	0		60.00
INTERIOR CONVENIENCE				
Accessory sockets:		•		
Facia-mounted 12-volt accessory socket				
Interior:				
Storage compartment on driver's side facia • Illuminated glovebox with lid • Door storage pockets				
Dipping rear-view mirror – When glazed bulkhead and glazed rear doors / tailgate are specified.		•		
Twin sunvisors, front passenger's with vanity mirror Oriver and front passenger's tiltable assist handles				
• Two coat hooks • Door armrests				
Overhead shelf – Standard on H2, Crew Van and Colorado models.	Option code: VVM	0		40.00
 Rear side panel storage (fully trimmed L1, part trimmed L2) and 12-volt accessory socket – Crew Van /Colorado models 		•		
Lighting:				
Centre fade up/fade down courtesy light • Illuminated load area				

	X X		1
Smoker Pack: Removable ashtray • Illuminated cigar lighter Option code: DT4	, 0	0	55.00

DRIVER ASSISTANCE

Multi-function trip computer: • Overall distance • Trip distance • Average fuel consumption • Instantaneous fuel consumption • Vehicle range based on remaining fuel • Distance and average speed since last reset		•	•	
Windscreen wipers: • Two-speed windscreen wipers • Two-speed windscreen wipers • Two-speed windscreen wipers		•	•	
Parking assistance: • Rear parking distance sensors • Audible warning • Distance warning graphic shown in driver information display	Option code: UD7	0	0	205.00
Cruise control	Option code: K34	0	0	185.00

DRIVER INFORMATION	Combo	Sportive	Price (£) exc. VAT
Instrumentation:			
Speedometer • Rev counter • Trip odometer • Fuel gauge with low fuel warning light • Coolant temperature warning light			
ECO features:			
• Shift-up indicator			
– Indicates when to change gear for optimum fuel economy.			
Driver information display:			
Monochrome display located in instrument cluster Odometer Service-due indicator			
Central facia display:			
Audio information • Digital clock with automatic RDS time adjustment • Outside air temperature with ice warning function			
Additional features and location dependent on infotainment unit (see Infotainment for details)			
Warning indicators:			
• Low oil level, low brake fluid, brake pad wear, battery, seatbelt reminder, airbag failure / deactivation, charging system and emission control system failure			
Driver Pack:			
• CD/MP3 CD player / stereo radio / Bluetooth [®] connectivity for compatible mobile phones / aux-in socket / USB connectivity / AM/FM stereo radio with			
24 station presets / RDS with Traffic Programme / steering wheel mounted audio controls	0	0	670.00
• Leather-covered steering wheel • Leather-covered gear knob • Pre-installation for TomTom navigation system – Excludes sat nav / cradle. Accessory			
sat nav and bespoke cradle combination available at extra cost. Option code: LPW?			

INFOTAINMENT

CD player / stereo radio: Onboard features: • CD player • AM/FM stereo radio with 24-station presets • RDS with Traffic Programme • Four speakers • 20 watts per channel output		•	•	
CD 50 multimedia:				
Onboard features: CD/MP3 CD player AM/FM stereo radio with 24-station presets RDS with Traffic Programme Four speakers				
20 watts per channel output Steering wheel mounted audio controls		0	0	495.00
Media connections: • USB connection • Aux-in socket				
Mobile phone portal: • Bluetooth [®] connectivity • Vehicle microphone	Option code: UGi			
Additional features:				
Flexible roof-mounted aerial				
- Standard aguinment O - Optional at extra cost				

HEATING AND VENTILATION		Combo	Sportive	exc. VAT
Air blend heater: • Four-speed fan • Illuminated controls • Four adjustable facia vents • Windscreen demist vents • Side window demist vents		•	•	
Air conditioning: • Air recirculation facility • Cabin particulate filter – <i>Removes dust, airborne particles and pollen.</i> • Illuminated controls – Standard on Colorado models.	Option code: C60	0	•	600.00
Electronic climate control: • Incorporating air conditioning • Single-zone control • Six-speed fan • Advanced predictive logic control system using sun sensor • Cabin particulate filter • LCD temperature display • Automatic air direction and fan speed with manual override • Illuminated controls • Pollen filter - Mandates electrically adjustable / heated door mirrors with exterior temperature sensor at extra cost.	Option code: C68		0	840.00

SIDE ACCESS

Nearside access:		
Nearside sliding side-access door • Unglazed		255.00
– Standard on L2 H1 models.		
Offside access:		
Offside sliding side-access door Unglazed		200.00
– Standard on L2 H1 models.		
Nearside and offside access:		
Side-access doors:		
Nearside sliding side-access door • Unglazed		445.00
Offside sliding side-access door • Unglazed		
– Standard on L2 and Crew Van models.		
Side-access panel / doors with fixed windows:		
Glazed nearside sliding side-access door		300.00
Glazed offside sliding side-access panel / door		500.00
– Standard on Glazed Crew Van.		
Side-access doors with sliding windows:		
Sliding windows to nearside sliding side-access door		
Sliding window to offside sliding side-access door		
– Standard on Glazed Crew Van / Colorado models.		
REAR ACCESS		

Rear doors:		
• Asymmetric rear doors • Unglazed • 90º/180º opening – Not available on Glazed Crew Van / Colorado models.		
• Asymmetric rear doors • Glazed • 90º/180º opening • Heated windows • Wash/wipe facility		155.00
- Only available when bulkhead with window is specified. Not available on non-glazed Crew Van. Option code: J1X		155.00
Tailgate:		
Glazed Heated window Wash/wipe facility		135.00
- H1 models only.		135.00
- Only available when bulkhead with window is specified. Standard on Glazed Crew Van / Colorado models. Option code: JIU		
- Standard equipment - O - Optional at outra sect. A - Diagon refer to ordering quide		

Price (f)

• = Standard equipment. • = Optional at extra cost. • = Please refer to ordering guide.

Please note: The air conditioning in vehicles with N1 type approval relies upon fluorinated greenhouse gases (R134a) for its functioning. The front system contains a quantity of overall 580g of R 134a, which corresponds to a CO₂ equivalent of 0.83 tons. The front and rear system contains a quantity of overall 580g of R 134a, which corresponds to a CO₂ equivalent of 1.27 tons. The global warming potential amounts to 1430. Information acc. to R (EU) No. 517/2014.

LOAD RESTRAINT / PROTECTION	Combo	Sportive	Price (£) exc. VAT
Load anchorage:			
• Load restraint lashing eyes – Panel Van -6, Crew Van / Colorado -4.			
Bulkhead:			
Full-height steel bulkhead – Soundproofed on Sportive models. Not available on Crew Van / Colorado models.			
• Full-height steel bulkhead with window – Only available when glazed rear doors / tailgate are specified. Not available on Crew Van / Colorado models. Option code: AX9	0	0	60.00
• Protective ladder frame behind driver – Base Panel Van only. In lieu of full-height steel bulkhead. Only available when Load Compartment Pack is specified.	N/C		No-cost
Full-width ladder frame bulkhead behind second-row seats – Crew Vans only.	N/C	N/C	No-cost
PVC load floor covering – Not available on Crew Van / Colorado models. Option code: VT9	0		45.00
Carpeted load floor covering – Crew Van / Colorado models.			
Internal ladder storage bars – Panel Van only. Not available with Load Compartment Pack or rear roof flap. Option code: SOV	/ 0	0	165.00

EXTERIOR CONVENIENCE / STYLING

Body side-protection mouldings	•	•	
Body colour door mirrors and bumpers		•	
Windows:			
Electrically operated front windows Tinted windows			
Door mirrors:			
Foldable door mirrors Wide-angle mirror on driver's side			
Electrically adjustable / heated door mirrors Option code: DL8	0	0	135.00
Electrically adjustable / heated door mirrors • Exterior temperature sensor Option code: UGM	0	0	195.00
Winter Pack:			265.00
Headlight washers • Front fog lights • Exterior temperature sensor • Electrically adjustable / heated door mirrors Option code: LPW0		0	205.00
Roof rails – H1 Panel Van models only. Not available when the rear roof flap is specified. Option code: E2R	0	0	135.00
Rear roof flap – L1 H1 Panel Van models only. Only available when Load Compartment Pack is specified.	0		(10.00
Not available when roof rails or glazed tailgate options are specified Option code: AD3	0	0	410.00

EXTERIOR LIGHTING

Standard lighting: • Halogen headlights • Daytime running lights • Lights-on audible warning • Electric headlight beam levelling • Reversing light • Hazard warning lights • Rear fog light • High-level LED centre brake light • Side-repeat indicators	•	•	
Front fog lights Option code: T3U	0	0	115.00

• = Standard equipment. • = Optional at extra cost. N/C = No-cost option.

Effective 1 August 2017 | Model Year 2017

COMBO EQUIPMENT / OPTIONS

EXTERIOR COLOU	RS		Combo	Sportive	Colorado	Price (£) exc. VAT
	Polar White (5PU) • Solid paint	Deep Blue (4DU) • Solid paint	•	•	•	
	Tomato Red (G6Z) • Brilliant paint		0	N/C	N/C	260.00
	Magnetic Silver (20U) • Two-coat metallic paint	Ruby Red (4VU) • Two-coat metallic paint				
	Twilight Blue (GTG) • Two-coat metallic paint	Marine Blue (4EU) • Two-coat metallic paint	0	N/C	N/C	390.00
	Midnight Black (3AU) • Two-coat metallic paint	Pepperdust (GJM) • Two-coat metallic paint				

• = Standard equipment. • = Optional at extra cost. N/C = No-cost option.

The colours reproduced may vary slightly from the actual paint colour. As a result they should be used as a guide only. Your Vauxhall Retailer has a comprehensive display of our paint samples.

WHEELS AND TYRES	Combo	Sportive	Price (£) exc. VAT
 15-inch steel wheels with centre covers - 2000 models (excluding 1.4i). 185/65 R 15 tyres Tyre inflation kit 	•		
 15-inch steel wheels with full-diameter wheel trims - 2000 models. 185/65 R 15 tyres Tyre inflation kit 		•	
 16-inch steel wheels with centre covers - 2300 and 1.4i models. 195/65 R 16 tyres Tyre inflation kit 	•		
 16-inch steel wheels with full-diameter wheel trims - 2300 models. 195/60 R 16 tyres Tyre inflation kit 		•	
16-inch alloy wheels 195/60 R 16 tyres Tyre inflation kit Locking wheel bolts Option code: NWQ		0	405.00
Winter tyres – Goodyear Ultragrip-7: • 195/65 R 15 – 2000 models. • 195/60 R 16 – 2300 models. Option code: PHM	0	0	235.00
Full-size spare wheel in lieu of tyre inflation kit Option code: QQ5	N/C	N/C	No-cost

• = Standard equipment. • = Optional at extra cost. N/C = No-cost option.

MECHANICAL	Combo	Sportive	Price (£) exc. VAT
Standard features:			
Front-wheel drive Transverse engine / gearbox	•		
Transmissions:			
Five-speed manual gearbox (1.4i / 1.3CDTi models)			
• Six-speed manual gearbox (1.6CDTi models)			
Steering: • Hydraulic power-assisted rack and pinion system • Energy-absorbing steering column Turning circle: Kerb-to-kerb L1 11.3m (36.7ft.) L2 12.5m (41.0ft.)	•	•	
Brakes: Front ventilated disc brakes: • 284mm diameter (1.3CDTi / 1.6CDTi / 2000 models) • 305mm diameter (1.4i / 2300 models)	•	•	
Rear self-adjusting drum brakes: • 228mm diameter (1.3CDTi / 1.6CDTi) • 254mm diameter (1.4i) Fuel tank:			
60 litres (13.2 gallons) capacity			
Electrical: Maintenance-free battery: • 63Ah (1.4i / 1.3CDTi) • 72Ah (1.6CDTi) Alternator: • 105A (1.4i / 1.3CDTi) • 100A (1.6CDTi) • 120A – Models with air conditioning.	•	•	
Uprated alternator Option code: KX3	0	0	55.00
Front suspension: • Independent lightweight MacPherson struts • Coil springs • Telescopic gas-pressure dampers • Anti-roll bar	•	•	
Rear suspension: • Independent bi-link suspension • Coil springs • Gas pressure dampers • Anti-roll bar • Standard equipment. • O = Optional at extra cost.	•	•	

Standard equipment. O = Optional at extra cost.

TYRE RATINGS

Turna airea	Fuel efficiency	Wet grip	Externa	al noise
Tyre size	group	performance	Measured (dB)	Group
185/65 R 15	C-E	A-C	68-69	(((- ())-))
195/65 R 15	C-E	C-E	68-70	(((+)))-))
195/60 R 16	C-E	B-C	70-72	(((+1)))-1))

Tyre rating according to EU Regulation 1222/2009

VIVARO PANEL VAN PRICES



		Fuel economy mpg (litres/100km)#							
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra-urban driving	Combined figure	CO ₂ emissions (g/km)#	Price (£) exc. VAT	On-the-road RRP (£) exc. VAT	
L1 H1 PANEL VAN (EURO 6)									
2700 1.6CDTi (95PS) BlueInjection	1800	1060	36.2 (7.8)	48.7 (5.8)	43.4 (6.5)	170	20970.00	21848.33	
2700 1.6CDTi (95PS) S/S ecoFLEX BlueInjection	1800	1060	39.2 (7.2)	50.4 (5.6)	46.3 (6.1)	160	21165.00	22043.33	
2700 1.6CDTi (120PS) BlueInjection	1800	1060	36.2 (7.8)	48.7 (5.8)	43.4 (6.5)	170	21570.00	22448.33	
2700 1.6CDTi BiTurbo (125PS) S/S BlueInjection	1818	1062	40.9 (6.9)	51.4 (5.5)	47.0 (6.0)	155	21970.00	22848.33	
2900 1.6CDTi (95PS) BlueInjection	1800	1220	36.2 (7.8)	48.7 (5.8)	43.4 (6.5)	170	21470.00	22348.33	
2900 1.6CDTi (95PS) S/S ecoFLEX BlueInjection	1800	1220	39.2 (7.2)	50.4 (5.6)	46.3 (6.1)	160	21665.00	22543.33	
2900 1.6CDTi (120PS) BlueInjection	1800	1220	36.2 (7.8)	48.7 (5.8)	43.4 (6.5)	170	22070.00	22948.33	
2900 1.6CDTi BiTurbo (125PS) S/S BlueInjection	1818	1222	40.9 (6.9)	51.4 (5.5)	47.0 (6.0)	155	22470.00	23348.33	
L1 H1 SPORTIVE PANEL VAN (EURO 6)									
2700 1.6CDTi (120PS) BlueInjection	1800	1030	36.2 (7.8)	48.7 (5.8)	43.4 (6.5)	170	22770.00	23648.33	
2700 1.6CDTi BiTurbo (125PS) S/S BlueInjection	1818	1032	40.9 (6.9)	51.4 (5.5)	47.0 (6.0)	155	23170.00	24048.33	
2700 1.6CDTi BiTurbo (145PS) S/S BlueInjection	1818	1032	39.8 (7.1)	50.4 (5.6)	46.3 (6.1)	160	23970.00	24848.33	
2900 1.6CDTi (120PS) BlueInjection	1800	1190	36.2 (7.8)	48.7 (5.8)	43.4 (6.5)	170	23270.00	24148.33	
2900 1.6CDTi BiTurbo (125PS) S/S BlueInjection	1818	1192	40.9 (6.9)	51.4 (5.5)	47.0 (6.0)	155	23670.00	24548.33	
2900 1.6CDTi BiTurbo (145PS) S/S BlueInjection	1818	1192	39.8 (7.1)	50.4 (5.6)	46.3 (6.1)	160	24470.00	25348.33	
L1 H1 LIMITED EDITION NAV PANEL VAN (EURO 6)									
2700 1.6CDTi BiTurbo (125PS) S/S BlueInjection	1818	1017	40.9 (6.9)	51.4 (5.5)	47.0 (6.0)	155	24370.00	25248.33	
2700 1.6CDTi BiTurbo (145PS) S/S BlueInjection	1818	1017	39.8 (7.1)	50.4 (5.6)	46.3 (6.1)	160	25170.00	26048.33	
L1 H2 PANEL VAN (EURO 6)									
2900 1.6CDTi BiTurbo (125PS) S/S BlueInjection	1897	1143	38.7 (7.3)	43.5 (6.5)	41.5 (6.8)	175	23870.00	24748.33	

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

VIVARO PANEL VAN PRICES



	Fuel economy mpg (litres/100km)# CO ₂							
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	On-the-road RRP (£) exc. VAT
L2 H1 PANEL VAN (EURO 6)								
2900 1.6CDTi (95PS) BlueInjection	1825	1265	35.3 (8.0)	47.0 (6.0)	42.1 (6.7)	174	22270.00	23148.33
2900 1.6CDTi (95PS) S/S ecoFLEX BlueInjection	1825	1265	38.7 (7.3)	48.7 (5.8)	44.8 (6.3)	164	22465.00	23343.33
2900 1.6CDTi (120PS) BlueInjection	1825	1265	35.3 (8.0)	47.0 (6.0)	42.1 (6.7)	174	22870.00	23748.33
2900 1.6CDTi BiTurbo (125PS) S/S BlueInjection	1835	1265	40.3 (7.0)	50.4 (5.6)	46.3 (6.1)	159	23270.00	24148.33
L2 H1 SPORTIVE PANEL VAN (EURO 6)								
2900 1.6CDTi (120PS) BlueInjection	1825	1235	35.3 (8.0)	47.0 (6.0)	42.1 (6.7)	174	24070.00	24948.33
2900 1.6CDTi BiTurbo (125PS) S/S BlueInjection	1835	1235	40.3 (7.0)	50.4 (5.6)	46.3 (6.1)	159	24470.00	25348.33
2900 1.6CDTi BiTurbo (145PS) S/S BlueInjection	1835	1235	39.2 (7.2)	48.7 (5.8)	44.8 (6.3)	164	25270.00	26148.33
L2 H1 LIMITED EDITION NAV PANEL VAN (EURO 6)								
2900 1.6CDTi BiTurbo (125PS) S/S BlueInjection	1835	1220	40.3 (7.0)	50.4 (5.6)	46.3 (6.1)	159	25670.00	26548.33
2900 1.6CDTi BiTurbo (145PS) S/S BlueInjection	1835	1220	39.2 (7.2)	48.7 (5.8)	44.8 (6.3)	164	26470.00	27348.33
L2 H2 PANEL VAN (EURO 6)								
2900 1.6CDTi BiTurbo (125PS) S/S BlueInjection	1945	1185	38.2 (7.4)	42.8 (6.6)	40.9 (6.9)	178	24670.00	25548.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with Bluelnjection technology will need regular AdBlue[®] top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

VIVARO DOUBLECAB PRICES



			Fuel econ	omy mpg (litres	/100km) #	C0 ₂		On-the-road	On-the-road
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT	RRP (£) inc. VAT
L1 H1 DOUBLECAB (EURO 6)									
2900 1.6CDTi (95PS) BlueInjection	1920	974	35.3 (8.0)	47.0 (6.0)	42.1 (6.7)	174	22970.00	23848.33	28559.00
2900 1.6CDTi (95PS) S/S ecoFLEX BlueInjection	1920	974	38.7 (7.3)	48.7 (5.8)	44.8 (6.3)	164	23165.00	24043.33	28793.00
2900 1.6CDTi (120PS) BlueInjection	1920	974	35.3 (8.0)	47.0 (6.0)	42.1 (6.7)	174	23570.00	24448.33	29279.00
2900 1.6CDTi BiTurbo (125PS) S/S BlueInjection	1930	974	40.3 (7.0)	50.4 (5.6)	46.3 (6.1)	159	23970.00	24848.33	29759.00
L1 H1 SPORTIVE DOUBLECAB (EURO 6)									
2900 1.6CDTi (120PS) BlueInjection	1920	934	35.3 (8.0)	47.0 (6.0)	42.1 (6.7)	174	24920.00	25798.33	30899.00
2900 1.6CDTi BiTurbo (125PS) S/S BlueInjection	1930	934	40.3 (7.0)	50.4 (5.6)	46.3 (6.1)	159	25320.00	26198.33	31379.00
2900 1.6CDTi BiTurbo (145PS) S/S BlueInjection	1930	934	39.2 (7.2)	48.7 (5.8)	44.8 (6.3)	164	26120.00	26998.33	32339.00
L1 H1 LIMITED EDITION NAV DOUBLECAB (EURO) 6)								
2900 1.6CDTi BiTurbo (125PS) S/S BlueInjection	1930	919	40.3 (7.0)	50.4 (5.6)	46.3 (6.1)	159	26520.00	27398.33	32819.00
2900 1.6CDTi BiTurbo (145PS) S/S BlueInjection	1930	919	39.2 (7.2)	48.7 (5.8)	44.8 (6.3)	164	27320.00	28198.33	33779.00
L2 H1 DOUBLECAB (EURO 6)									
2900 1.6CDTi (95PS) BlueInjection	1975	1025	35.3 (8.0)	47.0 (6.0)	42.1 (6.7)	174	23770.00	24648.33	29519.00
2900 1.6CDTi (95PS) S/S ecoFLEX BlueInjection	1975	1025	38.7 (7.3)	48.7 (5.8)	44.8 (6.3)	164	23965.00	24843.33	29753.00
2900 1.6CDTi (120PS) BlueInjection	1975	1025	35.3 (8.0)	47.0 (6.0)	42.1 (6.7)	174	24370.00	25248.33	30239.00
2900 1.6CDTi BiTurbo (125PS) S/S BlueInjection	1985	1025	40.3 (7.0)	50.4 (5.6)	46.3 (6.1)	159	24770.00	25648.33	30719.00
L2 H1 SPORTIVE DOUBLECAB (EURO 6)									
2900 1.6CDTi (120PS) BlueInjection	1975	985	35.3 (8.0)	47.0 (6.0)	42.1 (6.7)	174	25720.00	26598.33	31859.00
2900 1.6CDTi BiTurbo (125PS) S/S BlueInjection	1985	985	40.3 (7.0)	50.4 (5.6)	46.3 (6.1)	159	26120.00	26998.33	32339.00
2900 1.6CDTi BiTurbo (145PS) S/S BlueInjection	1985	985	39.2 (7.2)	48.7 (5.8)	44.8 (6.3)	164	26920.00	27798.33	33299.00
L2 H1 LIMITED EDITION NAV DOUBLECAB (EURO) 6)								
2900 1.6CDTi BiTurbo (125PS) S/S BlueInjection	1985	970	40.3 (7.0)	50.4 (5.6)	46.3 (6.1)	159	27320.00	28198.33	33779.00
2900 1.6CDTi BiTurbo (145PS) S/S BlueInjection	1985	970	39.2 (7.2)	48.7 (5.8)	44.8 (6.3)	164	28120.00	28998.33	34739.00

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

= Fuel consumption information is official government environmental data, tested in accordance with the relevant EU directive. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

VAT reclaimable status requires a 1-tonne payload for Doublecabs according to HMRC. This payload calculation should take into consideration local UK Specification and Trim Level. Details enabling this determination are shown in the notes immediately below the weight tables shown in brochures and Price Guides. Ordered options may also impact available payload. Regarding VAT reclaimable status it is advisable that customers consult their local HMRC office or visit www.hmrc.co.uk for further details.

VIVARO COMBI / PLATFORM CAB PRICES



	Fuel economy mpg (litres/100km)#								
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra-urban driving	Combined figure	CO ₂ emissions (g/km)#	Price (£) exc. VAT	On-the-road RRP (£) inc. VAT	
L1 H1 9-SEAT COMBI (EURO 6)									
2900 1.6CDTi (95PS) S/S ecoFLEX BlueInjection	1872	1068	41.5 (6.8)	52.3 (5.4)	47.1 (6.0)	155	23683.33	29675.00	
2900 1.6CDTi BiTurbo (125PS) S/S BlueInjection	1882	1148	44.1 (6.4)	55.4 (5.1)	50.4 (5.6)	145	24516.67	30375.00	
L2 H1 9-SEAT COMBI (EURO 6)									
2900 1.6CDTi (95PS) S/S ecoFLEX BlueInjection	1913	1157	41.5 (6.8)	52.3 (5.4)	47.1 (6.0)	155	24483.33	30635.00	
2900 1.6CDTi BiTurbo (125PS) S/S BlueInjection	1923	1157	44.1 (6.4)	55.4 (5.1)	50.4 (5.6)	145	25316.67	31335.00	

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £200.00 on BiTurbo (125PS) models, £500.00 on (95PS) models and new vehicle first registration fee of £55.00. Excludes fuel and insurance.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

= Fuel consumption information is official government environmental data, tested in accordance with the relevant EU directive. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

		Payload and Body	Fuel econ	omy mpg (litres,	/100km)#	C0 ₂		On-the-road
Model	Minimum Mass (kg)*	Allowance (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L2 H1 PLATFORM CAB (EURO 6)								
2900 1.6CDTi BiTurbo (125PS) S/S BlueInjection	1616	1474	37.7 (7.5)	42.2 (6.7)	40.4 (7.0)	181	23170.00	24048.33
2900 1.6CDTi BiTurbo (145PS) S/S BlueInjection	1616	1474	37.7 (7.5)	42.2 (6.7)	40.4 (7.0)	181	23970.00	24848.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

All conversions must follow 'Vauxhall Convertor Requirements' including recommended dimensional data, detailed within Part 1, available at: www.vauxhall.co.uk/conversiondata. The weight of any fitted conversion body will have to be deducted from these figures to establish actual payload and is subject to correct weight distribution. Variations from the recommended dimensions or weights may affect the vehicle's overall centre of gravity and stability. From 29 April 2013 conversion of N1 vehicles was affected by changes to type approval – for further information refer to the VCA website (N2 vehicles were affected from 29 October 2014). For further information please contact conversions@vauxhall.co.uk

* = For definitions please refer to Glossary of Terms.

= Fuel consumption information is official government environmental data, tested in accordance with the relevant EU directive. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

All conversions must follow 'Conversion Requirements' available on: www.vauxhall.co.uk/conversiondata

S/S = Start/Stop

SAFETY		Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
Airbags:		•					
Driver's airbag							
Front passengers' airbag:		0	0	0	•	245.00	
Front passengers' airbag with deactivation switch	Option code: AK5						
Driver and front passenger's curtain airbags and driver's side-impact airbag	Option code: AWH	0	0	0	0	410.00	492.00
Oriver and single front passenger's curtain and side-impact airbags – Mandates single passenger seat.	Option code: AYO	0	0	0	0	610.00	732.00
Stability: Electronic Stability Programme-plus (ESP-plus) with traction control - Works in conjunction with the vehicle's electronic braking and engine systems to keep the vehicle stable in many different situations. ESP monitors a variety of inputs to determine when the vehicle starts to lose traction, it can then immediately respond by varying the brake pressure between up to three wheels and adjust the engine output to help correct the loss of traction and improve stability.		•	•	•	•		
Tyre pressure:		0	0	0		210.00	
Tyre pressure monitoring system	Option code: UJO					210100	
Anti-lock braking: Four-channel Anti-lock Braking System (ABS) – Prevents the vehicle's wheels from locking up under heavy braking by momentarily reducing brake pressure at the appropriate wheel, ensuring that you can maintain control of the steering. Emergency brake assist – When emergency braking is detected the vehicle automatically applies the maximum possible braking assistance. Electronic brakeforce distribution – Automatically apportions the optimum braking force to each wheel.		٠	•	•	•		
Hill start assist – Briefly maintains rear brake pressure to stop the vehicle rolling back on an incline.							
• Full-height steel bulkhead without window – Optional on Platform Cab models.		•					
• Full-height ABS plastic bulkhead with window – <i>Doublecab only.</i>		•		•			
Full-height steel bulkhead with window	Option code: AX9	0				75.00	
Vertical luggage restraint – Half-height solid with black upper mesh.	Option code: AQ2				0		168.00
FlexCargo load-through bulkhead: Dual front passengers' seat with storage, rotating clipboard and fold-flat centre Load-through bulkhead Panel Van models only 	Option code: AYW	0	•	•		265.00	
Dual front passengers' seat with storage, rotating clipboard and fold-flat centre • Load-through bulkhead with window	Option code: AYV	0				330.00	
Dual front passengers' seat with storage, rotating clipboard and fold-flat centre • Load-through bulkhead with window	Option code: AYV		0	0		75.00	

SECURITY		Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
Features:							
Electronic engine deadlock immobiliser Steering column lock Secure fuel filler flap							
Internal lockable rear and sliding side-access doors Anti-theft spare wheel cradle					•		
Remote control door locking (features depending on body type):							
Remote control door locking Two keys with integral remote Door deadlocks							
• Selective door locking • Two three-button keys with integral remote – Only available with one-touch facility for electrically		0			0	205.00	246.00
operated windows.	Option code: AUX					205.00	240.00
Third key with integral remote	Option code: K69	0	0	0	0	115.00	138.00
Keyless entry and start:							
Keyless entry and start							
– H1 models only.		0	0	0	0	260.00	312.00
– Start/Stop models. Only available with electronic climate control (all models excluding Combi). Adds one-touch facility for							
electrically operated front-windows.	Option code: AVT						
Security alarm system:							
Engine compartment protection Ultrasonic detectors in load area Siren		0	0	0	0	325.00	390.00
Thatcham Category 1 approved (TUL3–180/0116)						525.00	390.00
– H1 models only.	Option code: XBGY						
Luggage cover:							540.00
• Rigid luggage cover • 50kg load – <i>Two-part on L2 models.</i>	Option code: D42				0		540.00

COMFORT AND SEATING	Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
Comfort:						
Height-adjustable steering wheel Leather-covered steering wheel (Sportive / Limited Edition models)						
Facia-mounted gear lever Floor-mounted handbrake lever Blue Tricess cloth seat trim (Standard models)						
 Black Connect embossed cloth seat trim (Sportive / Limited Edition models) Vinyl floor covering 						
Inertia-reel lap and diagonal seatbelts Height-adjustable outer front seatbelts						
Driver's seat:						
Height Reach Backrest recline Driver's active safety head restraint Height-adjustable padded head restraint						
Driver's seat armrest						
Dual front passengers' bench seat:						
Fixed position bench seat and backrest Height-adjustable outer front padded head restraint						
Fixed centre seat padded head restraint						
Dual front passengers' seat with underseat storage						
Fixed position bench seat and backrest Height-adjustable outer front padded head restraint	0			0	175.00	210.00
Fixed centre seat padded head restraint – Doublecab / Combi models. Option code: Al	E					
Single front passenger's seat:						
Lumbar adjustment • Height • Reach • Backrest recline • Height-adjustable padded head restraint	0	0	0	0	155.00	186.00
• Armrest – Sportive / Limited Edition models will be supplied with full-height steel bulkhead when this option is specified. Option code: Al	D					
Heated front seats:						
Electrically heated driver and single front passenger seats	0	0	0	0	160.00	192.00
– Only available with either single front passenger seat and curtain airbags / side-impact airbag options Option code: Ka	.1					

SEATING – DOUBLECAB

Second-row seating: • Three-individually contoured rear seats • Inertia-reel lap and diagonal seatbelts • Padded head restraints	•	•	•	
Underseat storage • 12-volt accessory socket				

SEATING – COMBI

 Second-row seating: Three-passenger second-row bench seat • 60/40 split-folding seat back for easier access to third-row bench seat Removable second row bench seats • Inertia-reel lap and diagonal seatbelts 		•
 Third-row seating: Three passenger bench seat • Fold and tumble feature for creating extra load area without removing seats Removable rear seats • Inertia-reel lap and diagonal seatbelts 		•

CABIN STORAGE		Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
Accessory sockets:		•		•	•		
Facia-mounted 12-volt accessory socket							
 Facia storage: Nine facia storage spaces offering more than 24 litres of storage Open storage compartment above glovebox (lidded on Sportive / Limited Edition models) Illuminated glovebox Three drinks holders Coin holder 		•	•	•	•		
Front door pockets: • Large door pockets with drinks holder		•	•	•	•		
Smoker Pack: • Removable ashtray • Illuminated cigar lighter	Option code: DT4	0	0	0	0	55.00	66.00
DRIVER ASSISTANCE							
Windscreen wipers: • Two-speed windscreen wipers • Variable intermittent wipe • Electric screenwash		•	•	•	•		
Multi-function trip computer: • Trip odometer • Vehicle range based on remaining fuel • Average speed • Average fuel economy • Instantaneous fuel economy • Driving time		•	•	•	•		
Parking assistance: • Rear parking distance sensors	Option code: UD7	0	•	•	0	235.00	282.00
 Rear-view camera – H1 models only. Not available on Platform Cab models. – Requires Sight and Light Pack (Sportive models). 	Option code: UDS		0	0		295.00	
Rear-view camera • Rear parking distance sensors H1 models only. Not available on Platform Cab models. Requires Lighting Pack.	Option code: UDS	0			0	520.00	624.00
Nearside blind-spot / junction mirror located in front passenger sunvisor		•					
Cruise control, speed limiter	Option code: K34	0			0	260.00	312.00
Speed limiter: • Choice of three speeds: 56mph / 62mph / 68mph	Option code: (56mph) KYJ Option code: (62mph) KYK Option code: (68mph) KYL	0	0	0	0	85.00	102.00

DRIVER INFORMATION	Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
 Instrumentation: Speedometer Rev counter Fuel gauge with low fuel warning light Fuel economy gauge 						
Coolant temperature warning light						
ECO features:						
Shift-up indicator - Indicates when to change gear for optimum fuel economy.	•	•	•	•		
 Driver information display: Monochrome display located in instrument cluster Odometer Service-due indicator Displays trip computer data 	•	•	•	•		
Central facia display:						
 Audio information Digital clock with automatic RDS time adjustment Outside air temperature with ice warning function Additional features and location dependent on infotainment unit (see Audio, Communication and Navigation for details) 	•	•	•	•		
 Warning indicators: Low oil level, low brake fluid, brake pad wear, battery, fuel filter, low AdBlue[®] level, seatbelt warning and doors open 	•	•	•	•		
 Digital tachograph: Odometer display is changed from miles to kilometres – Digital tachograph only available with R 16 audio unit. Important: The digital tachograph must be specified at time of ordering as it cannot be fitted retrospectively. Option price does not include calibration which must be carried out at an approved tachograph centre within 14 days of the vehicle's registration. 	0			0	535.00	642.00
Please note: The legislation regarding the use of tachographs is complex and operators should seek independent advice or speak to the Commercial Vehicle specialist at your Vauxhall retailer to ensure compliance. Alternatively your local DVLA office will also be able to provide clarification of the relevant legislation. Option code: TGP						

PACKS					
Navigation Pack:					
 Satellite navigation – NAVI 50 IntelliLink Rear parking distance sensors Rear-view camera 				1005.00	1206.00
One-touch electrically operated front windows Three-button key Selective door locking				1005.00	1200.00
– H1 models only. Not available on Platform Cab models. Requires Lighting Pack.	Option code: OEC				
Navigation Pack:				860.00	
 Satellite navigation – NAVI 50 IntelliLink Rear-view camera – Requires Sight and Light Pack. 	Option code: OEC	0		860.00	

• = Standard equipment. • = Optional at extra cost.

Na

N

INFOTAINMENT		Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
R 16 BT USB: Onboard features: • DAB digital radio • AM/FM stereo radio with 6-station presets • RDS with Traffic Programme • Two speakers – Four on Combi models • 20 watts per channel output Media connections: • USB connection with iPod control • Aux-in socket • Bluetooth [®] audio streaming (A2DP Profile) Mobile phone portal: • Bluetooth [®] connectivity • Handsfree calls via steering wheel controls • Vehicle microphone • Phone book access – Contacts / last calls / missed calls etc. (features dependent on mobile phone). •		•	N/C	N/C	•		
CD 18 BT USB: Onboard features: • DAB digital radio • AM/FM stereo radio with 6-station presets • CD/MP3 CD player • RDS with Traffic Programme • Two Speakers - Four on Combi models • 20 watts per channel output Media connections: • USB connection with iPod control • Aux-in socket • Bluetooth® audio streaming (A2DP Profile) Mobile phone portal: • Bluetooth® connectivity • Handsfree calls via steering wheel controls • Vehicle microphone • Phone book access - Contacts / last calls / missed calls etc. (features dependent on mobile phone).	Option code: 2L2	0	•		0	295.00	354.00
 NAVI 50 IntelliLink - Not available when tachograph is specified: Onboard features: • DAB digital radio • AM/FM stereo radio with 18-station presets • 7-inch facia-mounted colour touchscreen • RDS with Traffic Programme • Two speakers - Four on Combi models. • 20 watts per channel output Navigation features: • Satellite navigation system • 3D street level mapping • Major route mapping for Western Europe Media connections: • USB connection with iPod control • Aux-in socket • Bluetooth® audio streaming (A2DP Profile) • Siri voice control Mobile phone portal: • Bluetooth® connectivity • Handsfree calls via steering wheel controls • Vehicle microphone • Phone book access - Contacts / last calls / missed calls etc. are mirrored on the display and are easily navigated using the touchscreen (features dependent on mobile phone). 	Option code: 1oP	0	0	•	0	660.00	792.00
 NAVI 80 IntelliLink - Only available in conjunction with cruise control. Not available when tachograph is specified: Onboard features: • DAB digital radio • AM/FM stereo radio with 18-station presets • 7-inch facia-mounted colour touchscreen • RDS with Traffic Programme • Two speakers - Four on Combi models. • 20 watts per channel output Navigation features: • Satellite navigation system • TomTom LIVE services • 3D street level mapping • Major route mapping for Europe • Traffic Information Media connections: • USB connection with iPod control • Aux-in socket • Bluetooth® audio streaming (A2DP Profile) • Integrated voice control Mobile phone portal: • Bluetooth® connectivity • Handsfree calls via steering wheel controls • Vehicle microphone • Phone book access - Contacts / last calls / missed calls etc. are mirrored on the display and are easily navigated using the touchscreen (features dependent on mobile phone). 	Option code: 2L3	0	0	0	0	1060.00	1272.00
 Flexdock for smartphone / tablet: Universal smartphone docking station (up to 4.7-inch) 	Option code: UV8	0	0	•	0	35.00	42.00
Tablet docking station (up to 4.8 – 10.6 inch) – Only available with R 16 audio unit.	Option code: B8L	0			0	60.00	72.00
Additional features: • Steering column mounted audio controls • Flexible roof-mounted aerial		•	•	•	•		

• = Standard equipment. • = Optional at extra cost. N/C = No-cost option.

HEATING AND VENTILATION		Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
Cab heating:							
Four-speed fan Illuminated controls Four adjustable facia vents Windscreen demist vents							
Side window demist vents							
Climate and Cruise Pack:		0			0	770.00	924.00
Air conditioning with air recirculation facility (cab only) CD 18 BT USB audio unit Cruise control	Option code: XAEB				0	770.00	924.00
Air conditioning – Cab only:						((0.00	7/9.00
Air recirculation facility Pollen filter Illuminated controls Chilled glovebox facility	Option code: C60	0			0	640.00	768.00
Electronic climate control:							
Incorporating air conditioning • LCD temperature display • Automatic air direction and fan speed with manual override		0				890.00	
• Illuminated controls • Pollen filter • Chilled glovebox facility – Requires Lighting Pack.	Option code: C68						
Electronic climate control:							
LCD temperature display Automatic air direction and fan speed with manual override Illuminated controls			0	0		260.00	
Pollen filter Chilled glovebox facility – Requires Sight and Light Pack.	Option code: C68						
Air conditioning – Cab and saloon:							4272.00
Air recirculation facility Pollen filter Illuminated controls Chilled glovebox facility Auxiliary heater	Option code: CJ5				0		1272.00
Rear saloon heating:							FF2 00
• Fuel-fired – Provides rapid heating of the engine coolant to enable heating of the vehicle interior without the engine running.	Option code: KO8				0		552.00

• = Standard equipment. • = Optional at extra cost.

Please note: The air conditioning in vehicles with N1 type approval relies upon fluorinated greenhouse gases (R134a) for its functioning. The front system contains a quantity of overall 580g of R 134a, which corresponds to a CO₂ equivalent of 0.83 tons. The front and rear system contains a quantity of overall 580g of R 134a, which corresponds to a CO₂ equivalent of 1.27 tons. The global warming potential amounts to 1430. Information acc. to R (EU) No. 517/2014.

LOAD ACCESS		Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
Illuminated load area		•					
Nearside access: Nearside side-access door:		•	•	•	•		
Nearside sliding side-access door • Unglazed							
Offside access – Panel Van only: Offside side-access door						270.00	
Offside slide-access door Offside sliding side-access door Offside sliding side-access door						270.00	
Nearside and offside access:							
Side-access doors with fixed windows - Standard on Doublecab: • Fixed window to standard nearside side-access door (£55) • Offside side-access door (£270) • Fixed window to offside side-access door (£55)					•	380.00	
 Side-access doors with sliding windows. Panel Van models – Only available with glazed rear doors / tailgate: Sliding window to standard nearside side-access door (£80) Offside side-access door (£270) Sliding window to offside side-access door (£80) 						430.00	
Side-access doors with sliding windows – Doublecab / Combi models. Only available with glazed rear doors / tailgate: Sliding window to standard glazed nearside side-access door Sliding window to standard glazed offside side-access door 						60.00	72.00
Rear access:							
Rear solid doors: • Twin rear doors • 90°/180° opening		•	•	•			
• Twin rear doors • 270° opening - Not available on L1 models.	Option code: 7U4	0	0	0		250.00	
Rear glazed doors: • Glazed rear doors • 90°/180° opening – Only available with glazed bulkhead options.	Option code: J1X	0	0	0	0	85.00	102.00
• Glazed rear doors • 270° opening – Not available on L1 models.	Option code: J1T	0	0	0		250.00	
 Glazed tailgate Not available on H2 models. Only with glazed bulkhead and heated rear windows with wash/wipe facility options. 	Option code: J1U	0	0	0	•	120.00	
Heated rear windows with wash/wipe facility – Only with glazed rear door and tailgate options.	Option code: C25	0	0	0	•	60.00	

• = Standard equipment. • = Optional at extra cost. • = Please refer to ordering guide.

Load anchorage: • Fixed floor-mounted load restraint lashing eyes (Panel Van: L1 x 8, L2 x 10) • Load restraint lashing eyes (Panel Van: L1 x 8 / L2 x 10) • Load restraint lashing eyes (Panel Van: L1 x 8 / L2 x 10) Loading Pack with cargo lining: • Unglazed steel bulkhead with FlexCargo load-through facility • Dual passenger's seat with storage, rotating clipboard, fold-flat centre and load through compatibility • Resin-coated plywood load floor covering • Half-height plastic load lining panels Option code: XYA9 Bott® Vario Racking System – Pack One – H1 Panel Van only Offside unit 1525mm wide x 320mm deep x 1000mm high • End frames with corner protection • 2 x low front shelf with anti-slip mat • Base compartment with lashing rail and ratchet strap	•	•	•	430.00	
Load restraint lashing eyes (Panel Van: L1 x 8 / L2 x 10) Loading Pack with cargo lining: Unglazed steel bulkhead with FlexCargo load-through facility • Dual passenger's seat with storage, rotating clipboard, fold- flat centre and load through compatibility • Resin-coated plywood load floor covering • Half-height plastic load lining panels Option code: XYA9 Bott® Vario Racking System – Pack One – H1 Panel Van only Offside unit 1525mm wide x 320mm deep x 1000mm high • End frames with corner protection • 2 x low front shelf with anti-slip mat • Base compartment with lashing rail and ratchest stran		•	•	430.00	
Loading Pack with cargo lining: • Unglazed steel bulkhead with FlexCargo load-through facility • Dual passenger's seat with storage, rotating clipboard, fold- flat centre and load through compatibility • Resin-coated plywood load floor covering • Half-height plastic load lining panels Option code: XYA9 Bott® Vario Racking System – Pack One – H1 Panel Van only Offside unit 1525mm wide x 320mm deep x 1000mm high • End frames with corner protection • 2 x low front shelf with anti-slip mat • Base compartment with lashing rail and ratchet stran				430.00	
Unglazed steel bulkhead with FlexCargo load-through facility • Dual passenger's seat with storage, rotating clipboard, fold- flat centre and load through compatibility • Resin-coated plywood load floor covering • Half-height plastic load lining panels Option code: XYA9 Bott® Vario Racking System – Pack One – H1 Panel Van only Offside unit 1525mm wide x 320mm deep x 1000mm high • End frames with corner protection • 2 x low front shelf with anti-slip mat • Base compartment with lashing rail and ratchest stran				430.00	
flat centre and load through compatibility • Resin-coated plywood load floor covering • Half-height plastic load lining panels Option code: XYA9 Bott® Vario Racking System – Pack One – H1 Panel Van only Offside unit 1525mm wide x 320mm deep x 1000mm high • End frames with corner protection • 2 x low front shelf with anti-slip mat • Base compartment with lashing rail and ratchest stran • Base compartment with lashing rail and ratchest stran				430.00	
Bott® Vario Racking System – Pack One – H1 Panel Van only Offside unit 1525mm wide x 320mm deep x 1000mm high • End frames with corner protection • 2 x low front shelf with anti-slip mat • Base compartment with lashing rail and ratchet stran					
 Offside unit 1525mm wide x 320mm deep x 1000mm high End frames with corner protection • 2 x low front shelf with anti-slip mat Base compartment with lashing rail and ratchet stran 					
End frames with corner protection • 2 x low front shelf with anti-slip mat Base compartment with lashing rail and ratchet stran					
Base compartment with lashing rail and ratchet stran					
Base compartment with lashing rail and ratchet strap					
				1005.00	
Resin-coated, non-slip moisture repellent 9mm birch multiplex flooring	L1 O	L1 O	L1 O	1095.00	
Nearside unit 1025mm wide x 420mm deep x 900mm high	L2 O	L2 O	L2 O	1195.00	
End frames with corner protection • 1 x low front shelf with anti-slip mat and divider • 1 x low front shelf					
Base compartment with lashing rail and ratchet strap					
Resin-coated, non-slip moisture repellent 9mm birch multiplex flooring Not available with floor covering, offside sliding side-access door or tailgate options. Option code: XCAA					
Bott® Vario Racking System – Pack Two – H1 Panel Van only Offside unit 2050mm wide x 320mm deep x 1000mm high					
End frames with corner protection • 1 x 2000mm wide low front shelf with 2 dividers					
 1 x low front shelf with 4 x Bott storage boxes 1 x low front shelf with 4 x Bott storage boxes 					
• 1 x low front shelf with anti-slip mat • 1 x low front shelf with anti-slip mat and divider					
	L1 O	L1 O	L1 O	1495.00	
Resin-coated, non-slip moisture repellent 9mm birch multiplex flooring					
Nearside unit 1025mm wide x 420mm deep x 900mm high	L2 🔿	L2 O	L2 O	1595.00	
End frames with corner protection • 1 x low front shelf with anti-slip mat					
• 1 x low front shelf with 7 x Bott storage boxes • A4 aluminium document pocket					
Base compartment with lashing rail and ratchet strap • Full-height white plastic load lining					
Resin-coated, non-slip moisture repellent 9mm birch multiplex flooring - Not available with load lining, floor covering, offside sliding side-access door or tailgate options. Option code: XBGT					
• Half-height plastic side load lining panels – Panel Van only. Option code: B48	0	0	0	90.00	
Full-height coated wooden load lining panels – H1 Panel Van only. Option code: ERK	0	0	0	310.00	
Full-height light plastic honeycomb load lining panels – H1 only. Option code: B6H	0	0	0	305.00	
Resin-coated laminate plywood load floor covering – <i>H1 only.</i> Option code: B68	0	0	0	345.00	
Rubber-coated reinforced wooden load floor covering – Panel Van only. Option code: BIW	0	0	0	345.00	
Resin-coated laminate plywood wheel arch protection – <i>H1 only.</i> Option code: B65	0	0	0	210.00	

EXTERIOR CONVENIENCE / STYLING		Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
Exterior features:							
• Unique styled graphics – Black or silver dependent on exterior colour. Please see Exterior Colours page.							
Appearance Pack One:							
Body-colour front bumper Body-colour rear quarter bumpers		0			0	310.00	372.00
– Not available when Ink Blue paint is specified. H2 models are only available when Glacier White or Platinum Silver colours		Ŭ			Ŭ	010.00	072.00
are specified.	Option code: 5LK						
Appearance Pack Two:							
Leather-covered steering wheel Black Connect embossed cloth seat trim Chrome instrument surrounds							1200.00
 Lidded storage compartment above glovebox LED daytime running lights Front fog lights Full-diameter wheel trims Body-colour front bumper Body-colour front bumper 					0		1200.00
– Not available when Ink Blue paint is specified.	Option code: XADR						
Windows:							
Electrically operated front windows		•		•			
One-touch facility for electrically operated windows	Option code: AXG	0		•	0	50.00	60.00
• Dark-tinted rear glazing – H1 models only. Only available with glazed rear doors / tailgate with heated windows and	·						
wash/wipe facility.		0	0	0	0	360.00	432.00
– Excludes Platform Cab.	Option code: AJS						
Door mirrors:		•					
Foldable electrically adjustable/heated door mirrors Wide-angle mirror on driver's side							
• Electrically adjustable / heated long arm exterior door mirrors – Platform Cab only. Long arm exterior mirrors should be		0				170.00	
applied to any vehicle with an overall width of 2.17 to 2.35 metres	Option code: DCI	0				170.00	
Paint finish:							
Special paint		0			0	At extr	a cost
– Restrictions apply, please consult your Retailer for details.							
GLAZED PACK – PANEL VAN							
Fixed window to standard nearside side-access door Fixed window to opposite offside side-access door							
• Rear glazed doors • Rear glazed side panels – Panel Van only. Only available when the offside sliding side-access door is		0	0	0		420.00	
specified.	Option code: A10						
EXTERIOR LIGHTING							
Standard lighting:							
Standard ugning.							

• Lights-on audible warning • Electric headlight beam levelling • Twin reversing lights • Hazard warning lights • • • Rear fog lights • High-level brake light • High-level tail lights • Side-repeat indicators • Daytime running lights - LED on Sportive models. • Front fog lights. Option code: T3U Ο • 0 105.00 126.00 Lighting Pack: • Static cornering lights • Front fog lights • Automatic lighting control • Rain-sensitive windscreen wipers 0 0 260.00 312.00 • Door-to-door illumination Option code: XAEG Sight and Light Pack: Ο 245.00 • Automatic lighting control • Rain-sensitive windscreen wipers Option code: 5BT

Effective 1 August 2017 | Model Year 2017

VIVARO EQUIPMENT / OPTIONS

EXTERIOR COLOURS	Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
Glacier White (10U) • Solid paint • Solid paint • Black alloy wheels / graphics on Limited Edition models	•	•	•	•		
Flame Red (79U / 79Z) • Brilliant paint • Black or silver alloy wheels / graphics on Limited Edition models Flame Red (79U / 79Z) • Brilliant paint • Brilliant paint • Black or silver alloy wheels / graphics on Limited Edition models Flame Red (79U / 79Z) • Brilliant paint • Brilliant paint • Silver alloy wheels / graphics on Limited Edition models		N/C	N/C		220.00	201 00
Spring Green (10G / 10Z) • Brilliant paint • Black alloy wheels / graphics on Limited Edition models	0	N/C	N/C	0	320.00	384.00
 Panorama Blue (4UU) Two-coat pearlescent paint Silver alloy wheels / graphics on Limited Edition models 						
 Cassiopeia Silver (10J) Two-coat pearlescent paint Silver alloy wheels / graphics on Limited Edition models 	0	N/C	N/C	0	450.00	540.00
Jasper Brown (10E) • Two-coat pearlescent paint • Silver alloy wheels / graphics on Limited Edition models						

• = Standard equipment. O = Optional at extra cost. N/C = No-cost option.

The colours reproduced may vary slightly from the actual paint colour. As a result they should be used as a guide only. Your Vauxhall Retailer has a comprehensive display of our paint samples.

VIVARO EQUIPMENT / OPTIONS

WHEELS AND TYRES		Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
 16-inch steel wheels with centre cap: 205/65 R 16 tyres (1.6CDTi 95/120/125PS engines) 215/65 R 16 tyres (1.6CDTi 145PS engines) Full-size spare wheel 		•			•		
 16-inch steel wheels with wheel trims: 205/65 R 16 tyres (1.6CDTi 95/120/125PS engines) 215/65 R 16 tyres (1.6CDTi 145PS engines) Full-size spare wheel 			•				
 17-inch black alloy wheels: 215/60 R 17 tyres 16-inch steel spare wheel On Limited Edition models, wheel finish dependent on body colour. Please see Exterior Colours page. 				•			
 17-inch silver alloy wheels: 215/60 R 17 tyres 16-inch steel spare wheel Not available on H2 or Platform Cab models. On Limited Edition models, wheel finish dependent on body colour. Please see Exterior Colours page. 	Option code: RS6	0	0	•	0	610.00	732.00
All-season tyres: • 205/65 R 16 (All engines)	Option code: NRK	0	0		0	215.00	258.00
Tyre inflation kit in lieu of spare wheel – <i>Not available on L2 Combi models.</i> $\blacksquare = $ Standard equipment $\square = $ Optional at extra cost N/C = No-cost option	Option code: WTC	N/C	N/C	N/C	N/C	No-cost	t option

• = Standard equipment. • = Optional at extra cost. N/C = No-cost option.

TYRE RATINGS

Turne stars	Fuel efficiency	Wet grip	Externa	al noise
Tyre size	group	performance	Measured (dB)	Group
205/65 R 16	C-E	B-E	71-72	((;-))
215/65 R 16	С	В	70	((-))
215/60 R 17	С	В	70	((- -))

Tyre rating according to EU Regulation 1222/2009

VIVARO EQUIPMENT / OPTIONS

MECHANICAL		Vivaro	Sportive	Limited Edition	Combi	Price (£) exc. VAT	Total (£) inc. VAT
Transmission:							
Six-speed manual gearbox:							
Front-wheel drive Transverse engine/gearbox							
Steering:							
Hydraulic power-assisted rack and pinion system Energy absorbing steering column							
Turning circles: Kerb-to-kerb							
FWD L1 11.8m (38.7ft.)							
FWD L2 13.2m (43.3ft.)							
Brakes:							
Front ventilated disc brakes:							
• 296mm x 28mm				•			
Rear disc brakes:							
• 280mm x 12mm							
Power take-off	Option code: V66	0	0	0	0	220.00	
Engine driven power take-off • Six-pin / two-pin connector for conversions	Option code: KPD					220.00	
Fuel tank:			•		•		
• 80 litres (17.6 gallons) capacity							
AdBlue tank:							
• 22 litres (4.8 gallons) capacity							
Towing:							
Tow bar with 13-pin electrics • Trailer stability programme							
- Excludes Platform Cab models. Does not suit trailers with LED lights. For trailers with LED lights use genuine Vauxhall		0	0	0	0	325.00	390.00
Accessory tow bars which also include trailer stability programme. Unless specific exemptions apply, vehicles operated with a							
trailer, where the combined weight of the vehicle, trailer and payload exceeds 3500kg, require a digital tachograph.	Option code: VR2						
Electrical:							
• 80Ah maintenance-free battery (70Ah on air conditioned models) • 185A alternator (150A on air conditioned models)							
CANbus interface:		0	0	0	0	135.00	162.00
Allows the vehicle's electrical systems to integrate with additional equipment.	Option code: KC6					135.00	102.00
Six-pin / two pin electrical connector for conversions	Option code: KPD	0	0	0	0	60.00	72.00
Front suspension:							
MacPherson type Independent double wishbones Coil springs							
Gas-pressure dampers							
Rear suspension:							
Independent four-link, progressive-rate mini-block springs Gas-pressure dampers							
• = Standard equipment. • • • • • • • • • • • • • • • • • • •							

MOVANO PANEL VAN PRICES

BEST HEAVY VAN Vauxhall Moveno 3500 L2H2 FWD Eu6 BiTurbo 14Sps Eu6

× 44



			Fuel econ	/100km)#	C0 ₂		On-the-road	
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L1 H1 FWD PANEL VAN (EURO 6)								
2800 2.3CDTi (110PS) BlueInjection	1927	858	32.1 (8.8)	40.4 (7.0)	36.7 (7.7)	201	23775.00	24653.33
2800 2.3CDTi (130PS) BlueInjection	1927	858	32.1 (8.8)	40.4 (7.0)	36.7 (7.7)	201	24575.00	25453.33
3300 2.3CDTi (110PS) BlueInjection	1932	1353	32.1 (8.8)	40.4 (7.0)	36.7 (7.7)	201	25025.00	25903.33
3300 2.3CDTi (130PS) BlueInjection	1932	1353	32.1 (8.8)	40.4 (7.0)	36.7 (7.7)	201	25825.00	26703.33
3500 2.3CDTi (110PS) BlueInjection	1937	1548	32.1 (8.8)	40.4 (7.0)	36.7 (7.7)	201	25675.00	26553.33
3500 2.3CDTi (130PS) BlueInjection	1937	1548	32.1 (8.8)	40.4 (7.0)	36.7 (7.7)	201	26475.00	27353.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	1946	1539	38.2 (7.4)	42.8 (6.6)	40.9 (6.9)	179	27585.00	28463.33
L1 H2 FWD PANEL VAN (EURO 6)								
2800 2.3CDTi (110PS) BlueInjection	1955	830	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	24375.00	25253.33
2800 2.3CDTi (130PS) BlueInjection	1955	830	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	25175.00	26053.33
3300 2.3CDTi (110PS) BlueInjection	1960	1325	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	25625.00	26503.33
3300 2.3CDTi (130PS) BlueInjection	1960	1325	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	26425.00	27303.33
3500 2.3CDTi (110PS) BlueInjection	1965	1520	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	26275.00	27153.33
3500 2.3CDTi (130PS) BlueInjection	1965	1520	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	27075.00	27953.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	1974	1511	37.2 (7.6)	42.2 (6.7)	40.4 (7.0)	183	28185.00	29063.33
L2 H2 FWD PANEL VAN (EURO 6)								
3300 2.3CDTi (110PS) BlueInjection	2004	1281	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	26980.00	27858.33
3300 2.3CDTi (130PS) BlueInjection	2004	1281	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	27780.00	28658.33
3500 2.3CDTi (110PS) BlueInjection	2009	1476	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	27630.00	28508.33
3500 2.3CDTi (110PS) S/S ecoFLEX BlueInjection	2009	1476	34.9 (8.1)	39.8 (7.1)	37.7 (7.5)	194	27920.00	28798.33
3500 2.3CDTi (130PS) BlueInjection	2009	1476	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	28430.00	29308.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2018	1467	37.2 (7.6)	42.2 (6.7)	40.4 (7.0)	183	29540.00	30418.33
3500 2.3CDTi BiTurbo (170PS) S/S Tecshift BlueInjection	2018	1467	36.2 (7.8)	40.9 (6.9)	39.2 (7.2)	187	31665.00	32543.33
L2 H3 FWD PANEL VAN (EURO 6)								
3500 2.3CDTi (110PS) BlueInjection	2050	1435	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	28330.00	29208.33
3500 2.3CDTi (130PS) BlueInjection	2050	1435	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	29130.00	30008.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2059	1426	37.2 (7.6)	42.2 (6.7)	40.4 (7.0)	183	30240.00	31118.33
3500 2.3CDTi BiTurbo (170PS) S/S Tecshift BlueInjection	2059	1426	36.2 (7.8)	40.9 (6.9)	39.2 (7.2)	187	32365.00	33243.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

MOVANO PANEL VAN PRICES

BEST HEAVY VAN Vauxhall Moveno 3500 L2H2 FWD Eu6 BiTurbo 145ps Eu6



			Fuel ecor	omy mpg (litres	/100km)#	CO		On the model
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	CO ₂ emissions (g/km)#	Price (£) exc. VAT	On-the-road RRP (£) exc. VAT
L3 H2 FWD PANEL VAN (EURO 6)								
3500 2.3CDTi (110PS) BlueInjection	2090	1395	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	28330.00	29208.33
3500 2.3CDTi (110PS) S/S ecoFLEX BlueInjection	2090	1395	34.4 (8.2)	39.2 (7.2)	37.2 (7.6)	197	28620.00	29498.33
3500 2.3CDTi (130PS) BlueInjection	2090	1395	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	29130.00	30008.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2099	1386	36.2 (7.8)	41.5 (6.8)	39.2 (7.2)	186	30240.00	31118.33
3500 2.3CDTi BiTurbo (170PS) S/S BlueInjection	2099	1386	36.7 (7.7)	40.4 (7.0)	38.7 (7.3)	189	31490.00	32368.33
3500 2.3CDTi BiTurbo (170PS) S/S Tecshift BlueInjection	2099	1386	35.8 (7.9)	40.4 (7.0)	38.7 (7.3)	189	32365.00	33243.33
L3 H3 FWD PANEL VAN (EURO 6)								
3500 2.3CDTi (110PS) BlueInjection	2130	1355	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	29030.00	29908.33
3500 2.3CDTi (130PS) BlueInjection	2130	1355	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	29830.00	30708.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2139	1346	36.2 (7.8)	41.5 (6.8)	39.2 (7.2)	186	30940.00	31818.33
L3 H2 RWD PANEL VAN (EURO VIb data shown. EURO VIc da	ata tba)							
3500 2.3CDTi BiTurbo (130PS) BlueInjection	2356	1129	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	30130.00	31008.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2356	1129	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	31240.00	32118.33
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2375	1110	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	30730.00	31608.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2375	1110	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	31840.00	32718.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2375	2110	N/A	N/A	N/A	N/A	32205.00	33008.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2375	2110	N/A	N/A	N/A	N/A	34565.00	35368.33
L3 H3 RWD PANEL VAN (EURO VIb data shown. EURO VIc da	ata tba)							
3500 2.3CDTi BiTurbo (130PS) BlueInjection	2356	1129	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	30830.00	31708.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2356	1129	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	31940.00	32818.33
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2408	1077	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	31430.00	32308.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2408	1077	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	32540.00	33418.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2408	2077	N/A	N/A	N/A	N/A	32905.00	33708.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2408	2077	N/A	N/A	N/A	N/A	35265.00	36068.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

MOVANO PANEL VAN PRICES

BEST HEAVY VAN Vauxhall Moveno 3500 L2H2 FWD Eu6 BiTurbo 14Sps Eu6



			Fuel econ	omy mpg (litres	/100km)#	C0 ₂		On-the-road
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra-urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L4 H2 RWD PANEL VAN (EURO VIb data shown. EURO VIc da	ta tba)							
3500 2.3CDTi BiTurbo (130PS) BlueInjection	2398	1087	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	31030.00	31908.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2398	1087	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	32140.00	33018.33
3500 2.3CDTi BiTurbo (163PS) S/S BlueInjection	2398	1087	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	33390.00	34268.33
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2453	1032	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	31630.00	32508.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2453	1032	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	32740.00	33618.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2453	2032	N/A	N/A	N/A	N/A	33105.00	33908.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2453	2032	N/A	N/A	N/A	N/A	35465.00	36268.33
L4 H3 RWD PANEL VAN (EURO VIb data shown. EURO VIc da	ta tba)							
3500 2.3CDTi BiTurbo (130PS) BlueInjection	2429	1056	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	31730.00	32608.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2429	1056	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	32840.00	33718.33
3500 2.3CDTi BiTurbo (163PS) S/S BlueInjection	2429	1056	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	34090.00	34968.33
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2495	990	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	32330.00	33208.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2495	990	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	33440.00	34318.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2495	1990	N/A	N/A	N/A	N/A	33805.00	34608.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2495	1990	N/A	N/A	N/A	N/A	36165.00	36968.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

MOVANO DOUBLECAB PRICES

	Fuel economy mpg (litres/100km)# CO ₂								
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	On-the-road RRP (£) exc. VAT	
L2 H2 FWD DOUBLECAB (EURO 6)									
3500 2.3CDTi (130PS) BlueInjection	2205	1305	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	207	30080.00	30958.33	
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2205	1305	36.2 (7.8)	41.5 (6.8)	39.2 (7.2)	186	31190.00	32068.33	
3500 2.3CDTi BiTurbo (170PS) S/S Tecshift BlueInjection	2205	1305	35.8 (7.9)	40.4 (7.0)	38.7 (7.3)	189	33315.00	34193.33	
L3 H2 FWD DOUBLECAB (EURO 6)									
3500 2.3CDTi (130PS) BlueInjection	2286	1224	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	207	30780.00	31658.33	
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2286	1224	36.2 (7.8)	41.5 (6.8)	39.2 (7.2)	186	31890.00	32768.33	
3500 2.3CDTi BiTurbo (170PS) S/S Tecshift BlueInjection	2286	1224	35.8 (7.9)	40.4 (7.0)	38.7 (7.3)	189	34015.00	34893.33	
L3 H2 RWD DOUBLECAB (EURO VIb data shown. EURO VIc o	lata tba)								
3500 2.3CDTi BiTurbo (130PS) BlueInjection	2459	1051	tba	tba	tba	tba	31780.00	32658.33	
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2459	1051	tba	tba	tba	tba	32890.00	33768.33	

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

MOVANO CHASSIS CAB PRICES

		Payload and Body	Fuel econ	omy mpg (litres	/100km)#	C0 ₂		On-the-road
Model	Minimum Mass (kg)*	Allowance (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L2 H1 FWD CHASSIS CAB (EURO 6)								
3500 2.3CDTi (110PS) BlueInjection	1784	1756	30.4 (9.3)	37.7 (7.5)	34.4 (8.2)	212	25930.00	26808.33
3500 2.3CDTi (130PS) BlueInjection	1784	1756	30.4 (9.3)	37.7 (7.5)	34.4 (8.2)	212	26730.00	27608.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	1793	1747	35.8 (7.9)	39.8 (7.1)	38.2 (7.4)	192	27840.00	28718.33
L3 H1 FWD CHASSIS CAB (EURO 6)								
3500 2.3CDTi (110PS) BlueInjection	1810	1730	30.4 (9.3)	37.7 (7.5)	34.4 (8.2)	212	26430.00	27308.33
3500 2.3CDTi (130PS) BlueInjection	1810	1730	30.4 (9.3)	37.7 (7.5)	34.4 (8.2)	212	27230.00	28108.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	1819	1721	35.8 (7.9)	39.8 (7.1)	38.2 (7.4)	192	28340.00	29218.33
L2 H1 RWD CHASSIS CAB (EURO VIb data shown. EURO VIc da	ita tba)							
3500 2.3CDTi (130PS) BlueInjection	1928	1612	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	27730.00	28608.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	1928	1612	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	28840.00	29718.33
3500 HD 2.3CDTi (130PS) BlueInjection	2095	1445	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	28345.00	29223.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2095	1445	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	29455.00	30333.33
4500 HD 2.3CDTi (130PS) BlueInjection	2095	2445	N/A	N/A	N/A	N/A	29820.00	30623.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2095	2445	N/A	N/A	N/A	N/A	32180.00	32983.33
L3 H1 RWD CHASSIS CAB (EURO VIb data shown. EURO VIc da	ta tba)							
3500 2.3CDTi BiTurbo (130PS) BlueInjection	1979	1561	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	28230.00	29108.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	1979	1561	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	29340.00	30218.33
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2103	1437	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	28830.00	29708.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2103	1437	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	29940.00	30818.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2095	2445	N/A	N/A	N/A	N/A	30305.00	31108.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2095	2445	N/A	N/A	N/A	N/A	32665.00	33468.33
L4 H1 RWD CHASSIS CAB (EURO VIb data shown. EURO VIc da	ta tba)							
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2133	1407	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	29530.00	30408.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2133	1407	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	30640.00	31518.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2133	2407	N/A	N/A	N/A	N/A	31005.00	31808.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2133	2407	N/A	N/A	N/A	N/A	33365.00	34168.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

All conversions must follow 'Vauxhall Convertor Requirements' including recommended dimensional data, detailed within Part 1, available at: www.vauxhall.co.uk/conversiondata. The weight of any fitted conversion body will have to be deducted from these figures to establish actual payload and is subject to correct weight distribution. Variations from the recommended dimensions or weights may affect the vehicle's overall centre of gravity and stability. From 29 April 2013 conversion of N1 vehicles was affected by changes to type approval – for further information refer to the VCA website (N2 vehicles were affected from 29 October 2014). For further information please contact conversions@vauxhall.co.uk

* = For definitions please refer to Glossary of Terms.

= Fuel consumption information is official government environmental data, tested in accordance with the relevant EU directive. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

MOVANO CREW CAB PRICES

		Payload and Body	Fuel econ	omy mpg (litres,	/100km)#	C0 ₂		On-the-road
Model	Minimum Mass (kg)*	Allowance (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L2 H1 FWD CREW CAB (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	1990	1550	30.4 (9.3)	37.7 (7.5)	34.4 (8.2)	212	27630.00	28508.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	1999	1541	35.8 (7.9)	39.8 (7.1)	38.2 (7.4)	192	28740.00	29618.33
L3 H1 FWD CREW CAB (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	2034	1506	30.4 (9.3)	37.7 (7.5)	34.4 (8.2)	212	28130.00	29008.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2043	1497	35.8 (7.9)	39.8 (7.1)	38.2 (7.4)	192	29240.00	30118.33
L2 H1 RWD CREW CAB (EURO VIb data shown. EURO VIc data t	oa)							
3500 2.3CDTi BiTurbo (130PS) BlueInjection	2164	1376	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	28630.00	29508.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2164	1376	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	29740.00	30618.33
L3 H1 RWD CREW CAB (EURO VIb data shown. EURO VIc data t	ba)							
3500 2.3CDTi BiTurbo (130PS) BlueInjection	2197	1343	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	29130.00	30008.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2197	1343	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	30240.00	31118.33
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2283	1257	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	29730.00	30608.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2283	1257	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	30840.00	31718.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2283	2257	N/A	N/A	N/A	N/A	31205.00	32008.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2283	2257	N/A	N/A	N/A	N/A	33565.00	34368.33
L4 H1 RWD CREW CAB (EURO VIb data shown. EURO VIc data t	ba)							
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2352	1188	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	30430.00	31308.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2352	1188	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	31540.00	32418.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2352	2188	N/A	N/A	N/A	N/A	31905.00	32708.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2352	2188	N/A	N/A	N/A	N/A	34265.00	35068.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 (£165.00 on 4500kg models) and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

All conversions must follow 'Vauxhall Convertor Requirements' including recommended dimensional data, detailed within Part 1, available at: www.vauxhall.co.uk/conversiondata. The weight of any fitted conversion body will have to be deducted from these figures to establish actual payload and is subject to correct weight distribution. Variations from the recommended dimensions or weights may affect the vehicle's overall centre of gravity and stability. From 29 April 2013 conversion of N1 vehicles was affected by changes to type approval – for further information refer to the VCA website (N2 vehicles were affected from 29 October 2014). For further information please contact conversions@vauxhall.co.uk

* = For definitions please refer to Glossary of Terms.

= Fuel consumption information is official government environmental data, tested in accordance with the relevant EU directive. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

MOVANO PLATFORM CAB PRICES

		Payload and Body	Fuel econ	omy mpg (litres,	/100km)#	CO .		On-the-road RRP (£) exc. VAT
Model	Minimum Mass (kg)*	Allowance (kg)*	Urban driving	Extra–urban driving	Combined figure	CO ₂ emissions (g/km)#	Price (£) exc. VAT	
L2 H1 FWD PLATFORM CAB (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	1697	1843	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	26730.00	27608.33
L2 H2 FWD PLATFORM CAB (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	1711	1829	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	27330.00	28208.33
L3 H1 FWD PLATFORM CAB (EURO 6)								
3500 2.3CDTi (110PS) BlueInjection	1719	1821	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	26430.00	27308.33
3500 2.3CDTi (130PS) BlueInjection	1719	1821	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	27230.00	28108.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	1728	1812	35.8 (7.9)	39.8 (7.1)	38.2 (7.4)	192	28340.00	29218.33
L3 H2 FWD PLATFORM CAB (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	1735	1805	30.4 (9.3)	37.7 (7.5)	34.4 (8.2)	212	27830.00	28708.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	1744	1796	35.8 (7.9)	39.8 (7.1)	38.2 (7.4)	192	28940.00	29818.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

All conversions must follow 'Vauxhall Convertor Requirements' including recommended dimensional data, detailed within Part 1, available at: www.vauxhall.co.uk/conversiondata. The weight of any fitted conversion body will have to be deducted from these figures to establish actual payload and is subject to correct weight distribution. Variations from the recommended dimensions or weights may affect the vehicle's overall centre of gravity and stability. From 29 April 2013 conversion of N1 vehicles was affected by changes to type approval – for further information refer to the VCA website (N2 vehicles were affected from 29 October 2014). For further information please contact conversions@vauxhall.co.uk

* = For definitions please refer to Glossary of Terms.

= Fuel consumption information is official government environmental data, tested in accordance with the relevant EU directive. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

MOVANO TIPPER PRICES

			Fuel econ	omy mpg (litres	/100km)#	C0 ₂		On-the-road
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L2 H1 FWD CHASSIS CAB TIPPER (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	2381	1159	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	30480.00	31358.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2391	1149	36.2 (7.8)	40.4 (7.0)	38.7 (7.3)	189	31590.00	32468.33
3500 2.3CDTi BiTurbo (170PS) S/S BlueInjection	2391	1149	35.8 (7.9)	39.8 (7.1)	38.2 (7.4)	192	32840.00	33718.33
L2 H1 RWD CHASSIS CAB TIPPER (EURO VIb data shown. EU	JRO VIc data tba)							
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2661	879	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	32080.00	32958.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2661	879	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	33190.00	34068.33
3500 HD 2.3CDTi BiTurbo (163PS) S/S BlueInjection	2661	879	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	34440.00	35318.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2661	1879	N/A	N/A	N/A	N/A	33555.00	34358.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2661	1879	N/A	N/A	N/A	N/A	35915.00	36718.33
L3 H1 RWD CHASSIS CAB TIPPER (EURO VIb data shown. EU	JRO VIc data tba)							
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2773	767	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	33780.00	34658.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2773	767	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	34890.00	35768.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2773	1767	N/A	N/A	N/A	N/A	35255.00	36058.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2773	1767	N/A	N/A	N/A	N/A	37615.00	38418.33
L3 H1 FWD CREW CAB TIPPER (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	2511	1029	30.7 (9.2)	38.2 (7.4)	34.9 (8.1)	210	31880.00	32758.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2520	1020	36.2 (7.8)	40.4 (7.0)	38.7 (7.3)	189	32990.00	33868.33
L3 H1 RWD CREW CAB TIPPER (EURO VIb data shown. EURO) VIc data tba)							
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2830	1560	N/A	N/A	N/A	N/A	34955.00	35758.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2830	1560	N/A	N/A	N/A	N/A	37315.00	38118.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 (£165.00 on 4500kg models) and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

MOVANO DROPSIDE PRICES

			Fuel economy mpg (litres/100km)#					On-the-road
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L2 H1 FWD CHASSIS CAB DROPSIDE (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	2156	1384	31.7 (8.9)	39.8 (7.1)	36.2 (7.8)	204	28680.00	29558.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2166	1374	37.2 (7.6)	42.2 (6.7)	40.4 (7.0)	183	29790.00	30668.33
L3 H1 FWD CHASSIS CAB DROPSIDE (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	2228	1312	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	29680.00	30558.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2237	1303	36.2 (7.8)	41.5 (6.8)	39.2 (7.2)	186	30790.00	31668.33
L2 H1 RWD CHASSIS CAB DROPSIDE (EURO VIb data shown.	EURO VIc data tba))						
3500 2.3CDTi BiTurbo (130PS) BlueInjection	2354	1186	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	29680.00	30558.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2356	1184	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	30790.00	31668.33
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2447	1093	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	30295.00	31173.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2447	1093	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	31405.00	32283.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2447	2093	N/A	N/A	N/A	N/A	31770.00	32573.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2447	2093	N/A	N/A	N/A	N/A	34130.00	34933.33
L3 H1 RWD CHASSIS CAB DROPSIDE(EURO VIb data shown.	EURO VIc data tba)							
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2491	1049	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	31280.00	32158.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2491	1049	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	32390.00	33268.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2496	2044	N/A	N/A	N/A	N/A	32755.00	33558.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2496	2044	N/A	N/A	N/A	N/A	35115.00	35918.33
L4 H1 RWD CHASSIS CAB DROPSIDE (EURO VIb data shown.	EURO VIc data tba)						
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2576	964	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	31980.00	32858.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2576	964	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	33090.00	33968.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2581	1959	N/A	N/A	N/A	N/A	33455.00	34258.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2581	1959	N/A	N/A	N/A	N/A	35815.00	36618.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT). 12 months' Vehicle Excise Duty at £240.00 (£165.00 on 4500kg models) and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

MOVANO DROPSIDE PRICES

			Fuel economy mpg (litres/100km)#			C0 ₂		On-the-road
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L2 H1 FWD CREW CAB DROPSIDE (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	2313	1227	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	29580.00	30458.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2322	1218	36.2 (7.8)	41.5 (6.8)	39.2 (7.2)	186	30690.00	31568.33
L3 H1 FWD CREW CAB DROPSIDE (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	2384	1156	31.4 (9.0)	39.2 (7.2)	35.8 (7.9)	207	30080.00	30958.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2393	1147	36.2 (7.8)	41.5 (6.8)	39.2 (7.2)	186	31190.00	32068.33
3500 2.3CDTi BiTurbo (170PS) S/S BlueInjection	2393	1147	36.7 (7.7)	40.4 (7.0)	38.7 (7.3)	189	32440.00	33318.33
L2 H1 RWD CREW CAB DROPSIDE (EURO VIb data shown. EU	IRO VIc data tba)							
3500 2.3CDTi BiTurbo (130PS) BlueInjection	2471	1069	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	30580.00	31458.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2471	1069	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	31690.00	32568.33
L3 H1 RWD CREW CAB DROPSIDE (EURO VIb data shown. EU	IRO VIc data tba)							
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2642	1748	N/A	N/A	N/A	N/A	33155.00	33958.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2642	1748	N/A	N/A	N/A	N/A	35515.00	36318.33
L4 H1 RWD CREW CAB DROPSIDE (EURO VIb data shown. EU	IRO VIc data tba)							
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2626	1914	N/A	N/A	N/A	N/A	34355.00	35158.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2626	1914	N/A	N/A	N/A	N/A	36715.00	37518.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 (£165.00 on 4500kg models) and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

MOVANO BOX VAN PRICES

			Fuel economy mpg (litres/100km)#				On-the-road	
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	CO ₂ emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L3 H1 FWD CHASSIS CAB BOX VAN 20 cu.m (EURO 6)								
3500 2.3CDTi (130PS) BlueInjection	2400	1140	30.7 (9.2)	38.2 (7.4)	34.9 (8.1)	210	32910.00	33788.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2400	1140	36.2 (7.8)	40.4 (7.0)	38.7 (7.3)	189	34020.00	34898.33
3500 2.3CDTi (170PS) BiTurbo S/S BlueInjection	2400	1140	35.8 (7.9)	39.8 (7.1)	38.2 (7.4)	192	35270.00	36148.33
L3 H1 RWD CHASSIS CAB BOX VAN 20 cu.m (EURO VIb data	shown. EURO VIc da	ata tba)						
3500 2.3CDTi BiTurbo (130PS) BlueInjection	2560	980	30.4 (9.3)	32.5 (8.7)	31.4 (9.0)	232	35110.00	35988.33
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2560	980	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	36220.00	37098.33
3500 2.3CDTi BiTurbo (163PS) S/S BlueInjection	2560	980	34.4 (8.2)	34.9 (8.1)	34.4 (8.2)	212	37470.00	38348.33
L4 H1 RWD CHASSIS CAB BOX VAN 20 cu.m (EURO VIb data	shown. EURO VIc da	ata tba)						
3500 HD 2.3CDTi BiTurbo (130PS) BlueInjection	2735	805	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	35360.00	36238.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2735	805	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	36470.00	37348.33
4500 HD 2.3CDTi BiTurbo (130PS) Tacho BlueInjection	2760	1805	N/A	N/A	N/A	N/A	36835.00	37638.33
4500 HD 2.3CDTi BiTurbo (163PS) S/S Tacho BlueInjection	2760	1805	N/A	N/A	N/A	N/A	39195.00	39998.33
L4 H1 RWD CHASSIS CAB BOX VAN 22 cu.m (EURO VIb data	shown. EURO VIc da	ata tba)						
3500 HD 2.3CDTi (130PS) BlueInjection	2735	780	29.4 (9.6)	30.7 (9.2)	30.4 (9.3)	242	35560.00	36438.33
3500 HD 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2735	780	33.2 (8.5)	32.8 (8.6)	32.8 (8.6)	222	36670.00	37548.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £240.00 (£165.00 on 4500kg models) and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

MOVANO COMBI / MINIBUS PRICES

		Fuel economy mpg (litres/100km)# CO ₂						
Model	Minimum Mass (kg)*	Payload (kg)*	Urban driving	Extra–urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	On-the-road RRP (£) inc. VAT
L1 H1 FWD 9-SEAT COMBI (EURO 6)								
3300 2.3CDTi (110PS) S/S ecoFLEX BlueInjection	2074	1141	35.8 (7.9)	45.6 (6.2)	41.5 (6.8)	176	26195.83	32990.00
L2 H2 FWD 9-SEAT COMBI (EURO 6)								
3500 2.3CDTi (110PS) S/S ecoFLEX BlueInjection	2184	1231	34.9 (8.1)	44.8 (6.3)	40.9 (6.9)	179	28804.17	36120.00
3500 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2184	1231	37.7 (7.5)	46.3 (6.1)	42.8 (6.6)	173	29066.67	36435.00
3500 2.3CDTi BiTurbo (170PS) S/S BlueInjection	2184	1231	37.7 (7.5)	46.3 (6.1)	42.8 (6.6)	173	30316.67	37935.00
L3 H2 FWD 17-SEAT MINIBUS (EURO VIb data shown. EURO) VIc data tba)							
3900 2.3CDTi BiTurbo (145PS) S/S Tacho BlueInjection	2660	1340	N/A (M2)	N/A (M2)	N/A (M2)	N/A (M2)	34529.17	42355.00

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £800.00 on Combi and £165.00 on Minibus models and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

* = For definitions please refer to Glossary of Terms.

MOVANO TRABUS PRICES/FEATURES

		Payload and Body	Fuel econo	omy mpg (litres/	/100km)#	C0 ₂		On-the-road
Model	Minimum Mass (kg)*	Allowance (kg)*	Urban driving	Extra-urban driving	Combined figure	emissions (g/km)#	Price (£) exc. VAT	RRP (£) exc. VAT
L2 H2 FWD TRABUS (EURO VIb data shown. EURO VIc data tba)								
3900 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2093	1837	N/A (M2)	N/A (M2)	N/A (M2)	N/A (M2)	30640.00	31443.33
L3 H2 FWD TRABUS (EURO VIb data shown. EURO VIc data tba)								
3900 2.3CDTi BiTurbo (145PS) S/S BlueInjection	2171	1759	N/A (M2)	N/A (M2)	N/A (M2)	N/A (M2)	31190.00	31993.33

Please note: On-the-road recommended retail prices (RRP) include number plates and delivery to Retailer of £583.33 (exc. VAT), 12 months' Vehicle Excise Duty at £165.00 and new vehicle first registration fee of £55.00. Excludes fuel and insurance. S/S = Start/Stop.

Vehicles with BlueInjection technology will need regular AdBlue® top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

All conversions must follow 'Vauxhall Convertor Requirements' including recommended dimensional data, detailed within Part 1, available at: www.vauxhall.co.uk/conversiondata. The weight of any fitted conversion body will have to be deducted from these figures to establish actual payload and is subject to correct weight distribution. Variations from the recommended dimensions or weights may affect the vehicle's overall centre of gravity and stability. From 29 April 2013 conversion of N1 vehicles was affected by changes to type approval – for further information refer to the VCA website (N2 vehicles were affected from 29 October 2014). For further information please contact conversions@vauxhall.co.uk * = For definitions please refer to Glossary of Terms.

= Fuel consumption information is official government environmental data, tested in accordance with the relevant EU directive. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

The Vauxhall Trabus is a fully glazed panel van without bulkhead suitable for conversion into a passenger vehicle by a third-party Convertor. The Trabus includes basic Type Approval for registration as a Category M* Passenger Vehicle and 2nd stage Type Approval must be completed by the Convertor to enable registration. Available in two wheelbases the Trabus is fitted with the highly efficient and economical 2.3CDTi BiTurbo Euro VI engine with Start/Stop. There are no interior seats or internal trim within the load compartment.

Movano Trabus feature highlights:

- Type-approved for Euro VI Category M emissions
- Driver's airbag
- Electronic stability programme
- Six-way adjustable driver's seat with armrest
- Dual front passengers' bench seat with dump latch facility
- Pulse cloth trim for front seats
- Digital Tachograph
- 62mph hardcoded Speed Limiter
- Front fog lights
- High beam assist
- Lane departure warning
- Multi-function trip computer
- Bulkhead not fitted

- Digital radio/CD/MP3 CD player/stereo radio/aux-in socket/Bluetooth[®] connectivity for compatible mobile phones/USB connectivity/integrated display/four 15-watt speakers (CD 16 DAB BT USB)
- No second or third-row seating
- Fixed windows nearside and offside rear panels
- Selective door locking with three-button key
- Uprated battery (110Ah)
- Glazed rear doors (90°/180° opening)
- Under-floor full-size spare wheel
- Centre wheel covers (full-diameter wheel covers optional)
- · Nearside sliding side-access door and opposite panel with fixed windows
- * = M1 or M2 dependent on passenger configuration.

SAFETY			Price (£) exc. VAT	Total (£) inc. VAT
Airbags:				
Driver's airbag		•		
Front passengers' airbag:				
Front passengers' airbag with deactivation switch		0	260.00	312.00
– Not available with Convenience Pack option.	Option code: AK5			
Stability:				
Electronic Stability Programme-plus (ESP-plus) with traction control				
- Works in conjunction with the vehicle's electronic braking and engine systems to keep the vehicle stable in many different situations. ESP monitors a variety of				
inputs to determine when the vehicle starts to lose traction, it can then immediately respond by varying the brake pressure between up to three wheels and adju	st			
the engine output to help correct the loss of traction and improve stability.				
Anti-lock braking:				
Four-channel Anti-lock Braking System (ABS) – Prevents the vehicle's wheels from locking up under heavy braking by momentarily reducing brake pressure	e at			
the appropriate wheel, ensuring that you can maintain control of the steering.				
Emergency brake assist – When emergency braking is detected the vehicle automatically applies the maximum possible braking assistance.		•		
Electronic brakeforce distribution – Automatically apportions the optimum braking force to each wheel.				
Hill start assist – Briefly maintains rear brake pressure to stop the vehicle rolling back on an incline.				
Advanced Safety Assist Pack:				
Front fog lights High beam headlight assist Lane departure warning Multi-function trip computer			005.00	171.00
– Not available with Lighting Pack option.		0	395.00	474.00
– Standard on Minibus / Trabus / RWD HD 4500 models.	Option code: XYCO			
Bulkhead:		0	405.00	
• Full-height steel bulkhead without window – Standard on Panel Van / optional on Platform Cab models.	Option code: AX6	0	135.00	
Full-height ABS plastic bulkhead with window – Doublecab only.		•		
Full-height steel bulkhead with window – Standard on Chassis / Crew Cab models. Optional on Panel Van / Platform Cab models.	Option code: AX9	0	50.00	
Protection grille for bulkhead window	Option code: XBEO	0	305.00	

SECURITY

Features: • Electronic engine deadlock immobiliser • Steering column lock • Secure fuel filler flap		•		
Internal lockable rear and sliding side-access doors Under-floor spare wheel storage – Wind down only when rear doors opened. Standard on Panel Van / Doublecab.		•		
Remote control door locking (features depending on body type): • Selective door locking • Two keys with integral remote • Door deadlocks		•		
Third key with integral remote	Option code: K69	0	60.00	72.00
Security alarm system:				
• Engine compartment protection • Ultrasonic detectors in load area • Siren • Thatcham Category 1 approved (TCL1–101/1103)		0	305.00	
– Not available on Platform Cab / Combi / Minibus / Trabus models.	Option code: UA6			

COMFORT AND SEATING			Price (£) exc. VAT	Total (£) inc. VAT
Comfort:				
Height-adjustable steering wheel • Facia-mounted gear lever • Floor-mounted handbrake lever • Pulse cloth seat trim • Vinyl floor covering Inertia-reel lap and diagonal seatbelts • Height-adjustable outer front seatbelts				
Vinyl seat trim:				
 Grey vinyl seat trim Not available with Convenience Pack / Construction Pack / air-suspended driver's seat options / dual front passengers' multi-function office bench seat. 		N/C	No-cos	t option
– Not available with convenience rack/ construction rack/ an -suspended anvers seat options/ date nonc passengers mata-function once bench seat. – Not available on Minibus / Trabus models.	Option code: TACQ			
Driver's seat:		•		
Height Reach Backrest recline Height-adjustable padded head restraint Driver's seat armrest				
'Comfort' driver's seat:		_		
 Lumbar adjustment Height Reach Backrest recline Height-adjustable padded head restraint Centre fold-away armrest Not available with Construction Pack option. L4 R3500 HD Dropside models. 	Option code: B21	0	135.00	162.00
Air-suspended driver's seat:	Option code: D2 1			
Lumbar adjustment Height Reach Backrest recline Height-adjustable padded head restraint Centre fold-away armrest			(40.00	(00.00
- Not available with vinyl seat trim option.		0	410.00	492.00
– Not available on L2 Doublecab / Tipper / Combi / Minibus models.	Option code: A5Z			
Dual front passengers' bench seat:				
 Fixed position bench seat and backrest Centre seat features flat-folding backrest with twin drinks holders, flat work surface and storage tray Height-adjustable outer front padded head restraint Fixed centre seat padded head restraint 				
Single front passenger's seat:				
Reach Backrest recline Height-adjustable padded head restraint				
- Not available on Minibus or with Convenience Pack option. Please note: On Combi models this option reduces CO ₂ emissions which may result in a reduction in		N/C	No-cos	t option
Vehicle Excise Duty.	Option code: AE1			
Single 'Comfort' front passenger's seat:				
Lumbar adjustment Reach Backrest recline Height-adjustable padded head restraint Centre fold-away armrest			(0.00	70.00
– Only available with driver's comfort / air-suspended driver's seat options. – Not available on Minibus. Please note: On Combi models this option reduces CO2 emissions which may result in a reduction in		0	60.00	72.00
Vehicle Excise Duty.	Option code: AHZ			
Convenience Pack:				
• 'Comfort' driver's seat with armrest and lumbar support • Multi-function office bench seat with folding seat back on centre passenger seat including		0	185.00	
swivelling work tray and tilt forward seat cushions with underseat storage • Retractable A4 facia document clip • 'One-touch down' facility for driver's		0	105.00	
electrically operated window • Bulkhead soundproofing (Panel Van only) – Not available Crew Van / Combi / Minibus / Trabus models.	Option code: XiC6			
SEATING – DOUBLECAB				
Rear seating:				
Four-individually contoured rear seats Inertia-reel lap and diagonal seatbelts Padded head restraints				
Integrated storage nets and cup holders • Full-length tray under rear seat cushion – Standard on Doublecab.				
Side and overhead rear seat storage pockets – Doublecab only.	Option code: D29	0	70.00	

• = Standard equipment. • = Optional at extra cost. N/C = No-cost option.

CABIN STORAGE			Price (£) exc. VAT	Total (£) inc. VAT
Accessory sockets:				
12-volt accessory socket beside gear lever				
Facia storage:				
• Driver's coin, ticket and card holder • Driver's oddments storage • Lidded glovebox (11–litre capacity) • Central drinks holder				
Front passenger semi-covered document tray				
Front door pockets:				
Large door pocket with capacity for a 2-litre drink bottle Oddments pocket		•		
Additional storage:				
Overhead storage shelf		•		
Smoker Pack:			50.00	(0.00
Removable ashtray • Illuminated cigar lighter	Option code: DT4	0	50.00	60.00

DRIVER ASSISTANCE

Windscreen wipers:				
Two-speed windscreen wipers Variable intermittent wipe Electric screenwash				
Parking assistance: • Rear-view camera – Panel Van / Doublecab / Combi models.	Option code: UVC	0	760.00	912.00
Rear parking distance sensors – Not available on Chassis / Crew / Platform Cab models or derivatives.	Option code: UD7	0	275.00	330.00
Rear-view camera • Rear parking distance sensors – Panel Van / Doublecab / Combi models.	Option code: UCI	0	1025.00	1230.00
Nearside blind-spot / junction mirror located in front passenger sunvisor		•		
Cruise control, speed limiter and multi-function trip computer: • Cruise control • Trip odometer • Vehicle range based on remaining fuel • Average speed • Average fuel economy • Instantaneous fuel economy • Driving time	Option code: K34	0	260.00	312.00
Speed limiter: • Choice of three speeds: 56mph / 62mph / 68mph - 56mph speed limiter standard on RWD HD 4500 models. - 62mph speed limiter standard on Minibus / Trabus.	Option code: (56mph) KYJ Option code: (62mph) KYK Option code: (68mph) KYL	0	85.00	102.00

DRIVER INFORMATION		Price (£) exc. VAT	Total (£) inc. VAT
Instrumentation:			
Speedometer Rev counter Digital fuel gauge with low fuel warning light Coolant temperature gauge with warning light			
ECO features:			
Shift-up indicator (manual models)			
- Indicates when to change gear for optimum fuel economy.			
Driver information display:			
Monochrome display located in instrument cluster Odometer Service-due indicator Displays trip computer data (when fitted)			
Central facia display:			
Audio information • Digital clock with automatic RDS time adjustment • Outside air temperature with ice warning function			
Additional features and location dependent on infotainment unit (see Audio, Communication and Navigation for details)			
Warning indicators:			
 Low oil level, low brake fluid, brake pad wear, battery, fuel filter, low AdBlue[®] level, seatbelt warning and doors open 			
Digital tachograph:			
CANbus interface • Odometer display is changed from miles to kilometres			
– Standard on RWD HD 4500 / Minibus / Trabus models.			
– Not available with pneumatic rear suspension.	0	535.00	642.00
- Important: The digital tachograph must be specified at time of ordering as it cannot be fitted retrospectively. Option price does not include calibration which		555.00	042.00
must be carried out at an approved tachograph centre within 14 days of the vehicle's registration. Please note: The legislation regarding the use of tachographs is			
complex and operators should seek independent advice or speak to the Commercial Vehicle specialist at your Vauxhall retailer to ensure compliance. Alternatively			
your local DVLA office will also be able to provide clarification of the relevant legislation. 0	ption code: TGP		

HEATING AND VENTILATION

Cab heating: • Four-speed fan • Illuminated controls • Four adjustable facia vents • Windscreen demist vents • Side window demist vents		•		
Air conditioning:				
Air recirculation facility Pollen filter Illuminated controls Chilled glovebox facility	Option code: C60	0	610.00	732.00
– Not available on Minibus models.				
Electronic climate control:				
Incorporating air conditioning • LCD temperature display • Automatic air direction and fan speed with manual override • Illuminated controls		0	910.00	
Pollen filter • Chilled glovebox facility	Option code: C61	0	910.00	
– Not available on Combi / Minibus / Trabus models.				
• = Standard equipment. • = Optional at extra cost				

Please note: The air conditioning in vehicles with N1, N2 or M2 type approval relies upon fluorinated greenhouse gases (R134a) for its functioning. The front system contains a quantity of overall 580g of R 134a, which corresponds to a CO₂ equivalent of 0.83 tons. The front and rear system in versions with up to 9-seats contains a quantity of overall 1,700g of R 134a, which corresponds to a CO₂ equivalent of 2.43 tons. The front and rear system in versions with more than 16-seats contains a quantity of overall 1,700g of R 134a, which corresponds to a CO₂ equivalent of 2.43 tons. The global warming potential amounts to 1430. Information acc. to R (EU) No. 517/2014.

INFOTAINMENT			Price (£) exc. VAT	Total (£) inc. VAT
CD 16 BT USB: Onboard features: • DAB digital radio / AM/FM stereo radio with 18-station presets • CD/MP3 CD player • High-level display • RDS with Traffic Programme • Two 15-watt speakers Media connections: • USB connection with iPod control • Aux-in socket • Bluetooth® audio streaming (A2DP Profile) Mobile phone portal: • Bluetooth® connectivity • Handsfree calls via steering wheel controls • Vehicle microphone • Phone book access - Contacts/last calls/missed calls etc. (features dependent on mobile phone).		•		
 NAVI 50 IntelliLink: Onboard features: • DAB digital radio / AM/FM stereo radio with 18-station presets • 7-inch facia-mounted colour touchscreen • RDS with Traffic Programme • Two 20-watt speakers Navigation features: • Satellite navigation system • 3D street level mapping • Major route mapping for Western Europe Media connections: • USB connection with iPod control • Aux-in socket • Bluetooth[®] audio streaming (A2DP Profile) Mobile phone portal: • Bluetooth[®] connectivity • Handsfree calls via steering wheel controls • Vehicle microphone • Phone book access - Contacts/last calls/missed calls etc. are mirrored on IntelliLink's display and are easily navigated using the touchscreen (features dependent on mobile phone). - Not available on Minibus models. 	Option code: 100	0	660.00	792.00
NAVI 80 IntelliLink: Onboard features: • DAB digital radio / AM/FM stereo radio with 18-station presets • 7-inch facia-mounted colour touchscreen • RDS with Traffic Programme • Two speakers • 20 watts per channel output Navigation features: • Satellite navigation system • Tom Tom LIVE services • 3D street level mapping • Major route mapping for Western Europe Media connections: • USB connection with iPod control • Aux-in socket • Bluetooth [®] audio streaming (A2DP Profile) • Integrated voice control Mobile phone portal: • Bluetooth [®] connectivity • Handsfree calls via steering wheel controls • Vehicle microphone • Phone book access - Contacts/last calls/missed calls etc. are mirrored on IntelliLink's display and are easily navigated using the touchscreen (features dependent on mobile phone). - Not available on Minibus models. - Not available on Minibus models.	Option code: 2L3	0	1060.00	1272.00
Additional features: • Steering column mounted audio controls • Flexible roof-mounted aerial		•		

LOAD ACCESS – PANEL VAN / DOUBLECAB			Price (£) exc. VAT	Total (£) inc. VAT
Nearside access: Nearside side-access door: • Nearside sliding side-access door • Unglazed - Standard on Panel Van.		•		
Nearside side-access door with fixed windows: • Fixed window to standard nearside side-access door (£165) • Fixed window to opposite offside body panel (£165) - Standard on Doublecab.			330.00	
Nearside side-access door with sliding windows: • Sliding window to standard nearside side-access door (£335) • Sliding window to opposite offside body panel (£335)			670.00	
Offside access: Offside side-access door: • Offside sliding side-access door • Unglazed – Panel Van only.			310.00	
Offside side-access door with fixed windows: • Fixed window to standard nearside side-access door (£165) • Offside side-access door (£310) • Fixed window to offside side-access door (£165)			640.00	
Offside side-access door with sliding windows: • Sliding window to standard nearside side-access door (£335) • Offside side-access door (£310) • Sliding window to offside side-access door (£335)			980.00	1176.00
Rear access: <i>Rear solid doors:</i> • Twin rear doors • 90°/180° opening		•		
Twin rear doors • 270° opening Not available on L1 models.	Option code: 7U4	0	285.00	
Rear glazed doors: • Glazed rear doors • 90°/180° opening - Standard on Combi / Minibus / Trabus.	Option code: J1X	0	110.00	
Glazed rear doors • 270° opening – Not available on L1 models.	Option code: J1T	0	385.00	
Heated rear windows Only available with glazed rear doors.	Option code: C49	0	110.00	132.00

• = Standard equipment. O = Optional at extra cost. **A** = Please refer to ordering guide.

GLAZED PACK – PANEL VAN			Price (£) exc. VAT	Total (£) inc. VAT
• Fixed window to standard nearside side-access door • Fixed window to opposite offside body panel • Rear glazed doors • Rear glazed side panels - Panel Van only. Standard on Combi / Minibus / Trabus models.	Option code: A10	0	430.00	
LOAD RESTRAINT – PANEL VAN				
Load anchorage/net: • Fixed floor-mounted load restraint lashing eyes (L1 models x 6, L2/L3 models x 8, L4 models x 10) • Nearside/offside rear door column load restraint lashing eyes		•		
Fixed side-mounted anchorage points (x 8) – Not available with grab handle options.	Option code: ANY	0	85.00	
Load protection net (L2/L3 models only) Not available on RWD HD 4500 HD models / with floor and roof fixing rail.	Option code: XBEC	0	570.00	
Load fixing rails: Floor/roof fixing rails (FWD L2 H2/L3 H2 models only): • Two parallel roof rails • Two parallel floor rails • Anti-slip wooden floor - Not available with resin-coated load floor / load protection net.	Option code: XBDB	L2 O L3 O	1005.00 1185.00	
Floor fixing rails (FWD L2/L3 models only): • Two parallel floor rails • Anti-slip wooden floor - Not available with resin-coated load floor / load protection net.	Option code: XBCE	L2 O L3 O	795.00 970.00	
Dual side fixing rails – dual height (FWD L2/L3 models only): • Two nearside parallel side rails • Two parallel offside side rails • Plastic infill protective load lining panels - Not available with half or full-height load lining trim / Glazing Pack.	Option code: XBCO	L2 O L3 O	880.00 1100.00	
Side fixing rails – mid height (FWD L2/L3 models only): • Single nearside side rail. • Single offside side rail. • Not available with half or full-height load lining trim / Glazing Pack.	Option code: XBBA	L2 O L3 O	750.00 925.00	
Adjustable securing lashing eyes for use with fixing rails	Option code: XBCI	0	55.00	
Ratcheted strap for use with fixing rails	Option code: XBDX	0	50.00	
Telescopic blocking bars – Only available with floor or side fixing rails.	Option code: XBDT	0	205.00	
Adjustable partition wall – Only available with floor and roof fixing rails.	Option code: XBDI	0	1205.00	

LOAD PROTECTION - PANEL VAN			Price (£) exc. VAT	Total (£) inc. VAT
Load lining:		L1/L2 O	170.00	
Half-height plywood load lining panels		L3 🔿	190.00	
	Option code: N18	L4 🔿	210.00	
Full-height plywood load lining Plywood wheel arch protection		L1/L2 🔿	450.00	
- Not available with glazed side-access door(s) / Only available with resin-coated plywood load floor covering.	Option code: N20	L3/L4 O	570.00	
Resin-coated plywood load floor covering		L1/L2 🔿	330.00	
	Option code: B68	L3/L4 🔿	370.00	

ADDITIONAL LOAD AREA FEATURES – PANEL VAN / DOUBLECAB

Two grab handles (side-access and rear doors) – Panel Van only. Not available with side-mounted anchorage points.	Option code: XBBG	0	75.00
	Option code: XBEJ	0	100.00
Illuminated load area			
LED illuminated load area	Option code: XBHN	0	95.00
Glazed load area roof panel – Not available on H3 models.	Option code: 0C6	0	260.00
Two glazed load area roof panels – L2 H2, L3 H2 and L4 H2 Panel Van models.	Option code: 0C7	0	510.00

EXTERIOR CONVENIENCE / STYLING		Price (£) exc. VAT	
Exterior features:			
Integral steps in front bumper Laminated windscreen Body side-protection mouldings			
Front and rear mudflaps	Option code: Q8H	O 60.00	72.00
 Rear bumper with integral step Standard on RWD / RWD HD Panel Van / Doublecab models. Optional on FWD Panel Van / Doublecab / Combi models. 	Option code: VF6	O 260.00	312.00
Windows:			
Electrically operated front windows			
Door mirrors:			
Foldable electrically adjustable/heated door mirrors Wide-angle mirror on driver's side Integrated side-repeat indicators			
Extendable door mirrors (Chassis, Crew and Platform Cab):		0 85.00	
Long arm exterior mirrors – Long arm exterior mirrors should be applied to any vehicle with an overall width of 2.17 to 2.35 metres	Option code: DBE	85.00	
Paint finish:			
Special paint		O Ate	xtra cost
– Restrictions apply, please consult your Retailer for details.			

EXTERIOR LIGHTING

Sta	nda	rd l	liah	ting:

Standard lighting:				
• Lights-on audible warning • Manual headlight beam levelling • Twin reversing lights • Hazard warning lights • Rear fog lights • Centre rear brake light				
(excluding Chassis / Crew / Platform Cab models or derivatives) • Side-repeater in exterior mirrors				
Front fog lights – standard on 4500 / Minibus / Trabus models. Option	n code: T3U	0	105.00	126.00
Lighting Pack:				
Static cornering lights Front fog lights Automatic lighting control Rain-sensitive windscreen wipers Door-to-door illumination		0	255.00	306.00
– Standard on 4500 / Minibus / Trabus models. Option	n code: HME			
- Standard aguinment - O - Optional at outra cost				

MOVANO OPTIONS

EXTERIOR COLOU	RS			Price (£) exc. VAT	Total (£) inc. VAT
	Arctic White (11U) • Solid paint	Signal Blue (GKX) • Solid paint			
	Mandarin Orange (99U) • Solid paint	North Sea Blue (24U) • Solid paint	•		
	Saffron Yellow (98U) • Solid paint	Ink Blue (23U) • Solid paint			
	Poppy Red (74U) • Brilliant paint		0	320.00	384.00
	Halo Silver (GKY) • Two-coat metallic paint	Ambient Blue (GKW) • Two-coat metallic paint	0	450.00	540.00
	Pearl Black (GUK) • Two-coat metallic paint			430.00	540.00

• = Standard equipment. • = Optional at extra cost.

The colours reproduced may vary slightly from the actual paint colour. As a result they should be used as a guide only. Your Vauxhall Retailer has a comprehensive display of our paint samples. On Cab and Conversion variants the colours illustrated apply to the vehicle cab only.

WHEELS AND TYRES			Price (£) exc. VAT	Total (£) inc. VAT
FWD 2800 / FWD 3300 models:		•		
6.5J x 16-inch steel wheels • 215/65 R 16 tyres • Full-size spare wheel • Wheel centre covers		_		
FWD 3500 models:				
• 6.5J x 16-inch steel wheels • 225/65 R 16 tyres • Full-size spare wheel • Wheel centre covers				
RWD 3500 models:				
• 7J x 16-inch steel wheels • 235/65 R 16 tyres • Full-size spare wheel • Wheel centre covers				
RWD HD 3500 / RWD HD 4500 models:				
• 5.5J x 16-inch steel wheels • 195/75 R 16 tyres • Twin rear wheels • Full-size spare wheel				
All-season tyres – Continental Vanco Four Season 2:				
FWD models: 225/65 R 16 – Not available on FWD 2800 models.		0	360.00	432.00
RWD models: 235/65 R 16			360.00	432.00
RWD HD models: 195/75 R 16	Option code: NRK			
Full-diameter wheel covers:			(0.00	72.00
– Not available on RWD HD models.	Option code: QP9	0	60.00	72.00
Tyre inflation kit in lieu of spare wheel:		NIC	N	
– Not available on RWD / RWD HD models. Standard on Minibus models.	Option code: WTC	N/C	NO-COS	t option
Φ = Standard equipment Φ = Ontional at extra cost N/C = No-cost ontion				

Standard equipment. O = Optional at extra cost. N/C = No-cost option.

TYRE RATINGS

Tyre size	Fuel efficiency	Wet grip	External noise		
	group	performance	Measured (dB)	Group	
195/75 R 16	В	В	72	((-))	
215/65 R 16	В	В	71	((-))	
225/65 R 16	B-E	B–C	70	((-))	
235/65 R 16	C–E	В	70	((f-1))	

Tyre rating according to EU Regulation 1222/2009

MECHANICAL				Price (£) exc. VAT	Total (£) inc. VAT
Transmission:					
Six-speed manual gearbox	:				
FWD models: • Transverse					
RWD / RWD HD models: •	Longitudinal engine/ge	arbox • L3/L4 models			
Tecshift six-speed transmis					
		oth the clutch and gear selection to the standard six speed transmission.			
	cshift automatically ope	rates the clutch, meaning that there is no clutch pedal and the vehicle can be driven by an 'automatic-only' driving			
licence holder.	T		0	See prid	e pages
		ear selection, leaving the driver with two gear-shifting options – automatic or manual. verse gear and Tecshift does everything else, just like an automatic gearbox.			
		ntially by pushing the lever forward (higher gear) or pulling it backwards (lower gear). A 'kickdown' function –			
going through two or more					
Steering:			+		
 Power-assisted rack and p 	ninion system • Turns I	ock-to-lock 37			
Turning circles:	Kerb-to-kerb	Wall-to-wall			
FWD L1	12.0m (39.3ft.)	12.5m (41.0ft.)			
FWD/RWD/RWD HD L2		14.1m (46.2ft.)			
FWD L3	15.7m (51.5ft.)	16.2m (53.1ft.)			
RWD / RWD HD L3	13.6m (44.6ft.)	14.1m (46.2ft.)			
RWD/RWD HD L4	15.7m (51.5ft.)	16.2m (53.1ft.)			
Brakes:				-	
Front ventilated disc brake	5:				
• FWD / RWD / RWD HD: 3					
Rear disc brakes:					
• FWD / RWD: 305mm x 12	mm • RWD HD: 305n	nm x 18mm			
Power take-off (manual models	only):				
 Engine driven power take- 				1(0.00	102.00
– Single turbo FWD. Not ava	ilable on Minibus / Trat	ous or with air conditioning / electronic climate control options.	0	160.00	192.00
– BiTurbo FWD and all RWD). Only available with ai	r conditioning / electronic climate control options. Option code: V66			
 Gearbox-driven power tak 	æ-off				
– RWD / RWD HD models o	· ·		0	460.00	
– Not available with increase	<u> </u>	Option code: M1F			
 Increased engine idle spee 			0	60.00	
– Not available with 110PS	Start/Stop engines.	Option code: UF3		00.00	
Fuel tank:			•		
• 80 litres (17.6 gallons) cap					
• 105 litres (23.1 gallons) ca			0	110.00	132.00
– Not available on Core Con	versions (excluding L3 l	Box) / Minibus models. Option code: NH7	<u> </u>		
AdBlue tank:					
• 22 litres (4.8 gallons) capa					
= Standard equipment $ O = Or$	ntional at extra cost				

MECHANICAL			Price (£) exc. VAT	Total (£) inc. VAT
Towing: • Tow bar with 13-pin electrics (does not suit trailers with LED lights) • Trailer stability programme – Unless specific exemptions apply, vehicles operated with a trailer, where the combined weight of the vehicle, trailer and payload exceeds 3500kg, require a digital tachograph. For trailers with LED lights use genuine Vauxhall Accessory tow bars which also include trailer stability programme.	Option code: VR2 / VTO	0	385.00	462.00
• 95Ah maintenance-free battery (105Ah on Tecshift models) • 185A alternator		•		
Second battery Not available with single passenger seat options / Air-suspended driver's seat / Trabus models.	Option code: OBC	0	485.00	582.00
CANbus interface: Allows the vehicle's electrical systems to integrate with additional equipment. – Standard on RWD HD 4500 models. – Not available on Combi models when front and rear air conditioning is specified or Minibus / Trabus models.	Option code: KC6	0	135.00	162.00
Six-pin electrical connector for conversions: - Standard on Dropside / Tipper. Not available on Combi models when front and rear air conditioning is specified or Minibus / Trabus models.	Option code: KPD	0	60.00	72.00
Front suspension: • MacPherson type • Independent double wishbones • Coil springs • Telescopic dampers		•		
Rear suspension: • Tubular axle • Telescopic dampers • Variable rate leaf springs FWD models: • Single leaf springs • Single rear wheels RWD models: • Double leaf springs • Single rear wheels RWD HD models: • Triple leaf springs • Twin rear wheels		•		
Pneumatic rear suspension: - Only available with six-pin connector and CANbus. - Only available on FWD 3300 / FWD 3500 L2/L3 models. - Not available on Combi / Minibus / Trabus.	Option code: F47	0	2010.00	
 Construction Pack (RWD models only): Air-suspended driver's seat with armrest Automatic locking rear differential Tow bar with 13-pin electrics (does not suit trailers with LED lights) Trailer stability programme – Not available on Tipper / Box Van. For trailers with LED lights use genuine Vauxhall Accessory tow bars which also include trailer stability programme. 	Option code: HMG	•	960.00	
Body Conversion Pack A (Chassis and Platform Cab): • Extended wiring loom • Six-pin connector for conversions • 16-pin connector for cab-based conversions	Option code: XZCM	0	95.00	
Body Conversion Pack B (Crew Cab): • Extended wiring loom • Six-pin connector for conversions	Option code: XZCN	0	60.00	
Automatic locking rear differential (RWD models only)	Option code: G94	0	510.00	

ADDITIONAL FEATURES – TIPPER			Price (£) exc. VAT	Total (£) inc. VAT
Tipper assembly: • Five-stage chrome-plated underfloor ram • Sliding and internal self-lubricating components made of reinforced nylon and Teflon • Anti-vibration Teflon plates on a secondary frame Tipper deck: • Steel platform, powder coated in dark grey • Integrated cabin protection, ladder rack and side under-run protection • 400mm anodised aluminium removable side and rear alloy panels with recessed hinges				
 Top and bottom hinged rear panel Recessed side and tailboard operating levers Removable rear posts Galvanised fixing bolts Automatically releasing rear panel during the rear tipping phase Frame and cross-members in edged galvanised sheet Electrics: Audible warning during operation Fused power supply with isolator switch Electro/hydraulic power pack Side lights where required Remote control on wander-lead located behind driver's seat 		•		
 Exterior: Additional half-height tool box on L3 Chassis Cab Tipper models (2100 x 650 x 750mm) Rear mudflaps Load restraint: Eight integrated load lashing points conforming to DIN 75410 standards 				
Rear light protection grilles	Option code: SCW	0	160.00	

ADDITIONAL FEATURES – DROPSIDE

Exterior: • Plywood load floor with non-slip resin surface coating • Integrated cabin protection, ladder rack and side under-run protection • 400mm anodised aluminium removable side and rear alloy panels with recessed hinges • Removable rear posts • Integrated load lashing rings conforming to DIN 75410 standards • Rear mudguards • Galvanised fixing bolts • Side lights where required • Frame and cross-members in edged galvanised sheet	•	
Removable rear ladder rack and tool box Option code: K2Z	0	400.00

ADDITIONAL FEATURES – BOX VAN

Interior / exterior:

 Polyester lightweight box with smooth external appearance Aluminium frame Long arm exterior mirrors Side under-run protection 18mm plywood covered anti-slip floor Twin rear 270° opening aluminium doors Folding rear step fitted to offside 		•	
Wind deflector	Option code: G7M	0	485.00
Luton head	Option code: Z1D	0	600.00
Rear roller shutter door	Option code: D5W	0	605.00
Retractable rear step – Optional on L3 Box Van.	Option code: VF6	0	260.00

ADDITIONAL FEATURES – COMBI		Price (£) exc. VAT	Total (£) inc. VAT
Safety: • ISOFIX child seat fixings: 1x front row, 2x second row • Tyre pressure monitoring system Interior: • Dual front passengers' bench seat • Three passenger second-row bench seat • Pulse cloth seat trim • Full-length soft-trimmed headlining • Full-height interior side mouldings • Load restraint lashing eyes Exterior: • Nearside sliding side-access door • Glazed side windows and rear doors (90°/180° opening) • Full-size, underfloor mounted, spare wheel	•		
Dual front passengers' multi-function office bench seat Option code: ASY	0	210.00	252.00
Air conditioning front and rear Option code: CJ5	0	2210.00	2652.00
Sliding windows in nearside sliding access door and opposite panel		670.00	804.00


ADDITIONAL FEATURES – MINIBUS


Safety:				
• Lane departure warning • Digital tachograph • Speed limiter (62mph) • M1 Type Approval standard for all rear seatbelt anchorages				
Interior:				
Dual front passengers' multi-function office bench seat • 14-individual rear passenger seats in staggered layout				
• Pulse cloth seat trim • Raised seating with illuminated gangway • Slip-resistant floor covering • Individual saloon lighting				
Full-length soft-trimmed headlining Full-height interior side mouldings				
Exterior:				
High beam headlight assist • Front fog lights • Electrically operated sidestep • Nearside sliding side-access door				
• Glazed side windows and rear doors (90°/180° opening) • Tyre inflation kit in lieu of spare wheel				
Rear reversing lens	Option code: D31	0	60.00	72.00
Air conditioning front and rear	Option code: CJ5	0	2210.00	2652.00
Additional rear compartment heating	Option code: C46	0	2010.00	2412.00
Additional rear compartment air conditioning and heating	Option code: CAW	0	4210.00	5052.00
Floor-mounted seat fixing rails and removable seats - Last two rows of seats	Option code: ATW	0	410.00	492.00
Window blinds	Option code: DED	0	910.00	1092.00
Top opening rear side windows	Option code: AD5	0	1510.00	1812.00

• = Standard equipment. O = Optional at extra cost. A = Please refer to ordering guide.


Approved by Vauxhall for the UK Market

- All Approved Conversions are approved by Vauxhall Engineering
- These Conversions will be managed as approved 'Options' and can only be ordered via the M.S.I.T. Special Build Programme (specialbuild@gm.com)
- Warranty of Base Vehicle remains the responsibility of Vauxhall
- Warranty and Servicing of Conversion remains the responsibility of the Converter
- All Approved Conversions are supplied with EC WVTA (European Community Whole Vehicle Type Approval) from long-standing conversion partners







4WD CONVERSION



LIGHTWEIGHT TIPPER

LUTON BOX VAN







exc. VAT

14500.00

4WD CONVERSION BY OBERAIGNER

Type approved numbers: EC WVTA: e11*2007/46*1191*00

- Available on: RWD/RWD HD Panel Van, Doublecab, Tipper, Dropside, Chassis or Crew Cab
- Switchable All-Wheel Drive (AWD) for use under poor road conditions and off-road driving
- Additional weight kept to a minimum by use of lightweight components
- Minimal vehicle lift due to compact AWD system
- Switchable 1:1.42 gearing ratio (Terrain gear) with facia-mounted control panel for AWD system

Requires Automatic locking rear differential factory options. AWD drivetrain warranty is limited to 2 years/75,000 miles.

With over 20 years' experience in the design and production of 4X4 conversions, the Oberaigner Group is one of the leading suppliers of off-road vehicles in this sector of the Commercial Vehicle market.

Oberaigner Automotive GmbH Email: cs@oberaigner.com Website: www.oberaigner.com Tel: +49 38454 3290-280

For further information please use the following website link:

4WD CONVERSION BY OBERAIGNER



exc. VAT

4530.00

LIGHTWEIGHT TIPPER BY VFS Type approved numbers: EC WVTA: e11*2007/46*1022*00

- Available on: L2 H1 Chassis Cab or L3 H1 Crew Cab
- Lightweight, high-strength steel design optimised for UK
- Increased payload and lowered deck height compared to ex-Factory conversion
- Powder-coated and wax injected steel box section construction
- Steel platform, powder coated in dark grey
- Crew cab also available as utility cab for additional security

Recognised options*:

Tow bar	425.00
Beacon Pack	150.00
Chevron Pack	250.00
Worklamp Pack	250.00
Utility Cab	1840.00
Lightweight galvanised mesh cage (1.35m high)	2135.00
Lightweight galvanised mesh cage (2.0m high)	2650.00

Tail lift warranty is limited to 12 months.


* = Further options may be available. Please consult the Converter for further information.


VFS is a wholly owned subsidiary of Scattolini SpA.

VFS (Southampton) Limited
Email: sales@vfs.co.uk
Website: www.vfs.co.uk
Tel: 02380 613612

For further information please use the following website link:

LIGHTWEIGHT TIPPER BY VFS





LOW FLOOR LUTON VAN 'KNEEHI' BY TRUCKSMITH

RANGE GLOSSARY OF TERMS

PLATED WEIGHT

The maximum weight to which a vehicle or an axle may be loaded, determined either by the design of the components or by legislation. All commercial vehicles must carry a manufacturer's 'plate' showing the vehicle and axle gross 'plated weights'. It is an offence to drive a vehicle in a condition where any of these weights are exceeded.

MINIMUM MASS

Minimum Mass ('Mass in running order' on Certificate of Conformity and 'Mass in Service' on V5C form) is defined according to European Type Approval and include all fluids, tools, 90% fuel load and driver (75kg). It is minimum mass for this variant and does not consider local specification/trim or deletable options (specific to Movano). Weights are also subject to manufacturing tolerances (EU Legislation allows 5% tolerance).

GROSS VEHICLE WEIGHT (GVW)

The total permissible weight of a vehicle including payload and passengers, as shown on the manufacturer's plate.

GROSS COMBINATION WEIGHT (GCW)

The maximum permissible weight of a vehicle, including payload and passengers, combined with the total weight of any trailer it is towing. The maximum GCW weight limit is quoted on the vehicle plate and must not be exceeded.

PAYLOAD

The total permissible weight that can be carried without exceeding the vehicle's plated weight. Payload do not include driver but do take into consideration specification/trim level:

- For Combo included are UK specification (Panel Van 15kg; Crew Van 25kg) and also trim (Sportive L1 Panel Van 45kg; Sportive L2 Panel Van 30kg; Sportive Crew Van 20kg; Glazed Crew Van 40kg)
- For Vivaro included are UK specification (15kg) and trim (Sportive Panel Van 30kg: Sportive Doublecab 40kg: Limited Edition NAV Panel Van 45kg and Limited Edition NAV Doublecab 55kg)
- For Movano included are UK specification (10kg) and deletable options such as Bulkhead (25kg): Sliding Doors (30kg each) and Spare Wheel (25kg)

Weights are also subject to manufacturing tolerances (EU Legislation allows 5% tolerance). Payload does not consider any additional options that a customer may order.

ROOF LOADS

- Corsavan roof load should not exceed 75kg including the weight of the roof rack/carrier
- Combo roof load should not exceed 100kg on H1 models including the weight of the roof rack/carrier.
 H2 are not permitted to carry roof loads
- Vivaro roof load should not exceed 200kg (150kg on H2 models) including the weight of the roof rack/ carrier
- Movano roof load should not exceed 200kg (150kg on H1 models) including the weight of the roof rack/ carrier. H3 are not permitted to carry roof loads

MAXIMUM TOWING WEIGHT

The maximum weight of any trailer and its load which may be towed within the limit of the vehicle's plated Gross Combination Weight (GCW). It is based on the ability of the vehicle – at full GCW – to restart on a 12% gradient, which is approximately 1 in 8.3, at sea level. At altitudes above 1500 metres, the engine output may drop with a corresponding reduction in towing capability. It is the operator's responsibility to ensure that the trailer noseweight does not cause the rear axle plated weight of the towing vehicle to be exceeded.

Always fit Vauxhall towing attachments and accessories available from your Vauxhall Commercial Vehicle retailer. They are designed specifically for Vauxhall models and carry a 12–month warranty.

LIGHT DUTY AND HEAVY DUTY CYCLES

For a Light Duty cycle (EC regulation 715/2007 with designation 'Euro 6') the emissions of the whole vehicle are evaluated whereas for Heavy Duty cycle (EC regulation 595/2009 with designation 'Euro VI') only the engine is bench tested. The requirement of which cycle is necessary is determined by the reference mass of the vehicle. In the case of Vivaro, reference mass calculations dictate that:

 N1 FWD and M1 FWD are approved as Light Duty
 N1 RWD, N2 RWD and M2 FWD are approved as Heavy Duty When Euro 5 was previously introduced, there was an agreement between Member States and the Commission (Reference TEC 740/2011) that, assuming there was no alteration to the emissions system itself, a multi-stage build vehicle should be covered by the base vehicle emissions approval, irrespective of whether the reference mass had changed. The Department for Transport has confirmed that this interpretation will remain in place for Euro 6/VI.

COMMERCIAL VEHICLE CATEGORIES Differences between M1/N1 and M2/ N2 (Vehicles with GVW above 3500kg)

Category M: Passenger carriers Category M1: Vehicles designed and constructed for the carriage of passengers and comprising no more than eight seats in addition to the driver's seat.

Category M2: Vehicles designed and constructed for the carriage of passengers, comprising more than eight seats in addition to the driver's seat, and having a maximum mass not exceeding 5 tonnes.

Category N: Goods vehicles

Category N1: Vehicles designed and constructed for the carriage of goods and having a maximum mass not exceeding 3.5 tonnes.

Category N2: Vehicles designed and constructed for the carriage of goods and having a maximum mass exceeding 3.5 tonnes but not exceeding 12 tonnes.

Specific differences, all M2/N2 require the following:

Speed limiter: All M2/N2 vehicles are legally required to be speed limited. M2 to 62mph and N2 to 56mph.

Driver licence: Commercial vehicles with GVW greater than 3.5 tonnes have different license requirements. For any new drivers C1 category

To illustrate this better – a F3500 L3 H1 (130PS) Vivaro Chassis Cab is type approved as Light Duty (Euro 6). Regardless of any conversion to this vehicle and even if its reference mass transgresses above the 2840kg threshold, then it is still be covered by the original Light Duty cycle emissions. One situation where this may not apply is when a vehicle changes category from N1 (Commercial) to M1 (Passenger) during the process of conversion.

is necessary. Under some circumstances (social purposes for a non-commercial body) it is possible to drive a minibus without a D1 entitlement (Minibus) however eligibility for this exemption should be confirmed with DVSA.

Driver CPC: Driver Certificate of Professional Competence mandates 35 hours of periodic training every 5 years to maintain licence (from September 2014).

Tachograph: It is a legal requirement to administer the activities of drivers subject to the EU or AETR drivers' hours rules, and also record the vehicle's speed, distance and time. A Smart Card is required for digital tachograph and these are available from the DVLA. The tachograph of a new vehicle must be calibrated within two weeks of first registration.

Operator's Licence: This may also be required to ensure that vehicles are kept safe and in good condition at all times. Specifically for M2, PSV (public service vehicle) operator's licence is required. Exemptions in some circumstances may be permitted but this should always be confirmed with DVSA.

MOT Testing: M2/N2 must be tested each year, and vehicle presented with a completed Certificate of Conformity (CoC). This is available from Vauxhall (regdata@gm.com) or from converter in case of second-stage conversion.

CUSTOMER CARE PRICING AND ADDITIONAL INFORMATION

Vauxhall on-the-road recommended retail prices (RRP)

To eliminate uncertainty about hidden costs incurred when buying a new commercial vehicle, Vauxhall publishes on-the-road prices and these are shown in the pricing tables within this price guide. The prices shown are manufacturer's recommended retail prices (RRP) unless otherwise stated, exclusive of VAT (currently at a rate of 20% which may be payable). These prices include the recommended cost of number plates, delivery to a Vauxhall Retailer of £583.33 (£700.00 including VAT), 12 months' Government Vehicle Excise Duty* and the DVLA new vehicle first registration fee of £55.00*.

Please note: The RRP does not include fuel supplied by the Retailer, motor insurance or any other goods or services supplied by agreement between the Retailer and customer.

Price protection for all Vauxhalls

Order a new Vauxhall for build in the current model year (as confirmed by your Retailer) for delivery no more than three months in advance and the price you are quoted is the price you pay. This is irrespective of any subsequent price rises between placing your order and delivery of your new commercial vehicle, but you must take delivery as soon as the commercial vehicle is available. Vauxhall Motors Limited is not liable for price adjustments caused by Government changes in the rate of VAT (currently 20%), Vehicle Excise Duty, DVLA new vehicle first registration fee or by any other applicable legislation or regulations.

Vehicle Excise Duty

The amount of Vehicle Excise Duty (road fund licence) payable on new commercial vehicles varies depending on gross vehicle weight (GVW) and European standard emissions compliance, as shown below*.

Up to 3500kg GVW	£240.00
Over 3500kg GVW	£165.00

*Correct at time of publication.

In the event of an accident...

Vauxhall Accident Management helps keep you mobile following an accident. Benefits include vehicle recovery. Vauxhall-approved repairs and contacting your insurer. For more details, visit vauxhall.co.uk/AccidentManagement

Customer Care Commitment

For added peace of mind, Vauxhall has an innovative Customer Care Commitment** that offers the following:

- Three-year vehicle warranty consisting of a one-year/unlimited mileage manufacturer's warranty and a second and third year manufacturer's warranty with a 60,000 miles (Corsavan and Combo) and 100,000 miles (Vivaro and Movano) limitation
- Vauxhall Assistance for 12 months from first registration
- Six years' body panel anti-perforation warranty
 ** Warranty is only on vehicles sourced from Vauxhall Motors Limited. Terms and conditions apply – please see your Vauxhall Retailer for details.

Vauxhall Assistance

Vauxhall Assistance is provided automatically with every new Vauxhall Commercial Vehicle for 12 months from first registration and covers everything from accidents, mechanical breakdown to flat tyres. With Vauxhall Assistance help is literally just a free[†] phone call away, 24 hours a day, 365 days a year!

[†] Mobile phone users will be charged at their standard tariff.

Vauxhall Extended Warranty

For complete peace of mind Vauxhall offers an extended warranty that can be purchased on an annual basis following the expiry of the original new vehicle warranty. It covers most mechanical and electrical components. Terms and conditions apply, for further details please contact your local Vauxhall Retailer.

Protecting the environment

Our products are increasingly winning environmental awards, both through the use of more recycled materials and by becoming cleaner and more efficient. For information on Vauxhall's efforts to achieve an environmentally sustainable future, including information on Design for Recycling, take-back of End-of-Life Vehicles (ELVs), and the recycling of ELVs, see www.vauxhall.co.uk/recycling

Vauxhall Service Plan

Vauxhall Retailers offer a great service for owners of all Vauxhall vehicles. Value for money, regular offers and free check-ups, combined with the peace of mind that comes from using Vauxhall-trained technicians and genuine parts, help keep your vehicle in peak condition at all times. Every Vauxhall Retailer supports our customer promise:

We are Vauxhall experts

- Fully Vauxhall-trained technicians
- We use Vauxhall approved diagnostic equipment and specialist tools
- Full access to Vauxhall repair databases and technical centres

We are transparent

• Our invoicing will clearly set out the work at the price agreed with no hidden extras

We are never beaten on price

 We will match any written like for like service/ repair quote from a local⁺⁺ competitor using genuine repair methods and parts

We are convenient

- Flexible booking times to suit you
- 'One-stop shop' for every type of Vauxhall service
- While you wait facility on stocked tyres, batteries and exhausts
- Free courtesy vehicle or local collection with annual services and warranty work

We are thorough

- 25 point safety check with any workshop visit
- No obligation advice on essential and nonessential work
- Free check for safety enhancements and upgrades to your vehicle and software
- Free 'Wash and Vac' with every annual service
- Free fitting of wipers and external bulbs with annual services

tt A radius of five miles/20 minutes from your Vauxhall Retailer.

Premier Van Centres

To maximise mobility and minimise downtime, our dedicated network of over 100 Premier Van Centres is increasing its emphasis on faster turnaround and fewer vehicle days spent off-road. We're your commercial vehicle 'one-stop shop' with all the specialised equipment, tools and training to support your aftersales needs, using only genuine parts fitted by Vauxhall-trained technicians. What's more, we promise convenience, expertise and value:

- Drop in for a diagnosis, no appointment necessary
- While-you-wait repairs where the parts are on-site
- A 25-point vehicle safety check with every workshop visit
- Access to Class 7 MOT facilities
- Onward mobility and a dedicated Premier Van Helpline – call 0800 026 0034

CORSAVAN SPECIFICATIONS

ENGINES


	1.2i (70PS)	1.3CDTi (75PS) Start/Stop	1.3CDTi (95PS) Start/Stop ecoFLEX	1.3CDTi (95PS) Start/Stop		
Fuel type	Petrol	Diesel	Diesel	Diesel		
Capacity	1229cc	1248cc	1248cc	1248cc		
Maximum power	70PS (51kW) @ 5600rpm	75PS (55kW) @ 3750rpm	95PS (70kW) @ 3750rpm	95PS (70kW) @ 3750rpm		
Maximum torque	115Nm (85 lb.ft.) @ 4000rpm	190Nm (140 lb.ft.) @ 1500-2500rpm	190Nm (140 lb.ft.) @ 1500-3500rpm	210Nm (155 lb.ft.) @ 1500-3000rpm		
Configuration		4 cylinders, 4 valves per cylinder, double overhead camshafts				
Fuel/induction system	Naturally aspirated with Variable Valve Timing. Multi-point sequential fuel injection	Turbocharger with intercooler. Common rail fuel injection	Variable geometry turbocharger with intercooler. Common rail fuel injection			
Emission compliance	Euro 6	Euro 6 with Diesel Particulate Filter				
Service interval		20,000 miles or 1-year (whichever occurs sooner)				


PLATED WEIGHTS AND TOWING DATA KG - CAR-DERIVED VAN

Model		Gross Vehicle	Plated weights		Towing weights		Plated Gross Combination
		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
Corsavan	1.2i	1605	815	820	950	540	2555
	1.3CDTi	1695	905	820	1200	580	2895
	1.3CDTi ecoFLEX	1695	905	820	1250	580	2945
	1.3CDTi Sportive	1720	930	820	1250	600	2970
	1.3CDTi ecoFLEX Easytronic	1705	915	820	1250	580	2955

Gross plated weights (including axle weights) quoted on the vehicle plate are to UK plated weight specification and must never be exceeded. For further information please see Glossary of Terms.

CORSAVAN





excluding door mirrors 1944 (76.5) _____ including door mirrors

LOADSPACE DIMENSIONS MM (INCHES)						
Maximum length	1257 (49.5)					
Maximum width	1264 (49.8)					
Width between wheel arches	969 (38.1)					
Maximum height	921 (36.2)					
LOADSPACE ACCESS MM (INCHES)						
Aperture height	650 (25.6)					
Aperture width (at floor)	771 (30.3)					
Loading height (unladen)	532 (20.9)					
LOADSPACE VOLUMES CU.M (CU.FT.)						
All models – ECIE method	0.92 (32.5)					


Commercial Vehicle Range Price Guide

COMBO SPECIFICATIONS

ENGINES

	1.4i 95PS with Start/Stop	1.3CDTi 95PS with or without Start/Stop	1.6CDTi 105PS with or without Start/Stop			
Capacity	1368cc	1248cc	1598cc			
Maximum power	95PS (70kW) @ 6000rpm	95PS (70kW) @ 3500 – 3750 rpm	105PS (77kW) @ 3500rpm			
Maximum torque	127Nm (94 lb.ft.) @ 4500rpm	200Nm (148 lb.ft.) @ 1500rpm	300Nm (221 lb.ft.) @ 1750 – 2000rpm			
Configuration	4 cylin	4 cylinders, 4 valves per cylinder, double overhead camshafts				
Fuel/induction system	Multi-point fuel injection	Multi-point fuel injection Variable geometry turbocharger with intercooler. Common rail fuel injection				
Emission compliance		Euro 6				
Service interval	18,000 miles or two years (whichever occurs sooner)	ner) 20.000 miles or two years (whichever occurs sooner)				

COMBO PANEL VAN SPECIFICATIONS



Heights shown unladen.

	L1	L2
Maximum length	1820 (71.7)	2170 (85.4)
Maximum width	1714 (67.5)	1714 (67.5)
Width between wheel arches	1230 (48.4)	1230 (48.4)
Maximum height – H1	1305 (51.4)	1305 (51.4)
Maximum height – H2	1550 (61.0)	1550 (61.0)
LOADSPACE ACCESS MM (INCHES) – PANEL	VAN	
LOADSPACE ACCESS MM (INCHES) – PANEL	.VAN L1	L2
		L2 1175 (46.2)
Side door aperture height	L1	
Side door aperture height Side door aperture width	L1 1175 (46.2)	1175 (46.2)
Side door aperture height Side door aperture width Rear door aperture height – H1	L1 1175 (46.2) 700 (27.5)	1175 (46.2) 700 (27.5)
LOADSPACE ACCESS MM (INCHES) – PANEL Side door aperture height Side door aperture width Rear door aperture height – H1 Rear door aperture height – H2 Rear door aperture width	L1 1175 (46.2) 700 (27.5) 1250 (49.2)	1175 (46.2) 700 (27.5) 1250 (49.2)


PLATED WEIGHTS AND TOWING DATA KG – PANEL VAN

		Gross Vehicle	Plated weights		Towing weights		Plated Gross Combination
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
L1 H1 Panel Van	2000 1.4i	2030	1090	1140	1000	500	3030
	2000 1.3CDTi	2040	1090	1140	1000	500	3040
	2000 1.6CDTi	2098	1090	1140	1300	500	3398
	2300 1.3CDTi	2320	1090	1450	1000	500	3320
	2300 1.6CDTi	2418	1200	1450	1300	500	3500
L2 H1 Panel Van	2300 1.4i	2215	1090	1450	1000	500	3215
	2300 1.3CDTi	2385	1120	1450	1000	500	3385
	2300 1.6CDTi	2458	1200	1450	1300	500	3500
L1 H2 Panel Van	2000 1.6CDTi	2120	1090	1140	1300	500	3420
	2300 1.6CDTi	2428	1200	1450	1300	500	3500
L2 H2 Panel Van	2300 1.6CDTi	2488	1200	1450	1300	500	3500

Gross plated weights (including axle weights) quoted on the vehicle plate are to UK plated weight specification and must never be exceeded. For further information please s	ee Glossarv of Terms.

LOADSPACE VOLUMES CU.M (CU.FT.) - PANEL VAN L1 L2 H1 Panel Van 3.4 (121) 4.2 (148) H2 Panel Van 4.0 (141) 5.0 (177)

COMBO CREW VAN SPECIFICATIONS



Please note, Glazed Crew Van illustrated. Height shown unladen.

10114

LOADSPACE DIMENSIONS MM (INCHES) – CREW VAN					
L1	L2				
991 (39.0)	1341 (52.8)				
1400 (55.1)	1750 (68.9)				
1714 (67.5)	1714 (67.5)				
1230 (48.4)	1230 (48.4)				
1305 (51.4)	1305 (51.4)				
L1	L2				
1175 (46.2)	1175 (46.2)				
700 (27.5)	700 (27.5)				
1250 (49.2)	1250 (49.2)				
1231 (48.5)	1231 (48.5)				
545 (21.4)	545 (21.4)				
	L1 991 (39.0) 1400 (55.1) 1714 (67.5) 1230 (48.4) 1305 (51.4) L1 1175 (46.2) 700 (27.5) 1250 (49.2) 1231 (48.5)				

LOADSPACE VOLUMES CU.M (CU.FT.) – CREW VAN

	LTHI	LZ H1
Crew Van – with seats up (to top of seats)	0.8 (28.2)	1.0 (35.3)
Crew Van – with seats up (to roof)	1.4 (49.4)	1.9 (67.1)

PLATED WEIGHTS AND TOWING DATA KG - CREW VAN / COLORADO

		Gross Vehicle	Plated	weights	Towing weights		Plated Gross Combination Weights (GCW)
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	
L1 H1 Crew Van	2300 1.3CDTi	2234	1090	1310	1000	500	3234
	2300 1.6CDTi	2254	1090	1310	1300	500	3398
L2 H1 Crew Van	2300 1.3CDTi	2254	1120	1310	1000	500	3254
	2300 1.6CDTi	2349	1200	1310	1300	500	3500
L2 H1 Colorado	2300 1.3CDTi	2254	1120	1310	1000	500	3254

VIVARO SPECIFICATIONS


ENGINES


	1.6CDTi (95PS) BlueInjection with or without Start/Stop	1.6CDTi (120PS) BlueInjection		
Capacity	1598cc	1598cc		
Maximum power	95PS (70kW) @ 3500rpm	120PS (89kW) @ 3500rpm		
Maximum torque	260Nm (192 lb.ft.) @ 1500rpm	300Nm (221 lb.ft.) @ 1750rpm		
Configuration	4 cylinders, 4 valves per cylinder, double overhead camshafts			
Fuel/induction system	Variable geometry turbocharger with	intercooler. Common rail fuel injection		
Emission compliance	Euro 6			
Service interval	25,000 miles or two-years	25,000 miles or two-years (whichever occurs sooner)		


	1.6CDTi BiTurbo (125PS) BlueInjection Start/Stop	1.6CDTi BiTurbo (145PS) BlueInjection Start/Stop
Capacity	1598cc	1598сс
Maximum power	125PS (92kW) @ 3500rpm	145PS (107kW) @ 3500rpm
Maximum torque	320Nm (236 lb.ft.) @ 1500rpm	340Nm (251 lb.ft.) @ 1750rpm
Configuration	4 cylinders, 4 valves per cylind	ler, double overhead camshafts
Fuel/induction system	Twin variable geometry turbochargers wi	ith intercoolers. Common rail fuel injection
Emission compliance	Eu	ro 6
Service interval	25,000 miles or two-years	s (whichever occurs sooner)

* = Please note: Vehicles with BlueInjection technology will need regular AdBlue[®] top-ups also between servicing requirements. An indicator integrated into the onboard computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

VIVARO PANEL VAN SPECIFICATIONS







Heights shown unladen

LOADSPACE DIMENSIONS MM (INCHES) - PANEL VA	N	
	L1	L2
Maximum length at load floor	2537 (99.9)	2937 (115.6)
Maximum length with load-through facility maximum length to seat – <i>Approximate</i> .	2967 (116.8)	3367 (132.5)
Maximum length with load-through facility maximum length to front footwell – <i>Approximate</i> .	3750 (147.6)	4150 (163.4)
Maximum width	1662 (65.5)	1662 (65.5)
Width between wheel arches	1268 (49.9)	1268 (49.9)
Maximum height - H1	1387 (54.6)	1387 (54.6)
Maximum height - H2	1898 (74.7)	1898 (74.7)
LOADSPACE ACCESS MM (INCHES) – PANEL VAN		
	L1	L2
Side door aperture height	1284 (50.5)	1284 (50.5)
Side door aperture width	1030 (40.5)	1030 (40.5)
Rear door aperture height – H1	1320 (52.0)	1320 (52.0)
Rear door aperture height – H2	1820 (71.6)	1820 (71.6)
Rear door aperture width	1391 (54.8)	1391 (54.8)
Loading height (unladen)	552 (21.7)	552 (21.7)

PLATED WEIGHTS AND TOWING DATA KG - PANEL VAN

		Gross Vehicle	Plated	weights	Towing	weights	Plated Gross Combination
Model			Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
L1 H1/H2 Panel Van	2700	2800	1585	1650	2000	750	4800
	2700 BiTurbo	2820	1585	1650	2000	750	4820
	2900	2960	1585	1650	2000	750	4960
	2900 BiTurbo	2980	1585	1650	2000	750	4980
L2 H1 Panel Van	2900	3030	1585	1650	2000	750	5030
	2900 BiTurbo	3040	1585	1650	2000	750	5040
L2 H2 Panel Van	2900 BiTurbo	3070	1585	1650	2000	750	5070


LOADSPACE VOLUMES CU.M (CU.FT.) – PANEL VAN					
	L1	L2			
H1 Panel Van	5.2 (183.6)	6.0 (211.9)			
H2 Panel Van	7.2 (254.3)	8.6 (303.7)			


Maximu LOAD

Side do Side do Rear do Rear do Loading LOAD

Doubled

VIVARO DOUBLECAB SPECIFICATIONS






1.1

Height shown unladen


SPACE DIMENSIONS MM (INCHES) - DOUBLEC	АВ		
	L1	L2	
um length at load floor	2023 (79.6)	2423 (95.4)	
um length behind rear seats	1340 (42.7)	1740 (68.5)	
um width	1662 (65.5)	1662 (65.5)	¢
between wheel arches	1268 (49.9)	1268 (49.9)	
um height	1387 (54.6)	1387 (54.6)	
SPACE ACCESS MM (INCHES) – DOUBLECAB			
	L1	L2	
por aperture height	1284 (50.5)	1284 (50.5)	L2
oor aperture width	1030 (40.5)	1030 (40.5)	
oor aperture height	1320 (52.0)	1320 (52.0)	
oor aperture width	1391 (54.8)	1391 (54.8)	
g height (unladen)	552 (21.7)	552 (21.7)	0
SPACE VOLUMES CU.M (CU.FT.) – DOUBLECAB			
	L1	L2	
cab	3.2 (113.0)	4.0 (141.3)	





PLATED WEIGHTS AND TOWING DATA KG - DOUBLECAB

		Gross Vehicle	Plated	weights	Towing	weights	Plated Gross Combination
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
L1 H1 Doublecab	2900	2834	1585	1650	2000	750	4834
	2900 BiTurbo	2844	1585	1650	2000	750	4844
L2 H1 Doublecab	2900	2940	1585	1650	2000	750	4940
	2900 BiTurbo	2950	1585	1650	2000	750	4950

VIVARO COMBI SPECIFICATIONS









LOADSPACE DIMENSIONS MM (INCHES) - COMBI

L1	L2
736 (30.0)	1136 (44.7)
1662 (65.5)	1662 (65.5)
1268 (49.9)	1268 (49.9)
1369 (53.9)	1369 (53.9)
L1	L2
1284 (50.5)	1284 (50.5)
1030 (40.5)	1030 (40.5)
1320 (52.0)	1320 (52.0)
1391 (54.8)	1391 (54.8)
552 (21.7)	552 (21.7)
L1	L2
1.0 (35.3)	1.8 (63.6)
2.1 (74.2)	2.9 (102.4)
3.2 (113.0)	4.0 (141.3)
	736 (30.0) 1662 (65.5) 1268 (49.9) 1369 (53.9) L1 1284 (50.5) 1030 (40.5) 1320 (52.0) 1391 (54.8) 552 (21.7) L1 1.0 (35.3) 2.1 (74.2)






PLATED WEIGHTS AND TOWING DATA KG - COMBI

		Gross Vehicle	Plated	weights	Towing	weights	Plated Gross Combination
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
L1 H1 Combi	2900	2880	1585	1650	2000	750	4880
	2900 BiTurbo	2970	1585	1650	2000	750	4970
L2 H1 Combi	2900	3010	1585	1650	2000	750	5010
	2900 BiTurbo	3020	1585	1650	2000	750	5020

VIVARO PLATFORM CAB SPECIFICATIONS



Platform cabs

Platform cabs are ideal for those conversions requiring a low floor and walk-through access from the cab. The interface panel makes for easy integration of the cab with the conversion body, while an extended-length wiring loom is available to power the rear lights or extended conversions.

All conversions must follow 'Conversion Requirements' guidelines available on: www.vauxhall.co.uk/conversiondata

PLATED WEIGHTS	AND TOWING DATA KG -	PLATFORM CAB					
		Gross Vehicle	Plated	weights	Towing	weights	Plated Gross Combination
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
L2 H1 Platform Cab	2900 BiTurbo	3030	1585	1735	2000	750	5030

MOVANO SPECIFICATIONS - Final


ENGINES


	2.3CDTi (110PS) BlueInjection	2.3CDTi (130PS) BlueInjection	2.3CDTi BiTurbo (130PS) BlueInjection	2.3CDTi BiTurbo (145PS) BlueInjection with Start/Stop
Capacity	2298cc	2298cc	2298cc	2298cc
Maximum power	110PS (81kW) @ 3500rpm	130PS (96kW) @ 3500rpm	130PS (96kW) @ 3500rpm	145PS (107kW) @ 3500rpm
Maximum torque	290Nm (214 lb.ft.) @ 1500rpm	320Nm (236 lb.ft.) @ 1500rpm	330Nm (243 lb.ft.) @ 1500rpm	360Nm (266 lb.ft.) @ 1500rpm
Configuration		4 cylinders, 4 valves per cyli	nder, double overhead camshafts	
Fuel/induction system		harger and intercooler. fuel injection	Twin variable geomet intercoolers. Comm	
Emission compliance	Euro 6	Euro 6	Euro VI	Euro 6 (FWD) / Euro VI (RWD)
Service interval		25,000 miles (20,000 miles on Minibus m	nodels) or two years (whichever occurs sooner)	


	2.3CDTi BiTurbo (163PS) BlueInjection with Start/Stop	2.3CDTi BiTurbo (170PS) BlueInjection with Start/Stop			
Capacity	2298cc	2298cc			
Maximum power	163PS (120kW) @ 3500rpm	170PS (125kW) @ 3500rpm			
Maximum torque	360Nm (266 lb.ft.) @ 1500-2750rpm	380Nm (280 lb.ft.) @ 1500rpm			
Configuration	4 cylinders, 4 valves per cylind	ler, double overhead camshafts			
Fuel/induction system		oochargers and intercoolers. I fuel injection			
Emission compliance	Euro VI	Euro 6			
Service interval	25,000 miles or two years (whichever occurs sooner)				

Vehicles with Bluelnjection technology will need regular AdBlue[®] top-ups also between servicing requirements. An indicator integrated into the on-board computer will warn you when you need to top up. More information under www.vauxhall.co.uk/blueinjection. In accordance with regulations R (EC) No. 715/2007 and R (EC) No. 692/2008 (in the versions respectively applicable).

MOVANO FWD PANEL VAN SPECIFICATIONS - Final







LOADSPACE DIMENSIONS MM (INCHES) – FWD			
	L1	L2	L3
Maximum length	2583 (101.7)	3083 (121.4)	3733 (147.0)
Maximum width	1765 (69.5)	1765 (69.5)	1765 (69.5)
Width between wheel arches	1380 (54.3)	1380 (54.3)	1380 (54.3)
Maximum height – H1	1700 (66.9)	-	-
Maximum height – H2	1894 (74.6)	1894 (74.6)	1894 (74.6)
Maximum height – H3	-	2144 (84.4)	2144 (84.4)
LOADSPACE ACCESS MM (INCHES) - FWD PANE	LVAN		
	L1	L2	L3
Side door aperture height – H1	1581 (62.2)	-	-
Side door aperture height – H1 Side door aperture height – H2/H3	1581 (62.2) 1780 (70.1)	_ 1780 (70.1)	 1780 (70.1)
		_ 1780 (70.1) 1270 (50.0)	-
Side door aperture height – H2/H3	1780 (70.1)		_ 1780 (70.1)
Side door aperture height – H2/H3 Side door aperture width	1780 (70.1) 1050 (41.3)		_ 1780 (70.1)
Side door aperture height – H2/H3 Side door aperture width Rear door aperture height – H1	1780 (70.1) 1050 (41.3) 1627 (64.0)	1270 (50.0)	_ 1780 (70.1) 1270 (50.0) _

PLATED WEIGHTS AND TOWING DATA KG - PANEL VAN

		Gross Vehicle	Plated weights		Towing weights		Plated Gross Combination	
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)	
L1 H1 Panel Van	F2800	2800	1550	1650	2500	750	5300	
	F3300	3300	1650	1900	2500	750	5800	
	F3500	3500	1850	2100	2500	750	6000	
L1 H2 Panel Van	F2800	2800	1650	1900	2500	750	5300	
	F3300	3300	1650	1900	2500	750	5800	
	F3500	3500	1850	2100	2500	750	6000	
L2 H2/H3 Panel Van	F3300	3300	1650	1900	2500	750	5800	
	F3500	3500	1850	2100	2500	750	6000	
L3 H2/H3 Panel Van	F3300	3300	1650	1900	2500	750	5800	
	F3500	3500	1850	2100	2500	750	6000	


LOADSPACE VOLUMES CU.M (CU.FT.) – FWD PANEL VAN								
	L1 H1	L1 H2	L2 H2	L2 H3	L3 H2	L3 H3		
Panel Van – Maximum	7.8 (275)	8.6 (304)	10.8 (381)	12.3 (434)	13.0 (459)	14.8 (523)		
-VDA	7.0 (247)	_	9.4 (322)	_	11.3 (399)	_		


Commercial Vehicle Range Price Guide 88

MOVANO FWD DOUBLECAB SPECIFICATIONS - Final

L2 H2

L3 H2





For exterior dimensions see FWD Panel Van.

LOADSPACE DIMENSIONS MM (INCHES) – FWD DOUBLECAB						
	L2	L3				
Maximum length at load floor	2175 (85.6)	2825 (111.2)				
Maximum length behind rear seats	1990 (78.3)	2640 (103.9)				
Maximum width	1765 (69.5)	1765 (69.5)				
Width between wheel arches	1380 (54.3)	1380 (54.3)				
Maximum height	1894 (74.6)	1894 (74.6)				
LOADSPACE ACCESS MM (INCHES) - FWD [DOUBLECAB					
	L2	L3				
Side door aperture height	1780 (70.1)	1780 (70.1)				
Side door aperture width	1270 (50.0)	1270 (50.0)				
Rear door aperture height	1820 (71.7)	1820 (71.7)				
Rear door aperture width	1577 (62.1)	1577 (62.1)				
Loading height (unladen)	562 (22.1)	557 (21.9)				

PLATED WEIGHTS AND TOWING DATA KG - DOUBLECAB


		Gross Vehicle	Plated weights		Towing weights		Plated Gross Combination
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
L2 H2/L3 H2 Doublecab	F3500	3500	1850	2100	3500	750	6000

Gross plated weights (including axle weights) quoted on the vehicle plate are to UK plated weight specification and must never be exceeded. For further information please see Glossary of Terms.

LOADSPACE VOLUMES CU.M (CU.FT.) - FWD DOUBLECAB L2 H2 L3 H2 Doublecab 6.9 (244) 9.0 (318)

MOVANO RWD DOUBLECAB SPECIFICATIONS - Provisional

L3 H2



For exterior dimensions see RWD Panel Van.

LOADSPACE DIMENSIONS MM (INCHES) - RWD DOUBLEC	AB
	L3
Maximum length at load floor	2825 (111.2)
Maximum length behind rear seats	2640 (103.9)
Maximum width	1765 (69.5)
Width between wheel arches	1380 (54.3)
Maximum height	1798 (70.8)
LOADSPACE ACCESS MM (INCHES) – RWD DOUBLECAB	
	L3
Side door aperture height	1684 (66.3)
Side door aperture width	1270 (50.0)
Rear door aperture height	1724 (67.9)
Rear door aperture width	1577 (62.1)
Loading heights (unladen)	674 (26.5) – 696 (27.4)


PLATED WEIGHTS AND TOWING DATA KG – DOUBLECAB									
		Gross Vehicle	Plated	weights	Towing	ı weights	Plated Gross Combination		
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)		
L3 H2 Doublecab	R3500	3500	1850	2300	3500	750	6000		


Gross plated weights (including axle weights) quoted on the vehicle plate are to UK plated weight specification and must never be exceeded. For further information please see Glossary of Terms.

LOADSPACE VOLUMES CU.M (CU.FT.) – RWD DOUBLECAB L3 H2

	L3 H2
Doublecab	8.4 (297)

MOVANO RWD PANEL VAN SPECIFICATIONS - Final





L3 H3

14.2 (501)

12.2 (431)

LOADSPACE VOLUMES CU.M (CU.FT.) - RWD PANEL VAN L3 H2

Panel Van – Maximum -VDA

12.4 (438)

10.9 (385)

Dimensions mm (inches). Heights shown unladen.

L4 H3

17.0 (600)

14.1 (498)

L4 H2

14.9 (526)


12.9 (456)


LOADSPACE DIMENSIONS MM (INCHES) – RWD PANEL VAN							
	L3	L4					
Maximum length	3733 (147.0)	4383 (172.6)					
Maximum width	1765 (69.5)	1765 (69.5)					
Width between wheel arches	1380 (54.3)	1380 (54.3)					
Maximum height – H2	1798 (70.8)	1798 (70.8)					
Maximum height – H3	2048 (80.6)	2048 (80.6)					
LOADSPACE ACCESS MM (INCHES) - RWD	PANEL VAN						
	L3	L4					
Side door aperture height	1684 (66.3)	1684 (66.3)					
Side door aperture width	1270 (50.0)	1270 (50.0)					
Rear door aperture height	1724 (67.9)	1724 (67.9)					
Rear door aperture width	1577 (62.1)	1577 (62.1)					
Loading heights (unladen)	696 (27.4) – 724 (28.5)	717 (28.2)					

PLATED WEIGHTS AND TOWING DATA KG - RWD PANEL VAN

		Gross Vehicle	Plated weights		Towing weights		Plated Gross Combination	
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)	
L3 H2/H3 Panel Van	R3500	3500	1850	2300	2500	750	6000	
L4 H2/H3 Panel Van	R3500	3500	1850	2300	2500	750	6000	

MOVANO RWD HD PANEL VAN SPECIFICATIONS - Final





L3 H3

14.2 (501)

12.0 (424)

LOADSPACE VOLUMES CU.M (CU.FT.) - RWD HD PANEL VAN L3 H2

12.4 (438)

10.7 (378)

Panel Van – Maximum -VDA

Dimensions mm (inches). Heights shown unladen

L4 H3

17.0 (600)

13.9 (491)

L4 H2

14.9 (526)


12.7 (448)

LOADSPACE DIMENSIONS MM (INCHES) – RWD HD PANEL VAN							
	L3	L4					
Maximum length	3733 (147.0)	4383 (172.6)					
Maximum width	1765 (69.5)	1765 (69.5)					
Width between wheel arches	1080 (42.5)	1080 (42.5)					
Maximum height – H2	1798 (70.8)	1798 (70.8)					
Maximum height – H3	2048 (80.6)	2048 (80.6)					
LOADSPACE ACCESS MM (INCHES) - R	WD HD PANEL VAN						
	L3	L4					
Side door aperture height	1684 (66.3)	1684 (66.3)					
Side door aperture width	1270 (50.0)	1270 (50.0)					
Rear door aperture height	1724 (67.9)	1724 (67.9)					
Rear door aperture width	1577 (62.1)	1577 (62.1)					
Loading heights	723 (28.4) – 724 (28.5)	717 (28.2)					


PLATED WEIGHTS AND TOWING DATA KG - RWD HD PANEL VAN

		Gross Vehicle	Plated weights		Towing weights		Plated Gross Combination
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
L3 H2/H3 Panel Van	R3500HD	3500	1850	2800	3000	750	6500
L3 H2/H3 Panel Van	R4500HD	4500	1850	3200	3000	750	7500
L4 H2/H3 Panel Van	R3500HD	3500	1850	2800	3000	750	6500
L4 H2/H3 Panel Van	R4500HD	4500	1850	3200	3000	750	7500

MOVANO TIPPER / CREW CAB TIPPER SPECIFICATIONS - Final




+ 842 (33.1)



L3 RWD HD

(53.7)

-6539 (257.4)-




L3 RWD HD

Dimensions mm (inches). Heights shown unladen.

LOADSPACE AREA DIMENSIONS MM (IN) – TIPPER				LOADSPACE AREA DIMENSIONS MM (IN) – CREW CAB TIPPER			
	L2 FWD	L2 RWD HD	L3 RWD HD		L3 FWD	L3 RWD HD	
Maximum length	3205 (126.2)	3205 (126.2)	3105 (122.2)	Maximum length	3205 (126.2)	3105 (122.2)	
Maximum width	2040 (80.3)	2040 (80.3)	2040 (80.3)	Maximum width	2040 (80.3)	2040 (80.3)	
Body side height	400 (15.7)	400 (15.7)	400 (15.7)	Body side height	400 (15.7)	400 (15.7)	
Loading height (unladen)	1090 (42.9)	1090 (42.9)	1090 (42.9)	Loading height (unladen)	1090 (42.9)	1090 (42.9)	
Load area sq.m (sq.ft.)	6.5 (69.4)	6.5 (69.4)	6.3 (68.2)	Load area sq.m (sq.ft.)	6.5 (69.4)	6.3 (68.2)	
	0.5 (07.4)	0.5 (07.4)	0.5 (00.2)		0.5 (07.4)	0.5 (00.2)	


MOVANO DROPSIDE SPECIFICATIONS - Final




332 (170 6


-6418 (252.7)

+ 842 (33.1)




L3 RWD HD





L4 RWD HD




Dimensions mm (inches). Heights shown unladen.

LOADSPACE AREA DIMENSIONS MM (IN) – DROPSIDE						
	L2 FWD	L3 FWD	L2 RWD / RWD HD	L3 RWD HD	L4 RWD HD	
Maximum length	3170 (124.8)	3900 (153.5)	3170 (124.8)	3700 (145.7)	4470 (176.0)	
Maximum width	2040 (80.3)	2040 (80.3)	2040 (80.3)	2040 (80.3)	2040 (80.3)	
Body side height	400 (15.7)	400 (15.7)	400 (15.7)	400 (15.7)	400 (15.7)	
Loading height (unladen)	1026 (40.4)	1026 (40.4)	1026 (40.4)	1026 (40.4)	1026 (40.4)	
Load area sq.m (sq.ft.)	6.5 (70.0)	7.8 (83.9)	6.5 (70.0)	7.6 (81.8)	8.9 (95.8)	

- 1244 -(49.0)

MOVANO DROPSIDE CREW CAB SPECIFICATIONS - Final


-7048 (277.5) -Dimensions mm (inches). Heights shown unladen



LOADSPACE AREA DIMENSIONS MM (IN) – DROPSIDE CREW CAB							
	L2 FWD	L3 FWD	L2 RWD	L3 RWD HD	L4 RWD HD		
Maximum length	2501 (98.5)	3170 (124.8)	2501 (98.5)	3070 (120.9)	3702 (145.7)		
Maximum width	2040 (80.3)	2040 (80.3)	2040 (80.3)	2040 (80.3)	2040 (80.3)		
Body side height	400 (15.7)	400 (15.7)	400 (15.7)	400 (15.7)	400 (15.7)		
Loading height (unladen)	1026 (40.4)	1026 (40.4)	1026 (40.4)	1026 (40.4)	1026 (40.4)		
Load area sq.m (sq.ft.)	4.9 (52.7)	6.5 (70.0)	4.9 (52.7)	6.3 (67.8)	7.6 (81.8)		

- 5749 (226.3)


MOVANO BOX VAN SPECIFICATIONS - Final



+ 842 + 4332 (170.6) (66.4) (66.4)

L4 RWD HD (20cu.m)


L4 RWD HD (22cu.m)




Dimensions mm (inches). Heights shown unladen.


LOADSPACE DIMENSIONS MM (INCHES) – BOX VAN						
	L3 20cu.m FWD/RWD	L4 20cu.m RWD	L4 22cu.m RWD			
Maximum internal length	4100 (161.4)	4300 (169.3)	4580 (180.3)			
Maximum internal width	2150 (84.6)	2150 (84.6)	2150 (84.6)			
Maximum internal height	2200 (86.6)	2200 (86.6)	2200 (86.6)			
Loading height (unladen)	1050 (41.3)	1050 (41.3)	1050 (41.3)			
LOADSPACE VOLUME CU.M (CU.FT.) – BOX VAN						
VDA method	19.4 (685.1)	20.3 (716.9)	21.7 (766.3)			


MOVANO COMBI / MINIBUS SPECIFICATIONS - Final




L3 H2 17-SEAT








L3 H2 17-SEAT



Measurements are shown in millimetres (inches).

PLATED WEIGHTS AND TOWING DATA KG – COMBI / MINIBUS							
		Gross Vehicle	Plated	weights	Towing	ı weights	Plated Gross Combination
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
L1 H1 Combi	F3300	3300	1650	1900	2500	750	5800
L2 H2 Combi	F3500	3500	1850	2100	2500	750	6000
L3 H2 Minibus	F3960	3960	1850	2100	n/a	n/a	n/a

MOVANO CHASSIS CAB SPECIFICATIONS - Final



6193 (243.8)

- 6843 (269.4)

Dimensions mm (inches). Heights shown unladen


All conversions must follow 'Vauxhall Convertor Requirements' including recommended dimensional data, detailed within Part 1, available at: www.vauxhall.co.uk/conversiondata. The weight of any fitted conversion body will have to be deducted from these figures to establish actual payload and is subject to correct weight distribution. Variations from the recommended dimensions or weights may affect the vehicle's overall centre of gravity and stability. From 29 April 2013 conversion of N1 vehicles was affected by changes to type approval - for further information refer to the VCA website (N2 vehicles were affected from 29 October 2014). For further information please contact conversions@vauxhall.co.uk

6293 (247.8)

PLATED WEIGHTS AND TOWING DATA KG – CHASSIS CAB


		Gross Vehicle	Plated	weights	Towing	ı weights	Plated Gross Combination
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
L2 H1/L3 H1/L4 H1 Chassis	F3500	3500	1850	2100	2500	750	6000
	R3500	3500	1850	2300	2500	750	6000
	R3500HD	3500	1850	2800	3500	750	7000
	R4500HD	4500	1850	3200	3000	750	7500

MOVANO CHASSIS CREW CAB SPECIFICATIONS - Final



-4332(170.6)

6293 (247.8)



- 5643 (222.2)



6193 (243.8)

L3 RWD

⊧ 842 + (33.1) ŀ		
------------------------	--	--

L4 RWD HD + 842 (33.1) 1669 -(65.7) 4332 (170.6) - 6843 (269.4) -Dimensions mm (inches). Heights shown unladen

All conversions must follow 'Vauxhall Convertor Requirements' including recommended dimensional data, detailed within Part 1, available at: www.vauxhall.co.uk/conversiondata. The weight of any fitted conversion body will have to be deducted from these figures to establish actual payload and is subject to correct weight distribution. Variations from the recommended dimensions or weights may affect the vehicle's overall centre of gravity and stability. From 29 April 2013 conversion of N1 vehicles was affected by changes to type approval - for further information refer to the VCA website (N2 vehicles were affected from 29 October 2014). For further information please contact conversions@vauxhall.co.uk

PLATED WEIGHTS AND TOWING DATA KG – CHASSIS CREW CAB


+ 842 (33.1)

		Gross Vehicle	Plated	weights	Towing	weights	Plated Gross Combination
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
L2 H1/L3 H1/L4 H1	F3500	3500	1850	2100	2500	750	6000
Chassis Crew Cab	R3500	3500	1850	2300	2500	750	6000
	R3500HD	3500	1850	2800	3500	750	7000
	R4500HD	4500	1850	3200	3000	750	7500

Gross plated weights (including axle weights) quoted on the vehicle plate are to UK plated weight specification and must never be exceeded. For further information please see Glossary of Terms.

- 1119 — (44.1)

MOVANO PLATFORM CAB SPECIFICATIONS - Final



Dimensions mm (inches). Heights shown unladen.

All conversions must follow 'Vauxhall Convertor Requirements' including recommended dimensional data, detailed within Part 1, available at: www.vauxhall.co.uk/conversiondata. The weight of any fitted conversion body will have to be deducted from these figures to establish actual payload and is subject to correct weight distribution. Variations from the recommended dimensions or weights may affect the vehicle's overall centre of gravity and stability. From 29 April 2013 conversion of N1 vehicles was affected by changes to type approval – for further information refer to the VCA website (N2 vehicles were affected from 29 October 2014). For further information please contact conversions@vauxhall.co.uk

PLATED WEIGHTS AND TOWING DATA KG – PLATFORM CAB

		Gross Vehicle	Plated	weights	Towing	weights	Plated Gross Combination
Model		Weights (GVW)	Front axle	Rear axle	Braked	Unbraked	Weights (GCW)
L2 H1/L2 H2/L3 H1/ L3 H2 Platform Cab	F3500	3500	1850	2100	2500	750	6000

CORSAVAN ACCESSORIES

т	otal (exc. VAT)	
INFOTAINMENT		PRACTICAL
		Spare bulb kit
Sat Nav updates ¹		Stretch tow rope
Please consult your Retailer for latest	map updates or	
visit www.vauxhall.co.uk/accessories.		SECURITY
1 = For use with optional factory-fit satellite navi	gation systems.	Locking wheel b
SAFETY		PROTECTION -
Safety pack – first aid kit, warning		
triangle, hi-visibility vest	£30.00	Rubber floor ma
First aid kit	£12.00	DRATECTION
Warning triangle	£14.00	PROTECTION -
Hi-visibility vest	£7.00	Hard cargo liner
Fire extinguisher – 2kg	£59.00	
Temporary tyre inflation kit	£125.00	PROTECTION -
Tyre sealant	£46.00	Mudflaps – set of
- Jie Sedant	240.00	Rear parking dis

	Total (exc. VAT)
PRACTICAL	
Spare bulb kit	£16.00
Stretch tow rope – 3 tonne	£29.00
SECURITY	
Locking wheel bolts – set of four	£36.00
PROTECTION – INTERIOR	
Rubber floor mats – front pair	£41.00
PROTECTION – LOAD AREA	
Hard cargo liner	£172.15
PROTECTION – EXTERIOR	
Mudflaps – set of four ³	£100.00
Rear parking distance sensors	£265.00
3 = Not available with certain exterior styling	accessories.

Not available with certain exterior styling accessories.

ROOF CARRIER SYSTEM	
-track base carrier – two roof bars	£121.00

Please note:

Prices shown are fully fitted and painted where applicable.

All prices are exclusive of VAT.

It is advisable to ensure your insurance policy is adequate to cover additional fitted accessories.

Prices correct at time of publication.

COMBO ACCESSORIES

	Total (exc. VAT)	
SAFETY		PROT
Safety pack – first aid kit, warning		Woode
triangle, hi-visibility vest	£30.00	– L1
First aid kit	£12.00	– L2
Warning triangle	£14.00	Cargo
Hi-visibility vest	£7.00	
Fire extinguisher – 2kg	£59.00	PROT
Temporary tyre inflation kit	£125.00	Mudfla
Tyre sealant	£46.00	
		ROOF
PRACTICAL		Pair of
Stretch tow rope – 3 tonne	£29.00	Three
		Compl
SECURITY		loadin
Security alarm system		Compl
 without pre-installation 	£364.00	loading
– with pre-installation	£335.00	1 = Can
Steering wheel security bar	£78.00	roof rails
Locking wheel bolts – set of four	£41.00	TOW
Rear window grilles – rear doors,		TOWI
not tailgate	£131.00	Fixed t
		Flange
PROTECTION – INTERIOR		Heavy
Heavy duty carpet mat	£18.00	Remov

Total (exc. VAT)
PROTECTION – LOAD AREA	
Wooden floor protection	
-L1	£173.00
-L2	£205.00
Cargo liner (rigid)	£67.00
PROTECTION – EXTERIOR	
Mudflaps – rear pair only	£78.00
ROOF CARRIER SYSTEM	
Pair of roof bars (70kg) ¹	£178.00
Three roof bars (100kg) ¹	£282.00
Complete roof rack with spoiler and	
loading system (L1)	£517.00
Complete roof rack with spoiler and	
loading system (L2)	£571.00
1 = Can only be used in conjunction with optional factor, roof rails.	y-fitted
TOWING	
Fixed tow bar with 13-pin electrics	£544.67
Flange tow bar with 13-pin electrics	£550.65
Heavy duty tow bar with 13-pin electrics	£621.00
Removable tow bar with 13-pin electrics	£712.00

	Total (exc. VAT)
INTERIOR STYLING	
Sport pedal covers	£106.00
Leather gear knob / gaiter	
– bordeaux/black or grey/black	from £89.00

EXTERIOR STYLING

Chromed door mirrors	£70.00

Please note:

Prices shown are fully fitted and painted where applicable.

All prices are exclusive of VAT. It is advisable to ensure your insurance policy is adequate to cover additional fitted accessories. Prices correct at time of publication.

VIVARO ACCESSORIES

	otal (exc. VAI)	
SAFETY		ROC
Safety pack – first aid kit, warning tri	angle,	Bas
hi-visibility vest	£30.00	– H1
First aid kit	£12.00	– H2
Warning triangle	£14.00	– H1
Hi-visibility vest	£7.00	- H2
Fire extinguisher – 2kg	£58.00	L1 F
Temporary tyre inflation kit	£125.00	– ro
Tyre sealant	£46.00	– wa
		L2 F
PRACTICAL		– ro
Spare bulb kit	£16.00	– wa
Stretch tow rope – 3 tonne	£29.00	L1 F
SECURITY		– ro – wa
Security alarm system	£315.00	L2 F
Rear window grilles for rear doors,		– ro
not tailgate	£195.00	<u>– Wa</u>
PROTECTION – LOAD AREA		ТО
Plywood floor panel	from £411.00	Fixe
Plywood side panel	from £93.00	Fixe
		7-pi
PROTECTION – EXTERIOR		Ren
Mudflaps – set of four	£123.00	Fixe
Protective wheel arch mouldings	from £152.00	Fixe
		13-
		Dom

Total (exc. VAT)		al (exc. VAT)
	ROOF CARRIER SYSTEM	
j triangle,	Base carrier	
£30.00	– H1 aluminium	£134.00
£12.00	– H2 aluminium	£170.00
£14.00	– H1 steel (black)	£159.00
£7.00	– H2 steel (black)	£149.00
£58.00	L1 H1	
£125.00	– roof rack tray f	rom £773.00
£46.00	– walkway f	rom £215.00
	L2 H1	
	– roof rack tray f	rom £724.00
£16.00	– walkway f	rom £252.00
£29.00	L1 H2	
	– roof rack tray f	rom £874.00
	– walkway f	rom £215.00
£315.00	L2 H2	
rs,	– roof rack tray f	rom £898.00
£195.00	– walkway f	rom £248.00
from £411.00	Fixed tow bar with 7-pin electrics	£620.00
from £93.00	Fixed heavy-duty tow bar with	
	7-pin electrics	£754.00
	Removable tow bar with 7-pin electric	
£123.00	Fixed tow bar with 13-pin electrics	£631.20
from £152.00	Fixed heavy-duty tow bar with	
	13-pin electrics	£682.15
	Removable tow bar with 13-pin electric	ics £849.00
	1 = Prices for standard vehicles only	

1 = Prices for standard vehicles only.

Please note:

Prices shown are fully fitted and painted where applicable.

All prices are exclusive of VAT.

It is advisable to ensure your insurance policy is adequate to cover additional fitted accessories. Prices correct at time of publication.

MOVANO ACCESSORIES

from £135.00

£291.00

т	otal (exc. VAT)
SAFETY	
Safety pack – first aid kit, warning	
triangle, hi-visibility vest	£30.00
First aid kit	£12.00
Warning triangle	£14.00
Hi–visibility vest	£7.00
PRACTICAL	
Spare bulb kit	£16.00
Stretch tow rope – 3 tonne	£29.00
Smoker Pack	£44.00
SECURITY	
Steering wheel security bar	£78.00
Rear window grilles – H1, H2, H3	£133.00
Side sliding door (offside) window gr	ille
– L2, L3, L4	£134.00
Side sliding door (nearside) window	grille
- L2, L3, L4	£159.00
PROTECTION	
Carpet front floor mat	£54.00
Anti-slip mat	£76.00
Seat covers – standard (all models)	from £146.00
Seat covers – premium (all models)	£168.00
Mudflaps – set of four	

Rear parking distance sensor (4 sensors) £204.00

-L1/L2

Rear-view camera

Total (exc. VA	
ROOF CARRIER SYSTEM Base carrier	
	6074.6
– H1	£271.0
– H2	£273.0
L1 H1	
– Aluminium roof rack including roller	£860.0
– Steel walkway	£257.0
L1 H2	
– Aluminium roof rack including roller	£860.0
– Steel walkway	£257.0
L2 H2	
– Aluminium roof rack including roller	£970.0
– Steel walkway	£301.0
L3 H2	2001.0
 Aluminium roof rack including roller 	£962.0
– Steel walkway	£299.0
I 4 H2	
– Aluminium roof rack including roller	£955.0
<u> </u>	
– Steel walkway	£296.0

OWING

Please note:

Prices shown are fully fitted and painted where applicable.

All prices are exclusive of VAT.

It is advisable to ensure your insurance policy is adequate to cover additional fitted accessories. Prices correct at time of publication. Effective 1 August 2017 | Model Year 2017

FOR MORE PRODUCT INFORMATION

For a brochure on any Vauxhall model (up to a maximum of three per caller) or location of your nearest Vauxhall Retailer please call 0345 600 1500. Alternatively, details can be found on our website at www.vauxhall.co.uk



PROUD SPONSOR OF OUR NATIONAL FOOTBALL TEAMS



Every effort has been made to ensure that the contents of this document were accurate and up-to-date at the time of publication – 1 August 2017. The invoice price, including delivery to Retailer, factory-fitted options, accessories fitted by the Retailer and number plates, is subject to VAT. The right is reserved to alter specifications and prices, and withdraw products from sale, without notice. Please note that Vauxhall Retailers are not the agents of Vauxhall Motors Limited by any specific or implied undertaking or representation. It is advisable to ensure that your motor insurance policy provides adequate cover for additional fitted options and accessories. All rights reserved. No part of this publication may be reproduced in any form or by any means, without the prior written permission of Vauxhall Motors Limited.

Vauxhall Motors Limited, Griffin House, UK1-101-135, Osborne Road, Luton, Bedfordshire, LU1 3YT. www.vauxhall.co.uk

©2017 Vauxhall Motors Limited



COMMERCIAL VEHICLES