

Trust Vauxhall

Protecting the environment

Vauxhall's commitment to the environment is demonstrated by our products' many environmental awards, won both through the use of more recycled materials and by becoming cleaner and more efficient. For information on Vauxhall's efforts to achieve an environmentally sustainable future, see www.vauxhall.co.uk/recycling

Fleet Customer Services

Our dedicated support services for fleet managers includes factory demonstrators and information on whole life costs, company car and van taxation and finance. For further information please call **0870 010 0651**.

Sureguard protection

Sureguard Assistance offers the benefits of Vauxhall Assistance for three years from first registration, while Sureguard Warranty also provides a parts and labour warranty for high-mileage or long-term owners. For details contact your local Vauxhall retailer or call **0870 752 7020**.

Business Lease

Business Lease, from GMAC, offers the versatility of a purchase-based finance plan, while making the most efficient use of tax and cash-flow benefits for VAT-registered business users. It's available for all Vauxhall Commercial Vehicles up to 12 months old and offers highly flexible term lengths, variable deposits and a choice of payment profiles. Ask your retailer for full details.

Business First

Available to business users only, Business First enables you to drive a new vehicle without a large, initial financial outlay. You pay to use the vehicle, not to own it. The vehicle is provided over a predetermined period, and when that period comes to an end the vehicle is returned. Ask your Retailer for full details.

Servicing and maintenance

The best way to maximise the performance and reliability of your Vauxhall is to have all routine servicing and maintenance carried out at a Vauxhall Commercial Vehicle retailer. There are over 200 light commercial vehicle and 120 heavy commercial vehicle retailers nationwide.

In the event of an accident...

Vauxhall Accident Support helps keep you mobile following an accident. Benefits include scene-of-accident advice, message service, assistance with claims and vehicle recovery. Call **0800 010 304** for a free driver's pack.

Premier Service Centres

Our Premier Service Centres feature extended opening hours, a guaranteed same day repair service (provided the parts are in stock) and an appointment-free service for diagnosis and repairs taking less than 90 minutes. All repairs are carried out within 24 hours of diagnosis, while suitable alternative transport can be arranged to keep you mobile.*

*= Terms and conditions apply.

For more information...

For a brochure on any Vauxhall model (up to a maximum of three per caller) or location of your nearest retailer, call **0845 600 1500**.

Alternatively, details can be found on our website at www.vauxhall.co.uk



- Save up to £1000* on a new Vauxhall with The GM Card

- 100 Rebate Points worth £100 when you use The GM Card for the first time

- Rebate Point saving is on top of any discount or offer negotiated with the Retailer

- Earn 3 Rebate Points (£3) for every £100 you spend

Typical 14.9% APR variable

To apply call **0845 746 2777** or visit www.gmcard.co.uk.

The GM Platinum Card is issued by HFC Bank Limited and is available to persons aged 18 years or over and resident in the UK (or 21 and over in the Channel Islands) and is subject to status and conditions. Written quotations are available upon request from The GM Platinum Card, PO Box 3615, Birmingham B3 2RJ. The typical APR quoted is the rate for new customers. *Rebate Points are earned on purchases using The GM Platinum Card. Rebate Points are not earned on Balance Transfers or Cash Advances. You earn money off a new Vauxhall/Saab by accumulating Rebate Points under the Rebate Points Programme. Vauxhall Motors Ltd is solely responsible for the operation of the Rebate Points Programme, which is subject to the Rebate Points Programme Rules. You can redeem up to 2500 Rebate Points subject to the Model Line Maximum which will vary in amount in relation to different Vauxhall/Saab vehicle model lines and unlimited Partner Points. Rebate Points and unlimited Partner Points are redeemable as discounts on a new Vauxhall/Saab vehicle and must be redeemed four years from the issue date. Rebate Points may not be redeemed by Motability Contract Hire customers. The GM Card is a trading name and style of both HFC Bank Limited and Vauxhall Motors Ltd. HFC Bank registered in England No. 1117305. Registered Office: North Street, Winkfield, Windsor, Berkshire SL4 4TD is authorised and regulated by the Financial Services Authority. Member HSBC Group. HFC Bank Limited is not a member of the same group of companies as Vauxhall Motors Ltd, Saab GB Limited or GMAC (UK) plc. Vauxhall Motors Ltd, Registered Office: Griffin House, Osborne Road, Luton, Bedfordshire LU1 3YT. Registered in England number 135767. - CN6/0987.

Every effort has been made to ensure that the contents of this publication were accurate and up-to-date at the time of going to press (August 2007). Vauxhall vehicles are equipped with components manufactured by various General Motors operating units and outside suppliers. The Company reserves the right to alter specifications and withdraw products from sale without notice. Any such alterations will be notified to Vauxhall retailers at the earliest opportunity; please consult your local retailer for the latest information. The specifications detailed within this brochure are not necessarily applicable to alternative models such as Special Editions. Details of any such models will be contained in specific literature or found on the Vauxhall website. Please note that Vauxhall retailers are not the agents of Vauxhall Motors Limited and are not authorised to bind the Company by any specific or implied undertaking or representation. It is advisable to ensure that your motor insurance policy provides adequate cover for additional fitted options and accessories. As part of Vauxhall's policy of environmental care, this brochure is printed on paper manufactured using Elemental Chlorine Free pulps from specially farmed, sustainable timber resources. All rights reserved. No part of this publication may be reproduced in any form or by any means, without the prior written permission of Vauxhall Motors Limited.

VM0707300 Published August 2007 (BMB/Graymatter) Vauxhall Motors Limited, Luton LU1 3YT



The Wheels of Business

Vivaro and Movano

2008 Edition 1

Vehicle Mounted Access Platforms



VIVARO AND MOVANO CONVERSIONS

While the award-winning Vauxhall Commercial Vehicle range satisfies a wide spectrum of operator needs, some companies demand specific solutions. So, in addition to our Core Conversion line-up, we offer a bespoke range of Recognised Conversions. These conversions are technically approved by Vauxhall and allow operators to order a specialist vehicle modified to their individual requirements. Our Vivaro and Movano vehicle-mounted access platform models typify the broad selection of conversions on offer.

VAUXHALL
RECOGNISED
CONVERSION



As part of the Recognised Conversion Programme, Vauxhall Commercial Vehicles has teamed up with Versalift, one of the UK's leading suppliers of vehicle-mounted access platforms, to provide conversions for the award-winning Vivaro and Movano panel vans.

Both vans are available with a choice of lightweight Versalift access platforms, offering one or two-person capacity and a range of height and reach capabilities.

Designed for use without stabilisers, Vivaro one-person 'no stabiliser' models offer a level of versatility few competitors can match. Ideal for narrow urban environments, they're very quick to set up and cause no damage to block paving.

Vivaro and Movano conversions are available with a wide range of options, including an electric hand wash unit, 12v or 110v power outlets, a rear-view/reversing camera, amber beacons/lightbars, interior racking, lining and tool storage.

Versalift offers extensive customer support – pre-sale helpline advice and demonstrator units (subject to availability), full aftersales service and spare parts are usually available within 24 hours. Product service training and IPAF operator courses are also available.

All platforms feature a one-year parts and labour warranty, with a three-year extended warranty and a range of repair and maintenance contracts available at extra cost.

Please note: Depending on access platform specification, actual installation may differ from that illustrated.



Voted Best Medium Van in the *Van Fleet World Honours 2007*. Vivaro is as popular with the industry's top commercial titles as it is with hard-working business operators.

Good looks, a tough chassis, superb cab ergonomics and low running costs make it the ideal basis for our Recognised Conversions, including our Versalift models.



◀ ▶ Vivaro conversions feature a remote boom control wanderlead and are designed to have minimum rear overhang and intrusion into the load area.



VIVARO AND MOVANO ACCESS PLATFORM VAN CONVERSIONS

- Choice of lightweight access platforms, with one or two-person bucket capacity. Movano ET36NF models offer a telescopic main boom with up to 13.0m working height, 11.0m platform height and 7.3m horizontal outreach. Two-person platform capacity is up to 200kg.
- One-person models without stabilisers can considerably reduce on-site time. Apply the handbrake, switch on the PTO, get in the bucket and it's ready to work.
- All models have 360° turret rotation (non-continuous) with boom, stabiliser and handbrake interlocks for safety. Rotational 180° interlocks available to prevent platform being rotated into hazardous positions (eg. over moving traffic)
- Work platform (bucket) controls include a one-hand proportional joystick, electric emergency auxiliary operation of all boom functions and engine stop/start. In-cab warning lights include 'stabilisers not stowed' and 'PTO engaged'.



▶ Both models feature well-integrated in-cab controls.



Named Best Panel Van, 13.1 cubic metres and above in the prestigious *Professional Van and Light Truck* awards 2006, Movano provides the perfect platform for a variety of specialist body conversions, most notably our vehicle-mounted access platform models.




Spacious, quiet and hugely functional, Movano's cab environment ensures excellent visibility and generous storage facilities.



◀ Standard five-metre boom control 'wanderlead' allows easy operator training, with the ability to lift lightweight equipment without an operative in the bucket (eg. to test aerial reception) and the capability to get an operator down in an emergency situation.



Measurements



Measurements are shown in millimetres (inches). All heights are shown unladen. Conversion dimensions are estimated and will vary upon specific conversion.

Vivaro/Movano standard features

- Driver's airbag
- Anti-lock Braking System (ABS) with electronic brakeforce distribution (EBD)
- Emergency Brake Assist (EBA)
- Remote control central locking
- Electronic engine deadlock immobiliser
- Rev counter
- Six-way adjustable driver's seat (Vivaro)
- Eight-way adjustable driver's seat (Movano)
- Cloth seat trim
- Stereo radio/CD player
- Tinted glass
- Nearside sliding side-access door
- Unglazed rear doors

Full specification, option and colour availability details of the Vivaro and Movano ranges appear in their respective brochure available from your Vauxhall retailer or *Lo-call* 0845 600 1500

Optional feature highlights (at extra cost)

- Passengers' twin airbag
- Electric pack comprising electrically operated windows and electrically adjustable/heated door mirrors
- Satellite navigation system

Mandatory specification

- The base Vivaro or Movano must be ordered with engine-driven power take-off option
- The Vivaro must be ordered with either of the single passenger seat options

Conversion standard features

- 360° turret rotation (non-continuous)
- Telescopic main boom
- One-hand proportional joystick controls
- Ground control console with wanderlead for remote operation
- Engine stop/start at platform and ground controls
- Electric auxiliary operation of all boom functions
- In-cab 'PTO engaged' and 'stabilisers not stowed' warning light (where applicable)
- Stabilisers/boom interlock (where applicable)
- Platform requires six-monthly LOLER certification

Conversion options (at extra cost)

- Electric hand wash unit in vehicle
- 12-volt power outlet at platform
- 12-volt work light at platform
- 110-volt power line to platform
- Emergency stabiliser retract (where applicable)
- Amber beacons/lightbars
- 180° flyboom (ET32NF/ET36NF)
- Sliding side-access door interlock
- Rotation restriction interlocks
- Additional security locks
- Rear-view/reversing camera with cab-mounted LCD monitor
- Reflecting chevrons to rear doors
- Plywood-lining in load area
- Tool storage
- Storage racking system
- Service and repair contracts on platform
- Three-year convertor's warranty

Vauxhall Assistance and warranties*

Every Vivaro and Movano base vehicle comes with:

- A one-year unlimited mileage manufacturer's warranty
- Second and third year no-fee customer option warranty up to 100,000 miles from date of first registration
- Vauxhall Assistance for 12 months from date of first registration
- Six-year body panel anti-perforation warranty

* = Warranty is only available on vehicles sourced from Vauxhall Motors Ltd. Terms and conditions apply - please see your Vauxhall Commercial Vehicle retailer for details.

Vauxhall recognised conversions

These conversions have been fully tested to ensure they meet the exacting technical standards required by Vauxhall Motors Limited.

Convertor contact details

For conversion pricing, option and warranty details contact:

Versalift Distributors (UK) Ltd.
1 Altendiez Way, Latimer Park,
Burton Latimer, Kettering,
Northants NN15 5YT
E-mail: sales@versalift.co.uk

Web: www.versalift.co.uk
Tel: 01536 721010
Fax: 01536 721111
Destination code: GB3546



Engines Euro 4 compliant

	Vivaro			Movano	
	2.0CDTI 16v (115PS)	2.5CDTI 16v (146PS)	2.5CDTI 16v (100PS)	2.5CDTI 16v (120PS)	2.5CDTI 16v (146PS)
Fuel type	Diesel	Diesel	Diesel	Diesel	Diesel
Capacity	1995cc	2464cc	2464cc	2464cc	2464cc
Maximum power	115PS (84kW) @ 3500rpm	146PS (107kW) @ 3500rpm	100PS (74kW) @ 3500rpm	120PS (88kW) @ 3500rpm	146PS (107kW) @ 3500rpm
Maximum torque	290Nm (214 lb.ft.) @ 1600rpm	320Nm (236 lb.ft.) @ 1500rpm	260Nm (192 lb.ft.) @ 1600rpm	300Nm (221 lb.ft.) @ 1600rpm	320Nm (236 lb.ft.) @ 1500rpm
Layout	4 cylinders, 4 valves per cylinder, double overhead camshafts				
Induction system	Turbocharger and intercooler. Common rail fuel injection				
Service interval	18,000 miles or one year (whichever occurs sooner)				

Payloads kg

	ET26NEXS		ET30NEXS		ET30NE**	ET32NF**	ET36NF**
	one-person	two-person	one-person	two-person			
Vivaro							
2900 SWB std. roof 2.0CDTI 16v (115PS)	367	-	297	-	-	-	-
2900 SWB std. roof 2.5CDTI 16v (146PS)	386	-	316	-	-	-	-
Movano							
3500 SWB std. roof† 2.5CDTI 16v††	714	594	-	-	-	-	-
3500 SWB std. roof† 2.5CDTI 16v (146PS)	699	579	-	-	-	-	-
3500 MWB high roof 2.5CDTI 16v††	635	515	560	440	450	385	335
3500 MWB high roof 2.5CDTI 16v (146PS)	602	482	527	407	417	352	-
3500 LWB high roof 2.5CDTI 16v††	-	-	-	-	-	-	309

Operating parameters

Conversion	ET26NEXS		ET30NEXS		ET30NE**	ET32NF**	ET36NF**
	one-person (no stabilisers)	two-person† (with stabilisers)	one-person (no stabilisers)	two-person† (with stabilisers)			
Models available	Vivaro (2900kg)/Movano (3500kg)				Movano (3500kg)		
Maximum working height (m)	9.2	9.2	10.5	10.5	11.3	11.6	13.0
Maximum platform height (m)	7.2	7.2	8.5	8.5	9.3	9.6	10.9
Maximum horizontal reach (m)	6.0	5.2	6.0	5.2	7.0	7.0	7.3
Platform capacity (kg)**	120	200	120	200	200	200	200

** = Number of persons dependent on platform capacity. † = 3500 SWB std. roof Movano models are available as special order vehicles. †† = Payloads for 100PS and 120PS models. ‡ = Movano models only. Payload figures are provisional and should be used as a guide only, they do not allow for the weight of the driver, operatives or any passengers, which should therefore be deducted from the figures shown. For interior and exterior dimensions specific to the conversion, please consult the convertor directly.