

New Movano

2011 Edition 1



Proud Sponsor of Home Nations Football



New Movano. No job too big.

Big. Strong. And Versatile. That's New Movano. With an extensive range of models that give you more of what you need from a commercial vehicle. Four load lengths. Three roof heights. Larger load volumes. Higher gross vehicle weights and gross combination weights. Plus a choice of front-wheel drive, single rear-wheel drive or twin rear-wheel drive variants.

Add to this more powerful, more efficient engines. A vastly improved cabin environment with plenty of useful storage, plus a host of innovative features that can really make a difference when you're out on the road.

In short, there's 'No Job Too Big' for New Movano. Now recognised by the fact that it has already scooped three honours, including the coveted *What Van?* 'Van of the Year' award.



Most of the vehicles illustrated in this brochure include options and accessories available at extra cost. And not all of the features described are available on every model. So please check the *Equipment* section for further details. For model availability please refer to the *New Movano Price Guide*.





08 Access
10 Payload
11 Loadspace
12 Panel van range

14 Cabin comfort
16 Cabin versatility
18 Cabin options
20 Drivetrains

22 Safety and security
24 Doublecab range
26 Options and option packs
32 Accessories

34 Colours and trims
36 Service and warranty
38 Equipment
42 Technical data



4 vehicle lengths. 3 roof heights. GVWs up to 4.5 tonnes.

With GVWs up to 4.5 tonnes, New Movano gets the job done. And with panel vans available in a range of heights, load lengths and drivetrains, a choice of Doublecab models – and chassis cab, crew cab and platform cab variants – choice is never going to be an issue.







Front-wheel drive. Single rear-wheel drive. Twin rear-wheel drive. Sorted.

Heavy van operators face a variety of challenges. That's why New Movano offers a choice of four GVWs (2800, 3300, 3500, 4500kg) and no less than three different drivetrains: front-wheel drive with a lower loading height and low kerbweights to maximise payload. Single rear-wheel drive for improved towing capability. Or twin rear-wheel drive for improved traction and higher GVWs. Whatever your requirement, New Movano has it sorted.

Access all areas.

New Movano offers superb accessibility – whatever the loading conditions. Rear doors can be swung clear to 180° and locked in place at 90° – providing safe and convenient loading, even where space is restricted. New Movano can also be specified with 270° opening rear doors, with or without windows.

The wider opening, standard 1270mm* sliding side-access door means a Euro pallet can now be loaded sideways. While a flat load floor ensures easy access for forklifts. In other words, New Movano doesn't only look the business – it actually does the business.



* = Excluding H1 models.





Payload.

For some van operators, maximum payload is far more important than loadspace, so we've gone and covered that off too. Indeed, with a choice of four gross vehicle weights, Movano boasts serious flexibility to match the van's capacity to your business needs. To this end, GVWs are at 2800, 3300, 3500 and 4500kg,

with corresponding payloads ranging from 966kg to 2254kg. If you want serious load-lugging capability, New Movano 4500 GVW models offer an impressive 7500kg gross combination weight, allowing you to pull trailers up to three tonnes.

PAYLOADS	kg
Maximum payload	966-2254



Loadspace.

With a massive choice of roof heights and load lengths, getting the right-sized New Movano model for your business couldn't be simpler. To start with, all models feature low loading heights, excellent headroom and generous load lengths. But you also get a full-height steel bulkhead and load lashing eyes – properly positioned for maximum convenience. Half-height load area

protection panels are standard on L4 rear-wheel drive models. Other protection options, including full-height plywood lining and resilient, resin-coated plywood floors are available across the range. So far as hard figures are concerned, load volumes range from 8 to 17cu.m, while load lengths vary between 2.58 and 4.38m.



Resin-coated plywood floor, window for bulkhead and glazed rear doors are optional at extra cost.

Panel van

LOADSPACE DIMENSIONS	mm	inches
Max. rear door aperture height	1627-1820	64.0-71.7
Rear door aperture width (at floor)	1577	62.1
Maximum load area height	1700-2144	66.9-84.4
Maximum load area width	1765	69.5
Width between wheel arches	1080-1380	42.5-54.3
Maximum load floor lengths	2583-4383	101.7-172.5
Loading heights (unladen)	555-733	21.8-28.8
Sliding side-access door aperture height	1581-1780	62.2-70.1
Sliding side-access door aperture width	1050-1270	41.3-50.0
LOADSPACE VOLUMES	cu.m	cu.ft
Maximum loadspace volumes	8-17	282-600



Panel vans.

Whatever business you're in, the New Movano panel van range presents serious advantages over its predecessor – and not least in terms of choice. For example, we now offer single rear-wheel drive or twin rear-wheel drive versions. That's on top of our more familiar front-wheel drive models. There are four load lengths. And four GVWs – between 2.8 and 4.5 tonnes.

To help you choose the van that's just right for your business, we've even adopted a new, customer-friendly naming scheme. For example, L3 H2 R3500 HD panel van model can be easily identified as shown below.

Please refer to Price Guide for model availability.

New Movano panel van line-up.



L1 H1 F2800/F3300



L1 H2 F3300/F3500



L2 H2 F3300/F3500



L2 H3 F3500



L3 H2 F3500



L3 H3 F3500

FWD models



L3 H2 R3500



L3 H2 R3500/R4500 HD



L4 H2 R3500/R4500 HD



L3 H3 R3500



L3 H3 R4500 HD



L4 H3 R3500/R4500 HD

RWD models

L = Load length
Four lengths are available ranging from L1-L4

Layout
F = Front wheel drive
R = Rear wheel drive

HD = Heavy duty
Designation used when twin rear wheels are fitted

H = Height
Three roof heights are available H1-H3

Gross Vehicle Weight
Four GVWs are available 2800 / 3300 / 3500 / 4500

L3 H2 R 3500 HD



Comfort.

New Movano raises the bar on cabin design, creating a practical, well-equipped driver environment. With a height-adjustable steering wheel and a driver's seat that's adjustable for height, cushion angle, reach and rake, it's one workspace you won't mind spending time in. Outstanding ergonomics – allied to high levels of equipment (including an excellent audio package), maximum ease of access and a superb driving position – come together to create the right travelling and working experience, whatever job you're undertaking.

Model illustrated left features Office Pack and bulkhead window optional at extra cost.



Improved instruments. Clear and easier to read in a simple, no-nonsense binnacle.



Drinks holders. Two facia-mounted drinks holders are standard on all models.



Flat-folding middle seat back. Flat work surface with two drinks holders and storage tray.



12-volt accessory cab sockets. Recognising the increasing need to operate electrical devices, Movano features two 12-volt sockets in the cab and a third in the load area is available as part of the Office Pack.



Auxiliary-in socket. Lets you connect most MP3 player devices fitted with a headphone output.



Versatility.

New Movano's cabin is equipped with plenty of large – and useful – storage facilities as standard. So it's easy to stow all the various stuff that mounts up during the course of a working day. That means door pockets big enough to hold a 2-litre bottle. Twin overhead storage shelves. Coin and ticket holders. And extensive fascia storage. But for some operators, we recognise that won't be enough! That's why we're offering our new Office Pack option, it transforms the cab into a state-of-the-art, full-on mobile office. Full details can be found on pages 31 and 41.

Model illustrated left features Office Pack, air conditioning, multi-function trip computer, cruise control and speed limiter optional at extra cost.



Facia storage. All New Movano models feature a semi-covered tray on top of the dashboard.



Overhead storage. There's a handy shelf above both driver and passengers.



Passenger glovebox. The large 11-litre glovebox is capable of holding a 1.5-litre water bottle.



Large door pockets. A 2-litre water bottle or other bulky items can be accommodated. Lower door pockets are optional as part of the Office Pack.



Lidded facia storage. The optional Office Pack adds a versatile, facia-mounted A4 lidded storage compartment.



Underseat storage. Office Pack also includes a large enclosed storage space accessed via the folding seat cushions.

Cabin options.

Whatever the nature of your business, New Movano options allow you to create a workspace that is completely in tune with your individual and professional needs. Whether you're looking to upgrade your audio systems through an advanced satellite navigation system, access your Bluetooth® connectivity or simply improve the vehicle's superb ergonomics through a bespoke seating package, New Movano has it covered. Creating a working environment that is as well equipped as you want it to be.

Model illustrated right features optional Office Pack, air conditioning, multi-function trip computer, cruise control and speed limiter.



Air-suspended driver's seat. Ideal for rough terrain and includes variable suspension sensitivity settings.



Digital tachograph. Computes driving and rest time, enabling fleet management data to be analysed.



Satellite navigation. TomTom based unit includes hand held/ facia-mounted remote control.



Comfort driver's/passenger seat. Height- and lumbar-adjustable with fold-away armrest.



Air conditioning. Aids demisting and creates a fresher travelling environment.



Bluetooth® connectivity. Virtually universal in compatibility and makes mobile phone communication safe.





Drivetrains.

At the heart of New Movano's flexible performance lies a brand new 2.3 litre 16-valve common rail diesel engine. It delivers seriously impressive performance, excellent fuel economy with low emissions. To start with, Euro 4 and Euro 5 versions are available in three power outputs ranging from 100PS/285Nm to 125PS/310Nm and 146PS/350Nm. All delivering high levels of low-end torque. Along with substantial durability improvements, servicing requirements have also been drastically reduced – up to 25,000 miles/one year.

Transmission-wise, a six-speed gearbox – with an electronic 'Shift' indicator – is standard for smooth and economical operation. Alternatively you can specify our six-speed Tecshift unit which can offer a 6% reduction in fuel consumption along with all of the other benefits associated with a proper semi-automatic transmission. Page 43 has all the details.

So whatever your needs, whatever your line of business – New Movano has it covered.



Six-speed manual gearbox.



Six-speed Tecshift transmission.



New CDTI diesel engine.






Safety and security.

Whatever the working environment, New Movano puts driver and passenger protection at the top of its agenda. As you would expect, standard safety features include a driver's airbag, ABS with Electronic Brakeforce Distribution (EBD) and Emergency Brake Assist (EBA). Massive improvements in chassis and suspension systems – including Electronic Stability Programme (ESP) with

Traction Control System (TCS) – promote maximum confidence in all driving conditions. Heightened levels of vehicle security now include a full-height steel bulkhead, remote control selective door locking and secure underbody spare wheel stowage, plus of course security deadlocks and an engine immobiliser.



ESP with TCS. Standard on all rear-wheel drive models and optional at extra cost on front-wheel drive, ESP reduces throttle response and varies the braking force to each of the wheels when a driving imbalance is detected, keeping the vehicle moving in the right direction. TCS senses a lack of traction during acceleration and reacts to ensure maximum contact between the road surface and the tyres. Page 51 has all the technical detail.



Static cornering lights. Depending on the steering angle and vehicle speed when cornering, an additional light illuminates the corner of the road when turning. Static cornering lights are part of the optional Lighting Pack.

Driver and passenger restraint systems. A driver's airbag is standard with front passengers' optional at extra cost. Separate driver's and front passengers' side-impact airbags can also be specified.



Three-button key operation. Panel van models employ remote selective door locking that enables both front doors, the rear and side loading doors, or all doors to be locked or unlocked independently.

Button 1
– One push unlocks both cab doors
– Two pushes, unlocks all the doors

Button 2 (unlocks load doors only)
– One push unlocks side and rear door

Button 3
– One push locks all doors



Under-floor spare wheel. Unlike spare wheels that are accessed or stored in the load area, Movano's under-floor stowage system means that you don't need to unload the van to get to the spare. And, acting as an additional security measure, the spare wheel can only be winched when the rear door has been unlocked and opened.

Alarm system. The optional remote controlled anti-theft alarm protects the engine compartment and uses sensors to guard the cab and load area.



New Movano Doublecab.

With a capacity for up to seven people, a 3.5 tonne GVW and a maximum payload of up to 1398kg, the New Movano Doublecab is designed to take your crew and equipment exactly where they need to be. Comfort wise the Doublecab features four individually contoured rear seats with full lap and diagonal seatbelts. Rear storage includes overhead and side net pockets, plus a full length

tray under the seat cushion. Despite the rear seats, loadspace volumes remain impressive, up to 9cu.m and the windowed bulkhead has been cleverly recessed to maximise load floor length. Finally, with choice of vehicle lengths, engines and front or rear-wheel drive models the Movano Doublecab is a natural choice for a multitude of operations.

Vehicle illustrated features Office Pack and front fog lights optional at extra cost.



New Movano Doublecab line-up.



L2 H2 F3500



L3 H2 F3500



L3 H2 R3500



Options.

Loadspace.

New Movano panel vans' excellent loadspace credentials – allied to maximum accessibility – is hugely assisted by a choice of cargo area options that allow you to create the loadspace that's just right for your business. Here's just a selection of the options available. For full availability information, see page 40.



Full-height load area panelling. Plywood panels provide maximum load space protection.



Load area protective panels. Half-height load trim panels help safeguard the side walls from everyday wear and tear. Standard on RWD models.



Protective floor. A resin-coated plywood floor – protects the load floor from damage.



Rear bumper with integrated step. Standard on RWD models, the rear step eases access to the load compartment. Optional on FWD models.



Bulkhead window. A window for the steel bulkhead is available as an option, protecting the driver and crew while allowing an uninterrupted view of the cargo bay.

Comfort.

A variety of seating options, a choice of heating and ventilation systems and a host of additional comfort features are all available for New Movano, allowing you to create the optimal travelling and working environment – whatever job you're undertaking. Here are just some of the highlights. Turn to pages 38-41 for full availability details.



Air-suspended driver's seat. The eight-way adjustable, air-suspended driver's seat features an armrest and adjustable suspension sensitivity for maximum comfort in all conditions.



'Comfort' seats. Driver's seat features height-adjustment, adjustable lumbar support and armrest. A single 'Comfort' front passenger seat is also available.



Electronic Climate Control.

Incorporates air conditioning and allows more precise, thermostatically-controlled temperature adjustment.



Air conditioning. Comes complete with pollen filter and chilled glovebox. Aids demisting and provides a fresher travelling environment all year round.

Options.

Infotainment.

Allowing drivers to match their audio, communication and navigation equipment to their private and professional needs, New Movano units cover the full spectrum from CD players with MP3 format/stereo radio to CD-based satellite navigation units with remote colour monitors. Turn to page 41 for full availability details.



CD 30 BT. New Movano drivers can upgrade their audio system with the optional CD 30 BT unit which has the same features as the CD 10, but with Bluetooth® connectivity, a remote monochrome display (illustrated below) and four 20-watt speakers.



CD 30 BT NAVI. This optional TomTom-based satellite navigation system does everything the CD 30 BT does but has a remote colour display and full satellite navigation functionality. The navigation system also includes a facia-mounted/hand held remote control.




Inform, comfort, protect.

Keeping the driver in touch and fully in charge at all times, New Movano offers a range of optional control and information systems, all designed to help maximise the efficiency of the working day. Options include a fully-functioned trip computer, digital tachograph and speed limiter. Bluetooth® and USB connectivity are also available. Pages 38-41 provide further details.



USB facility. CD 30 BT units can be specified with a USB facility, allowing drivers to view iPod™ functionality via the audio display.



Trip computer. Functions: overall distance covered, trip distance, average mpg and speed since last reset, instantaneous fuel used, remaining miles plus service due indicator.



Digital tachograph. Easily operated by the driver, the digital tachograph reliably computes driving and rest time, enabling fleet management data to be collected and analysed in a simple and user-friendly manner. It is supplied uncalibrated. This feature is standard on all 4.5 tonne GVW models and optional at extra cost on other models. Please refer to page 38 for further details.



Bluetooth® connectivity. Virtually universal in compatibility – and included with the optional CD 30 BT units – Bluetooth® makes mobile phone communication hands-free and safe.



Cruise control. Allows the driver to maintain a constant speed and to select a temporary maximum speed, helping to avoid speeding fines and reducing fuel costs.

Speed limiter. Factory-set, this enables the vehicle speed to be set at one of three predetermined speeds (56mph, 62mph or 68mph). This helps minimise the risk of speeding fines and, by limiting vehicle speed, can improve fuel economy. It can also reduce the likelihood of accidents. The setting can be adjusted or cancelled completely by the Vauxhall retailer but cannot be deactivated by the driver. 4.5 tonne models are legally set up at 56mph.

Options.

Exterior.

Enhanced security. Higher safety levels. A little more protection. Or just the added practicality of a tow bar. Whatever your individual need, New Movano options have it covered. We also offer a range of mechanical options that can seriously add to New Movano's performance as a working vehicle. Turn to pages 38-41 for full details on availability.



Engine-driven power take-off.

All New Movano models can be specified with an engine-driven PTO. This can be used to drive a fridge compressor or other light applications.

Gearbox-driven power take-off.

All RWD versions of New Movano can be supplied with a gearbox-driven power take-off. Particularly useful for companies operating heavy-duty ancillary equipment.



Rear parking distance sensors.

Optional rear parking distance sensors provide an audible warning to help prevent accidental damage when reversing.

Fixed tow bar.

As the name suggests, the unit and ball are permanently fixed – and, once fitted, cannot be readily removed.

Pneumatic suspension.

For easier loading and unloading, and improved ride comfort, height-adjustable pneumatic rear suspension is optional at extra cost.



Front fog lights. Improved forward vision and reduced glare in foggy weather conditions.

Airbag options.

A driver's airbag is standard across the range; a driver's side-impact airbag is optional at extra cost. An optional front passengers' airbag with deactivation switch and separate driver and passenger's side impact airbags are also available.

Limited-slip differential (LSD).

To assist driving in rough or slippery conditions LSD is optional at extra cost on RWD models.

Option packs.

New Movano option packs provide a 'bundle' of features at a highly attractive price, allowing you to tailor your equipment package to suit the individual demands of your business. Page 41 has all the availability details.



Office Pack

- CD 30 BT CD with MP3 format/ stereo radio – auxiliary-in socket, Bluetooth®, remote monochrome display, four 20-watt speakers
- Retractable document clip in fascia
- 'Comfort' driver's seat
- Bulkhead soundproofing
- Double bench seat offering fold flat centre seatback with swivel tray



- Storage under bench seat accessed by folding seat cushions
- Facia-mounted lidded storage
- Additional lower front door pockets and kerb lights
- Driver's sunglasses storage holder
- 'One-touch down' facility for driver's electrically operated window
- 12-volt socket in load area
- Full-diameter wheel covers



Comfort Pack

- Electronic Climate Control (ECC) with pollen filter and chilled glovebox
- CD 30 BT NAVI satellite navigation with remote colour monitor/CD player with MP3 format/stereo radio/auxiliary-in socket/Bluetooth® connectivity/four speakers



Lighting Pack

- Automatic wipers and lights
- Front fog lights
- Static cornering lights
- Door-to-door illumination



Construction Pack (RWD models)

- Tow bar
- Limited-slip differential
- Air-suspended driver's seat

Accessories.

Vauxhall accessories are all about choice – selecting your New Movano model then personalising it to suit the way you work. We offer a huge range of retailer-fit accessories, all designed to the same exacting standards as the vehicle itself. For further information please speak to your Vauxhall Commercial Vehicle retailer.



Please note: Window vans illustrated are not currently available in the UK.

Roof base carrier. Crash test approved, the transverse-fitting aluminium roof bars provide a solid platform for a range of roof carriers. They feature an oval-shaped profile and attach directly to mounting points on the roof itself using a secure, T-track connector. Up to six bars can be fitted per vehicle and the maximum load per bar is 50kg. Maximum load per roof is 200kg (including the weight of all fitted bars).



Steel ladder. Steel-constructed but with a smart, aluminium-look finish, the rear ladder is firmly affixed to the rear door of the vehicle.



Roof rack tray. With dimensions tailored to the individual vehicle, the aluminium roof rack tray offers a maximum load capacity of 200kg.



Walkway for roof rack tray. Made from lightweight but sturdy perforated aluminium and for use with the roof rack tray, the walkway enhances access to the roof.



Trailer hook. Particularly suited to heavier loads, the trailer hook is finished in an anti-corrosive epoxy powder treatment.



Rear window protection grilles. Constructed from 1mm thick epoxy coated steel, the rear window protection grilles help avoid theft while retaining rearward visibility.



Carpet mats. Constructed from smart yet hard-wearing textile – and available in dark grey – the one-piece Movano-branded carpet mat features fittings to prevent slippage in use.



Mudflaps. New Movano's smart, grey, moulded mudflaps are specifically designed to protect the lower bodywork from stone chips, grit and other road material.



Rear-view camera. The 3.5-inch LCD monitor screen, mounted in the driver's sunvisor, is activated by selecting reverse gear, providing a view of the area behind the vehicle.



Seat covers, premium. The Aquila Super Seat Covers feature leather-look vinyl material, featuring ultra-resistant TEP upholstery technology for reduced wear and tear.

Other accessories include:

Protection

- Seat covers, standard
- Rubber floor mats

Safety

- Safety Pack
- Rear parking distance sensors
- First aid kit and warning triangle
- Hi-visibility vest

Security

- Steering wheel security bar

Practical

- Spare bulb kit
- Fuel can
- Stretch tow rope
- Jump leads
- Fire extinguisher (1kg or 2kg)
- Fire extinguisher bracket (1kg or 2kg)
- Temporary tyre inflation kit

Audio and navigation

- Audio connection box (jack, iPod™ and USB interface)

Audio accessories

- Portable CD storage bag or box
- Sun visor CD storage

Towing

- Flange tow bar
- Towing electrics (7-pin or 13-pin)
- Towing electrical adaptors (7/13-pin or 13/7-pin or 12S adaptor)

Colours and trims.

New Movano's business-like appearance is exemplified by the smart choice of colours available for the new vehicle. The cloth or vinyl trims have been chosen as much for their hard-wearing properties as they have for their visual appeal.

Arctic White – solid



Signal Blue – solid



Mandarin Orange – solid



Moss Green – solid



North Sea Blue – solid



Poppy Red – solid



Saffron Yellow – solid



Ink Blue – solid



Halo Silver – two-coat metallic*



Ambient Blue – two-coat metallic*



Due to the limitations of the printing process the colours reproduced may vary from the actual colour. As a result they should be used as a guide only.

All Vauxhall Commercial Vehicle retailers have a comprehensive showroom colour display, with actual exterior paint samples available for inspection.

Please note: Certain alternative colours are available for special order on New Movano. Restrictions apply so please consult your Commercial Vehicle retailer for more details.



Grey Pulse cloth. Hard-wearing Grey Pulse cloth trim is fitted as standard across the range.



Grey vinyl.** Alternatively, grey vinyl trim can be specified at no extra cost for customers requiring a more workmanlike, wipe-clean option.

Exterior colours	Trim	
	Grey Pulse cloth	Grey vinyl**
Solid		
Arctic White	•	•
Signal Blue	•	•
Mandarin Orange	•	•
Moss Green	•	•
North Sea Blue	•	•
Poppy Red	•	•
Saffron Yellow	•	•
Ink Blue	•	•
Two-coat metallic*		
Halo Silver	•	•
Ambient Blue	•	•

• = Available

*Optional at extra cost. Not available on Expression models.

**Grey vinyl seat trim is optional at no extra cost. Not available on Expression models.

Service and warranty.

Whatever your business, Vauxhall Commercial Vehicles can help you deliver.

We're committed to keeping your business moving. That means reliable, fuel-efficient vehicles supported by a dedicated network of over 200 specialist retailers with all the expert support and back-up you need to minimise service downtime. Our confidence is underlined by a comprehensive, three-year 100,000 mile warranty on all New Movano models.

Our British production facilities at Ellesmere Port and Luton build more commercial vehicles than any other UK manufacturer. We've also won over 25 industry awards since 2001 – major awards, presented by some of the toughest judges in the business.

Award-winning models, specialist back-up and warranty cover – no wonder Vauxhall Commercial Vehicles are 'The Wheels of Business'. With the New Movano joining our line-up, that market-leading proposition just got a whole lot stronger.





Contents

Equipment

Safety	38
Security	
Facia, instruments and controls	

Seating	39
Interior features	
Exterior features	

Mechanical	40
Load area	

Audio, communication and navigation	41
Option packs	

Technical data

Engines, transmission ratios, wheels and tyres	42
--	----

Vauxhall Assistance and warranties, transmissions, steering, suspension, brakes, electrics, body and fuel tank capacity	43
---	----

L2 FWD panel van/doublecab: Exterior/interior dimensions, loadspace volumes, weights and towing data	44
--	----

L3 FWD panel van/doublecab: Exterior/interior dimensions, loadspace volumes, weights and towing data	45
--	----

L3 RWD panel van/doublecab: Exterior/interior dimensions, loadspace volumes, weights and towing data	46
--	----

L4 RWD panel van: Exterior/interior dimensions, loadspace volumes, weights and towing data	47
--	----

L2/L3/L4 chassis cabs: Dimensions, weights and towing data	48
--	----

L2/L3/L4 chassis crew cabs: Dimensions, weights and towing data	49
---	----

L2/L3 platform cabs: Dimensions, weights and towing data	50
--	----

Fuel economy and emissions	51
----------------------------	----

Safety

Standard features • Driver's airbag • Anti-lock braking system (ABS) with electronic brakeforce distribution (EBD) • Emergency brake assist (EBA) • Height-adjustable outer head restraints • Padded head restraints • Inertia-reel lap and diagonal seatbelts • Height-adjustable outer front seatbelts • Anti-submarining ramps in seats • Laminated windscreen • High-level brake light (vans only)

Additional features	Expression	Panel van	Doublecab	Chassis cab	Crew cab	Platform
Electronic Stability Programme-plus (ESP-plus) with traction control (standard on RWD models)		○	○	○	○	○
Front passengers' airbag with deactivation switch	○	○ ¹				
Driver's side-impact airbag ²		○	○	○	○	○
Driver and front passenger's side-impact airbags ^{2,3}		○	○	○	○	○
Speed limiter (choice of three: 56mph, 62mph or 68mph) (56mph speed limiter standard on 4500 models – legal requirement)	○	○	○	○	○	○

Security

Standard features • Remote control selective door locking with three-button key (vans only) • Deadlocking facility • Electronic engine deadlock immobiliser • Unglazed rear doors (90°/180° opening) • Steering column lock • Under-floor spare wheel – winchable when rear doors opened

Additional features	Expression	Panel van	Doublecab	Chassis cab	Crew cab	Platform
Third key	○	○	○	○	○	○
Rear parking distance sensors		○	○			
Security alarm	○	○	○	○	○	○

Facia, instruments and controls

Standard features • Facia-mounted gear lever • Height-adjustable steering wheel • Gearshift indication light (manual models only) • Trip odometer • Rev counter • Coolant temperature gauge • Fuel gauge with low fuel level warning light • Warning indicators for low oil level, low brake fluid, brake pad wear, battery, engine temperature, fuel filter, seatbelt warning and doors open • Service-due indicator • Central 12-volt electrical accessory socket • Mobile phone storage with adjacent 12-volt accessory socket • Extensive facia storage • Lidded glovebox • Coin, ticket and card holder

Additional features	Expression	Panel van	Doublecab	Chassis cab	Crew cab	Platform
Digital tachograph (standard on 4500 models) ⁴	○	○	○	○	○	○
Multi-function trip computer (provides information on overall distance, trip distance, average and instantaneous fuel consumption, remaining range, distance and average speed since last reset)		○	○	○	○	○
Cruise control ⁵		○	○	○	○	○

Seating

Standard features • Pulse cloth seat trim • Driver's seat adjustable for height, cushion angle, reach and rake • Driver's seat armrest • Dual front passengers' bench seat

Additional features

	Expression	Panel van	Doublecab	Chassis cab	Crew cab	Platform
Vinyl seat trim		N/C	N/C	N/C	N/C	N/C
'Comfort' driver's seat with armrest and lumbar adjustment ¹		○	○	○	○	○
Air-suspended driver's seat with armrest ¹		○	○	○	○	○
Single front passenger's seat with armrest ¹		N/C	N/C	N/C	N/C	N/C
Single 'Comfort' front passenger's seat with adjustable armrest and lumbar adjustment ^{1,6}		○	○	○	○	○
Four-passenger rear bench seat			●		●	

Interior features

Standard features • Multi-function display showing time, date, audio information and outside air temperature • Flat-folding middle seat back with twin drinks holders, a flat work surface and storage tray • Vinyl floor covering in cabin area • Twin sunvisors • Twin front passenger assist handles (one with single front passenger seat option) • Four-speed fan • Four adjustable face-level heating and ventilation outlets • Windscreen and side-window demist vents • Air recirculation system • Twin overhead storage shelves • Fade down cabin area courtesy light • Map reading light • Door trims with pocket and two-litre bottle storage • Lower rear seat storage pocket (doublecab) • Side and overhead rear seat storage pockets (doublecab)

Additional features

	Expression	Panel van	Doublecab	Chassis cab	Crew cab	Platform
Air conditioning with pollen filter and chilled glovebox facility		○	○	○	○	○
Electronic Climate Control (ECC) incorporating air conditioning with pollen filter and chilled glovebox facility		○	○	○	○	○

Exterior features

Standard features • Electrically operated front windows • Foldable electrically adjustable/heated door mirrors (wide-angle on driver's side) with integrated side-repeat indicators • Two-speed windscreen wipers with variable intermittent wipe and electric screenwash • Lights-on audible warning • Manual headlight beam levelling • Integral steps in front bumper • Twin reversing lights • Rear fog lights • Exterior side marker lights (L3 and L4 panel van models) • Body side-protection mouldings (doors only – chassis/crew/platform cab) • Wheel centre covers (excluding HD models)

Additional features

	Expression	Panel van	Doublecab	Chassis cab	Crew cab	Platform
Long arm exterior mirrors				○	○	○
Front fog lights		○	○	○	○	○
Front and rear mudflaps		○	○	○	○	○
Two-coat metallic paint		○	○	○	○	○
Special paint (restrictions apply – please consult your retailer for availability)		○	○	○	○	○



Air-suspended driver's seat with armrest.



Electronic climate control.

● = Standard equipment.
○ = Optional at extra cost.
N/C = No-cost option.

- 1 = Not available with Office Pack option.
- 2 = Not available with air-suspended driver's seat options.
- 3 = Only available with single front passenger's seat options.
- 4 = Must be specified at time of ordering as it cannot be fitted retrospectively. Option price for digital tachograph does not include calibration which must be carried out at an approved tachograph centre within 14 days of the vehicle's registration. Please note: The legislation regarding the use of tachographs is complex and operators should seek independent advice or speak to the Commercial Vehicle specialist at your Vauxhall retailer to ensure compliance. Alternatively your local DVLA office will also be able to provide clarification of the relevant legislation.
- 5 = Only available with multi-function trip computer.
- 6 = Only with 'Comfort' driver's seat option.



Front fog lights.



Full-height plywood load lining panels and wheel arch protection.



Rear bumper with integral step.

Mechanical

Standard features • Six-speed manual gearbox • Power-assisted steering

Additional features	Expression	Panel van	Doublecab	Chassis cab	Crew cab	Platform
Tecshift six-speed transmission with sequential manual gearshift and automatic mode (Euro 5 models only)		○	○	○	○	○
Engine-driven power take-off (FWD models) ⁷	○	○	○	○	○	○
Engine-driven power take-off (RWD models) ⁸		○		○	○	
Gearbox-driven power take-off (RWD models only)		○		○	○	
Limited-slip differential (RWD models only)		○		○	○	
105-litre fuel tank	○	○	○	○	○	○
Tow bar ⁹	○	○	○	○	○	
CANbus interface	○	○	○	○	○	○
Six-pin connector for conversions	○	○	○	○	○	○

Load area

Standard features • Nearside sliding side-access door • Illuminated load area • Load restraint lashing eyes (L2/L3 – 10, L4 – 12)
• Internal lockable rear and sliding side-access doors • Unglazed rear doors (90°/180° opening)

Additional features	Expression	Panel van	Doublecab	Chassis cab	Crew cab	Platform
Full-height steel bulkhead without window	●	●				
Full-height steel bulkhead with window	○	○				
Full-height ABS plastic bulkhead with window			●			
Fixed windows in nearside sliding side-access door and opposite panel		○	●			
Glazed van pack (includes glazed side-access door and opposite panel, plus glazed rear doors) ¹⁰		○				
Offside sliding side-access door		○	○			
Half-height load trim panels (standard on RWD models)		○				
Full-height plywood load lining panels and wheel arch protection ¹¹	○	○				
Resin-coated plywood load floor covering	○	○				
Side-mounted anchorage points	○	○	○			
Two grab handles (side-access and rear doors) ¹²	○	○	○			
Three grab handles (two side-access and rear doors) ¹²	○	○	○			
Glazed rear doors (90°/180° opening)	○	○	○			
Unglazed rear doors (270° opening)		○	○			
Glazed rear doors (270° opening)		○	○			
Heated rear windows (only with glazed rear door options)	○	○	○			
Rear bumper with integral step (standard on RWD models)		○	○			

Audio, communication and navigation

Features	Expression	Panel van	Doublecab	Chassis cab	Crew cab	Platform
R 10 stereo radio/auxiliary-in socket/integrated display/four 15-watt speakers	●					
CD 10 CD player with MP3 format/stereo radio/auxiliary-in socket/integrated display/four 15-watt speakers		●	●	●	●	●
CD 30 BT CD player with MP3 format/stereo radio/auxiliary-in sockets/Bluetooth® connectivity for compatible mobile phones/remote monochromatic display/four 20-watt speakers		○	○	○	○	○
CD 30 BT NAVI satellite navigation with remote colour monitor/CD player with MP3 format/stereo radio/auxiliary-in sockets/Bluetooth® connectivity for compatible mobile phones/hand-held remote control unit/four 20-watt speakers		○	○	○	○	○
CD 30 BT USB CD player with MP3 format/stereo radio/auxiliary-in sockets/Bluetooth® connectivity for compatible mobile phones/USB connectivity/remote monochromatic display/four 20-watt speakers		○	○	○	○	○
CD 30 BT NAVI USB satellite navigation with remote colour monitor/CD player with MP3 format/stereo radio/auxiliary-in sockets/Bluetooth® connectivity for compatible mobile phones/USB connectivity/hand-held remote control unit/four 20-watt speakers		○	○	○	○	○
Steering column mounted audio controls		●	●	●	●	●
Flexible roof-mounted aerial	●	●	●	●	●	●

Option packs

	Expression	Panel van	Doublecab	Chassis cab	Crew cab	Platform
Office Pack¹³ ● CD 30 BT CD player with MP3 format/stereo radio/auxiliary-in sockets/Bluetooth® connectivity for compatible mobile phones/remote monochromatic display/four 20-watt speakers ● 'Comfort' driver's seat with armrest and lumbar support ● Multi-function office bench seat with folding seat back on centre passenger seat including swivelling work tray and tilt forward seat cushions with underseat stowage ● Facia-mounted A4 lidded storage compartment ● Retractable dashboard document clip ● Additional lower front door pockets and kerb lights ● Sunglasses storage (driver's side) ● 'One-touch down' facility for driver's electrically operated window ● Bulkhead soundproofing (panel van only) ● 12-volt electrical accessory socket in load area ● Full wheel covers (not RWD HD models)		○	○	○	○	○
Lighting Pack¹⁴ ● Static cornering lights (see page 22 for details) ● Front fog lights ● Automatic lighting control ● Rain-sensitive windscreen wipers ● Door-to-door illumination		○	○	○	○	○
Comfort Pack¹ ● Electronic Climate Control (ECC) incorporating air conditioning with pollen filter ● CD 30 BT NAVI satellite navigation with remote colour monitor/CD player with MP3 format/stereo radio/auxiliary-in sockets/Bluetooth® connectivity for compatible mobile phones/hand-held remote control unit/four 20-watt speakers		○	○	○	○	○
Construction Pack (RWD models only) ● Air-suspended driver's seat with armrest ● Limited-slip differential ● Tow bar ⁹		○		○	○	
Smoker Pack ● Removable ashtray ● Illuminated cigar lighter	○	○	○	○	○	○



Steering column mounted audio controls.

- = Standard equipment.
- = Optional at extra cost.

- 1 = Not available with Office Pack option.
- 7 = Not available when air conditioning or ECC options are specified. Mandates six-pin connector.
- 8 = Only available in conjunction with air conditioning or ECC options. Mandates six-pin connector.
- 9 = Unless the user qualifies for a specific exemption, vehicles operated with a trailer, where the combined weight of the vehicle, trailer and payload exceeds 3500kg, will need a tachograph.
- 10 = Not available with full-height plywood load lining.
- 11 = Mandates resin-coated plywood load floor covering, not available with offside side-access door.
- 12 = Not available with side-mounted anchorage points.
- 13 = Not available with Comfort Pack, front passengers' airbag or single front passenger's seat options.
- 14 = Only available in conjunction with ESP. ESP standard on RWD models.



100/125/ 146PS 2.3CDTI 16v engines



Tecshift Six-speed transmission optional on selected Euro 5 models

Engines

	2.3CDTI 16v (100PS)	2.3CDTI 16v (125PS)*	2.3CDTI 16v (146PS)
Fuel type	Diesel		
Capacity	2298cc		
Maximum power	100PS (74kW) @ 3500rpm	125PS (92kW) @ 3500rpm	146PS (107kW) @ 3500rpm
Maximum torque	285Nm (210 lb.ft.) @ 1250-2000rpm	310Nm (229 lb.ft.) @ 1250-2500rpm	350Nm (258 lb.ft.) @ 1500-2750rpm
Configuration	4 cylinders, 4 valves per cylinder, double overhead camshafts		
Emission compliance	Euro 4/5		
Fuel/induction system	Fixed geometry turbocharger and intercooler. Common rail fuel injection		Variable geometry turbocharger and intercooler. Common rail fuel injection
Service interval	25,000 miles or one-year (whichever occurs sooner)		

* = Euro 5 models feature variable geometry turbocharger.

Transmission ratios

	Gear ratios (mph/1000rpm)						Reverse	Final drive ratio
	1	2	3	4	5	6		
FWD 3300 (100/125PS)	4.18:1 (4.5)	2.24:1 (8.3)	1.39:1 (13.7)	0.98:1 (19.5)	0.76:1 (24.6)	0.59:1 (31.3)	4.36:1 (4.3)	4.18
FWD 3300 (146PS)	4.18:1 (4.2)	2.24:1 (7.9)	1.39:1 (12.7)	0.98:1 (18.0)	0.76:1 (23.3)	0.59:1 (29.5)	4.36:1 (4.0)	4.43
FWD 3500 (100/125PS)	4.18:1 (4.5)	2.24:1 (8.5)	1.39:1 (13.7)	0.98:1 (19.5)	0.76:1 (25.1)	0.59:1 (31.9)	4.36:1 (4.4)	4.18
FWD 3500 (146PS)	4.18:1 (4.3)	2.24:1 (8.0)	1.39:1 (12.9)	0.98:1 (18.4)	0.76:1 (23.7)	0.59:1 (30.1)	4.36:1 (4.1)	4.43
RWD 3500	5.20:1 (4.3)	2.70:1 (8.4)	1.80:1 (12.5)	1.30:1 (17.4)	1.00:1 (22.6)	0.80:1 (28.2)	4.00:1 (3.5)	3.58
RWD HD 3500/4500	5.20:1 (3.7)	2.70:1 (7.0)	1.80:1 (10.5)	1.30:1 (14.6)	1.00:1 (19.0)	0.80:1 (23.7)	4.00:1 (3.0)	4.18

Wheels and tyres

Features	Expression	Panel van	Doublecab	Chassis cab	Crew cab	Platform
3300 models – 6.5J x 16-inch steel wheels with 215/65 R 16 tyres	●	●				
3500 FWD models – 6.5J x 16-inch steel wheels with 225/65 R 16 tyres		●	●	●	●	●
3500 RWD models (excluding HD models) – 7J x 16-inch steel wheels with 235/65 R 16 tyres		●		●	●	
3500/4500 RWD HD models – 5.5J x 16-inch steel wheels with 195/75 R 16 tyres		●		●	●	
Full-size spare wheel		●	●	●	●	●
Tyre inflation kit in lieu of spare wheel (excluding RWD models)	●	N/C	N/C	N/C	N/C	N/C

● = Standard equipment. N/C = No-cost option.

Vauxhall Assistance and warranties**

Every Movano base vehicle comes with:

- A three-year vehicle warranty consisting of a one year/unlimited mileage manufacturer's warranty and a second and third year manufacturer's warranty with a 100,000 miles limitation
- Vauxhall Assistance for 12 months from first registration
- Six-year body panel anti-perforation warranty

** = Warranty is only available on vehicles sourced from Vauxhall Motors Ltd. Terms and conditions apply – please see your Vauxhall Commercial Vehicle retailer for details.

Transmissions

FWD feature: Transverse engine/gearbox.

RWD feature: Longitudinal engine/gearbox.

- Front-wheel drive available on all L2 and L3 models
- Rear-wheel drive available on L3/L4 panel van models and L2/L3/L4 chassis cab/crew cab models
- Six-speed manual gearbox
- Six-speed Tecshift transmission – available at extra cost on Euro 5 engines. Tecshift hydraulic transmission offers all the main features and flexibility of a regular automatic, plus the performance and control of a 'one-touch' manual gearbox. In manual mode the driver changes gear sequentially by pushing the lever forward (higher gear) or pulling it backwards (lower gear), with automatic-style 'kickdown' through two or more gears also possible in manual mode. Automatic clutch control means there is no need for a clutch pedal

Steering

- Power-assisted rack and pinion system
- Turns lock-to-lock: 3.7
- Turning circles (kerb-to-kerb/wall-to-wall):

	Kerb-to-kerb	Wall-to-wall
L2	13.6m (44.6ft)	14.1m (46.2ft)
L3 FWD	15.7m (51.5ft)	16.2m (53.1ft)
L3 RWD	13.6m (44.6ft)	14.1m (46.2ft)
L4	15.7m (51.5ft)	16.2m (53.1ft)

Suspension

Front (FWD/RWD): MacPherson type with independent double wishbones, coil springs and telescopic dampers.

Rear (FWD): Tubular axle with variable-rate single leaf springs and telescopic dampers.

Rear (RWD): Tubular axle with variable-rate double leaf springs (triple leaf on HD models) and telescopic dampers.

Brakes

- Four-channel Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD)
- Emergency Brake Assist (EBA)
- Vacuum servo-assisted system
- Low brake fluid level warning light
- Floor-mounted parking brake lever

Front ventilated disc brakes:

FWD/RWD 302mm x 28mm.

Rear disc brakes:

FWD/RWD 305mm x 12mm.

RWD HD 305mm x 18mm.

Electrics

Maintenance-free battery: 95Ah. (105Ah. Tecshift models).

Alternator: 185A.

Body

- Six years' body panel anti-perforation warranty
- Galvanised body panels
- Anti stone-chip mastic coating on sills
- Flush-fitted windscreen and rear door glass (when specified)
- Detachable front towing eye
- Rear towing eye

Fuel tank capacity

80 litres (17.6 gallons).

105 litres (23.1 gallons) optional.




Rear axle: Front-wheel drive.



Rear axle: Rear-wheel drive.

Exterior dimensions mm (inches)

L2 H2/H3 FWD panel van



All heights are shown unladen.

Interior dimensions

Loadspace	mm (inches)
Maximum length	3083 (121.4)
Maximum length at load floor – doublecab	2175 (85.6)
Maximum length behind rear seats – doublecab	1990 (78.3)
Maximum width	1765 (69.5)
Maximum height	- H2 1894 (74.6) - H3 2144 (84.4)
Width between wheel arches	1380 (54.3)
Rear and side load door(s)	mm (inches)
Rear door aperture height	1820 (71.7)
Rear door aperture width	1577 (62.1)
Side door aperture height	1780 (70.1)
Side door aperture width	1270 (50.0)
Loading height	562 (22.1)
Loadspace volumes	cu.m (cu.ft.)
Panel van	- H2 10.8 (381) - H3 12.3 (434)
Doublecab	6.9 (244)

Loadspace volumes quoted have been obtained using the VDA method of measurement.


Weights and towing data

	Trans- mission	UK plated weights and kerbweights kg						Total Kerb	Payload kg	Plated Gross Combination Weights (GCW) kg
		Front axle		Rear axle		GVW				
		Plated	Kerb	Plated	Kerb					
L2 H2 FWD panel van										
3300 2.3CDTI 16v	manual	1650	1194	1900	691	3300	1885	1415	5800	
3500 2.3CDTI 16v	manual	1850	1196	2100	694	3500	1890	1610	6000	
L2 H3 FWD panel van										
3500 2.3CDTI 16v	manual	1850	1210	2100	721	3500	1931	1569	6000	
L2 H2 FWD doublecab										
3500 2.3CDTI 16v	manual	1850	1271	2100	831	3500	2102	1398	6000	

Note: Kerbweights minimum vehicle kerbweight according to Type Approval, including all fluids, tools and a 90% fuel load. Excludes the weight of the driver and deleteable options, e.g. spare wheel and sliding side load door. Final weight may vary according to the specification of the vehicle, e.g. options, delete options and accessories. **Payload** figures do not allow for the weight of the driver, or any passengers, which should therefore be deducted from the figures shown. **Gross plated weights** (including axle weights) quoted on the vehicle plate must never be exceeded. **Roof load** maximum 200kg (includes weight of roof carrier) when Vauxhall approved carrier system used. **Towing weights:** Unbraked trailer: all models = 750kg, Braked trailer: 2500kg. **Tecshift models:** Models featuring Tecshift transmission have an 8kg increase in total kerbweight with a corresponding decrease in payload.

Exterior dimensions mm (inches)

L3 H2/H3 FWD panel van



All heights are shown unladen.

Interior dimensions

Loadspace	mm (inches)
Maximum length	3733 (147.0)
Maximum length at load floor – doublecab	2825 (111.2)
Maximum length behind rear seats – doublecab	2640 (103.9)
Maximum width	1765 (69.5)
Maximum height	– H2 1894 (74.6) – H3 2144 (84.4)
Width between wheel arches	1380 (54.3)
Rear and side load door(s)	mm (inches)
Rear door aperture height	1820 (71.7)
Rear door aperture width	1577 (62.1)
Side door aperture height	1780 (70.1)
Side door aperture width	1270 (50.0)
Loading height	557 (21.9)
Loadspace volumes	cu.m (cu.ft.)
Panel van	– H2 13.0 (459) – H3 14.8 (523)
Doublecab	9.0 (318)

Loadspace volumes quoted have been obtained using the VDA method of measurement.


Weights and towing data

	Trans- mission	UK plated weights and kerbweights kg					Total Kerb	Payload kg	Plated Gross Combination Weights (GCW) kg
		Front axle		Rear axle		GVW			
L3 H2 FWD panel van		Plated	Kerb	Plated	Kerb				
3500 2.3CDTI 16v	manual	1850	1237	2100	733	3500	1970	1530	6000
L3 H3 FWD panel van		Plated	Kerb	Plated	Kerb				
3500 2.3CDTI 16v	manual	1850	1244	2100	766	3500	2010	1490	6000
L3 H2 FWD doublecab		Plated	Kerb	Plated	Kerb				
3500 2.3CDTI 16v	manual	1850	1327	2100	850	3500	2177	1323	6000

Note: **Kerbweights** minimum vehicle kerbweight according to Type Approval, including all fluids, tools and a 90% fuel load. Excludes the weight of the driver and deleteable options, e.g. spare wheel and sliding side load door. Final weight may vary according to the specification of the vehicle, e.g. options, delete options and accessories. **Payload** figures do not allow for the weight of the driver, or any passengers, which should therefore be deducted from the figures shown. **Gross plated weights** (including axle weights) quoted on the vehicle plate must never be exceeded. **Roof load** maximum 200kg (includes weight of roof carrier) when Vauxhall approved carrier system used. **Towing weights:** Unbraked trailer: all models = 750kg. Braked trailer: 2500kg. **Tecshift models:** Models featuring Tecshift transmission have an 8kg increase in total kerbweight with a corresponding decrease in payload.

Exterior dimensions mm (inches)

L3 H2/H3 RWD panel van



All heights are shown unladen.

Interior dimensions

Loadspace	mm (inches)	
Maximum length	3733 (147.0)	
Maximum width	1765 (69.5)	
Maximum height	- H2	1798 (70.8)
	- H3	2048 (80.6)
Width between wheel arches		
	- L3 RWD	1380 (54.3)
	- L3 RWD HD	1080 (42.5)
Rear and side load door(s)	mm (inches)	
Rear door aperture height	1724 (67.9)	
Rear door aperture width	1577 (62.1)	
Side door aperture height	1684 (66.3)	
Side door aperture width	1270 (50.0)	
Loading height	696-724 (27.4-28.5)	
Loadspace volume	cu.m (cu.ft.)	
Panel van	- H2	12.4 (438)
	- H3	14.2 (501)

Loadspace volumes quoted have been obtained using the VDA method of measurement.


Weights and towing data

	Trans- mission	UK plated weights and kerbweights kg						Total Kerb	Payload kg	Plated Gross Combination Weights (GCW) kg
		Front axle		Rear axle		GVW				
<i>L3 H2 RWD panel van</i>		Plated	Kerb	Plated	Kerb					
3500 2.3CDTI 16v	manual	1850	1147	2300	963	3500	2110	1390	6000	
3500 HD 2.3CDTI 16v	manual	1850	1186	3200	1060	3500	2246	1254	6000	
4500 HD 2.3CDTI 16v	manual	1850	1186	3200	1060	4500	2246	2254	7500	
<i>L3 H3 RWD panel van</i>										
3500 2.3CDTI 16v	manual	1850	1155	2300	993	3500	2148	1352	6000	
3500 HD 2.3CDTI 16v	manual	1850	1191	2300	1088	3500	2279	1221	6500	
4500 HD 2.3CDTI 16v	manual	1850	1191	3200	1088	4500	2279	2221	7500	

Note: Kerbweights minimum vehicle kerbweight according to Type Approval, including all fluids, tools and a 90% fuel load. Excludes the weight of the driver and deleteable options, e.g. spare wheel and sliding side load door. Final weight may vary according to the specification of the vehicle, e.g. options, delete options and accessories. **Payload** figures do not allow for the weight of the driver, or any passengers, which should therefore be deducted from the figures shown. **Gross plated weights** (including axle weights) quoted on the vehicle plate must never be exceeded. **Roof load** maximum 200kg (includes weight of roof carrier) when Vauxhall approved carrier system used. **Towing weights:** Unbraked trailer: all models = 750kg. Braked trailer: 2500kg (HD models 3000kg).

Exterior dimensions mm (inches)

L4 H2/H3 RWD HD panel van



All heights are shown unladen.

Interior dimensions

Loadspace	mm (inches)
Maximum length	4383 (172.6)
Maximum width	1765 (69.5)
Maximum height	- H2 1798 (70.8) - H3 2048 (80.6)
Width between wheel arches	1080 (42.5)
Rear and side load door(s)	mm (inches)
Rear door aperture height	1724 (67.9)
Rear door aperture width	1577 (62.1)
Side door aperture height	1684 (66.3)
Side door aperture width	1270 (50.0)
Loading height	717 (28.2)
Loadspace volume	cu.m (cu.ft.)
Panel van	- H2 14.9 (526) - H3 17.0 (600)

Loadspace volumes quoted have been obtained using the VDA method of measurement.


Weights and towing data

	Trans- mission	UK plated weights and kerbweights kg						Total Kerb	Payload kg	Plated Gross Combination Weights (GCW) kg
		Front axle		Rear axle		GVW				
		Plated	Kerb	Plated	Kerb					
L4 H2 RWD panel van										
3500 HD 2.3CDTI 16v	manual	1850	1235	2300	1089	3500	2324	1176	6500	
4500 HD 2.3CDTI 16v	manual	1850	1235	3200	1089	4500	2324	2176	7500	
L4 H3 RWD panel van										
3500 HD 2.3CDTI 16v	manual	1850	1243	2300	1123	3500	2366	1134	6500	
4500 HD 2.3CDTI 16v	manual	1850	1243	3200	1123	4500	2366	2134	7500	


Note: **Kerbweights** minimum vehicle kerbweight according to Type Approval, including all fluids, tools and a 90% fuel load. Excludes the weight of the driver and deleteable options, e.g. spare wheel and sliding side load door. Final weight may vary according to the specification of the vehicle, e.g. options, delete options and accessories. **Payload** figures do not allow for the weight of the driver, or any passengers, which should therefore be deducted from the figures shown. **Gross plated weights** (including axle weights) quoted on the vehicle plate must never be exceeded. **Roof load** maximum 200kg (includes weight of roof carrier) when Vauxhall approved carrier system used. **Towing weights:** Unbraked trailer: all models = 750kg. Braked trailer: 3000kg.

Exterior dimensions mm (inches)


L2 H1 FWD/RWD




L3 H1 RWD HD



L3 H1 FWD/RWD



L4 H1 RWD HD



Recommended conversion dimensions mm (inches)

Chassis cabs	FWD models		RWD models			
	L2 H1	L3 H1	L2 H1	L3 H1	L3 H1 HD	L4 H1
Maximum allowable overall length – cab/body	5924 (233.2)	7298 (287.3)	6754 (265.9)	8206 (323.1)	6452 (254.0)	7928 (312.1)
Maximum allowable overall width of body	2350 (92.5)	2350 (92.5)	2350 (92.5)	2350 (92.5)	2350 (92.5)	2350 (92.5)
Maximum allowable rear overhang from rear axle	1400 (55.1)	2124 (83.6)	2230 (87.8)	3032 (119.4)	1928 (75.9)	2754 (108.4)
Maximum allowable body length	3464 (136.4)	4838 (190.5)	4293 (169.0)	5746 (226.2)	3991 (157.1)	5468 (215.3)
Unladen chassis height	740 (29.1)	741 (29.2)	774 (30.5)	775 (30.5)	787 (31.0)	789 (31.1)
Front axle to back of cab	1616 (63.6)	1616 (63.6)	1616 (63.6)	1616 (63.6)	1616 (63.6)	1616 (63.6)
Minimum allowable body length	3182 (125.3)	3832 (150.9)	3182 (125.3)	3832 (150.9)	3639 (143.3)	4289 (168.9)

Weights and towing data


Chassis cabs	Trans- mission	UK plated weights and kerbweights kg						Plated Gross Combination Weights (GCW) kg	
		Front axle		Rear axle		Total	Payload*		
		Plated	Kerb	Plated	Kerb	GVW	Kerb	kg	
L2 H1 FWD 3500 2.3CDTI 16v	manual	1850	1208	2100	478	3500	1686	1814	6000
L3 H1 FWD 3500 2.3CDTI 16v	manual	1850	1243	2100	464	3500	1707	1793	6000
L2 H1 RWD 3500 2.3CDTI 16v	manual	1850	1187	2300	648	3500	1835	1665	6000
L3 H1 RWD 3500 2.3CDTI 16v	manual	1850	1218	2300	642	3500	1860	1640	6000
L3 H1 RWD HD 3500 2.3CDTI 16v	manual	1850	1209	2300	766	3500	1975	1525	6500
L3 H1 RWD HD 4500 2.3CDTI 16v	manual	1850	1209	3200	766	4500	1975	2525	7500
L4 H1 RWD HD 3500 2.3CDTI 16v	manual	1850	1261	2300	744	3500	2005	1495	6500
L4 H1 RWD HD 4500 2.3CDTI 16v	manual	1850	1261	3200	744	4500	2005	2495	7500

* = The weight of any fitted conversion body will have to be deducted from these figures to establish actual payload. tba = To be advised.


Note: Kerbweights minimum vehicle kerbweight according to Type Approval, including all fluids, tools and a 90% fuel load. Excludes the weight of the driver and deleteable options, e.g. spare wheel. Final weight may vary according to the specification of the vehicle, e.g. options, delete options and accessories. **Payload** figures do not allow for the weight of the driver, or any passengers, which should therefore be deducted from the figures shown. **Gross plated weights** (including axle weights) quoted on the vehicle plate must never be exceeded. **Towing weights:** Unbraked trailer: all models = 750kg. Braked trailer: 2500kg (HD models 3500kg). **Tecshift models:** Models featuring Tecshift transmission have an 8kg increase in total kerbweight with a corresponding decrease in payload.

Exterior dimensions mm (inches)



L2 H1 FWD/RWD




L3 H1 RWD HD



L3 H1 FWD/RWD



L4 H1 RWD HD



Recommended conversion dimensions mm (inches)

Chassis crew cabs	FWD models		RWD models			
	L2 H1	L3 H1	L2 H1	L3 H1	L3 H1 HD	L4 H1
Maximum allowable overall length – cab/body	5643 (222.2)	7252 (285.5)	6441 (253.6)	8206 (323.1)	6193 (243.8)	7645 (301.0)
Maximum allowable overall width of body	2350 (92.5)	2350 (92.5)	2350 (92.5)	2350 (92.5)	2350 (92.5)	2350 (92.5)
Maximum allowable rear overhang from rear axle	1119 (44.1)	2078 (81.8)	1917 (75.5)	3032 (119.4)	1669 (65.7)	2471 (97.3)
Maximum allowable body length	2432 (95.7)	4042 (159.1)	3230 (127.2)	4996 (196.7)	2889 (113.7)	4434 (174.6)
Unladen chassis height	732 (28.8)	736 (29.0)	764 (30.1)	768 (30.2)	780 (30.7)	781 (30.7)
Front axle to back of cab	2366 (93.1)	2366 (93.1)	2366 (93.1)	2366 (93.1)	2366 (93.1)	2366 (93.1)
Minimum allowable body length	2432 (95.7)	3082 (121.3)	2432 (95.7)	3082 (121.3)	2889 (113.7)	3539 (139.3)

Weights and towing data



Chassis crew cabs	Trans- mission	UK plated weights and kerbweights kg						Payload* kg	Plated Gross Combination Weights (GCW) kg
		Front axle		Rear axle		Total			
		Plated	Kerb	Plated	Kerb	GVW	Kerb		
L2 H1 FWD 3500 2.3CDTI 16v	manual	1850	1285	2100	602	3500	1887	1613	6000
L3 H1 FWD 3500 2.3CDTI 16v	manual	1850	1372	2100	543	3500	1915	1585	6000
L2 H1 RWD 3500 2.3CDTI 16v	manual	1850	1264	2300	773	3500	2037	1463	6000
L3 H1 RWD 3500 2.3CDTI 16v	manual	1850	1347	2300	721	3500	2068	1432	6000
L3 H1 RWD HD 3500 2.3CDTI 16v	manual	1850	1289	2300	865	3500	2154	1346	6500
L3 H1 RWD HD 4500 2.3CDTI 16v	manual	1850	tba	3200	tba	4500	tba	tba	7500
L4 H1 RWD HD 3500 2.3CDTI 16v	manual	1850	1377	2300	846	3500	2223	1277	6500
L4 H1 RWD HD 4500 2.3CDTI 16v	manual	1850	1377	3200	846	4500	2223	2277	7500

* = The weight of any fitted conversion body will have to be deducted from these figures to establish actual payload. tba = To be advised.



Note: Kerbweights minimum vehicle kerbweight according to Type Approval, including all fluids, tools and a 90% fuel load. Excludes the weight of the driver and deleteable options, e.g. spare wheel. Final weight may vary according to the specification of the vehicle, e.g. options, delete options and accessories. **Payload** figures do not allow for the weight of the driver, or any passengers, which should therefore be deducted from the figures shown. **Gross plated weights** (including axle weights) quoted on the vehicle plate must never be exceeded. **Towing weights:** Unbraked trailer: all models = 750kg. Braked trailer: 2500kg (HD models 3500kg). **Tecshift models:** Models featuring Tecshift transmission have an 8kg increase in total kerbweight with a corresponding decrease in payload.

Exterior dimensions mm (inches)



L2 H1 FWD





L2 H2 FWD



L3 H1 FWD



L3 H2 FWD



Recommended conversion dimensions mm (inches)

Platform cabs	FWD models			
	L2 H1	L2 H2	L3 H1	L3 H2
Maximum allowable overall length – cab/body	5751 (226.4)	5790 (228.0)	7021 (276.4)	7071 (278.4)
Maximum allowable overall width of body	2350 (92.5)	2350 (92.5)	2350 (92.5)	2350 (92.5)
Maximum allowable rear overhang from rear axle	1227 (48.3)	1266 (49.8)	1847 (72.7)	1897 (74.7)
Maximum allowable body length	3291 (129.6)	3330 (131.1)	4561 (179.6)	4610 (181.5)
Unladen chassis height	585 (23.0)	584 (23.0)	583 (22.9)	583 (22.9)
Front axle to back of cab	1596 (62.8)	1596 (62.8)	1596 (62.8)	1596 (62.8)
Minimum allowable body length	3069 (120.8)	3069 (120.8)	3719 (146.4)	3719 (146.4)

Weights and towing data

Platform cabs	Trans- mission	UK plated weights and kerbweights kg				Total		Payload* kg	Plated Gross Combination Weights (GCW) kg
		Front axle		Rear axle		Kerb	Kerb		
		Plated	Kerb	Plated	Kerb	GVW	Kerb		
L2 H1 FWD 3500 2.3CDTI 16v	manual	1850	1169	2100	409	3500	1578	1922	6000
L2 H2 FWD 3500 2.3CDTI 16v	manual	1850	1180	2100	413	3500	1593	1907	6000
L3 H1 FWD 3500 2.3CDTI 16v	manual	1850	1192	2100	407	3500	1599	1901	6000
L3 H2 FWD 3500 2.3CDTI 16v	manual	1850	1203	2100	410	3500	1613	1887	6000

* = The weight of any fitted conversion body will have to be deducted from these figures to establish actual payload. tba = To be advised.

Note: Kerbweights minimum vehicle kerbweight according to Type Approval, including all fluids, tools and a 90% fuel load. Excludes the weight of the driver and deleteable options, e.g. spare wheel. Final weight may vary according to the specification of the vehicle, e.g. options, delete options and accessories. **Payload** figures do not allow for the weight of the driver, or any passengers, which should therefore be deducted from the figures shown. **Gross plated weights** (including axle weights) quoted on the vehicle plate must never be exceeded. **Towing weights:** Unbraked trailer: all models = 750kg. Braked trailer: 2500kg (HD models 3500kg). **Tecshift models:** Models featuring Tecshift transmission have an 8kg increase in total kerbweight with a corresponding decrease in payload.

Fuel economy and emissions

Model	Fuel economy mpg (litres/100km)			CO ₂ emissions (g/km)
	Urban driving	Extra-urban driving	Combined figure	
L2 H2 FWD panel van				
3300 2.3CDTI 16v 100/125 (Euro 4)	29.7 (9.5)	39.8 (7.1)	35.3 (8.0)	211
3300 2.3CDTI 16v 146 (Euro 4)	26.4 (10.7)	37.2 (7.6)	32.5 (8.7)	231
3300 2.3CDTI 16v 100 (Euro 5)	28.5 (9.9)	37.7 (7.5)	34.0 (8.3)	221
3300 2.3CDTI 16v 146 (Euro 5)	26.1 (10.8)	36.2 (7.8)	31.7 (8.9)	233
3300 2.3CDTI 16v 146 (Euro 5) Tecshift	tba	tba	tba	tba
3500 2.3CDTI 16v 100/125 (Euro 4)	29.7 (9.5)	39.8 (7.1)	35.3 (8.0)	211
3500 2.3CDTI 16v 146 (Euro 4)	26.4 (10.7)	37.2 (7.6)	32.5 (8.7)	231
3500 2.3CDTI 16v 100 (Euro 5)	28.5 (9.9)	37.7 (7.5)	34.0 (8.3)	221
3500 2.3CDTI 16v 146 (Euro 5)	25.9 (10.9)	38.2 (7.4)	32.5 (8.7)	229
3500 2.3CDTI 16v 125 (Euro 5) Tecshift	31.4 (9.0)	36.7 (7.7)	34.9 (8.1)	214
3500 2.3CDTI 16v 146 (Euro 5) Tecshift	30.4 (9.3)	35.8 (7.9)	33.6 (8.4)	222
L2 H3 FWD panel van				
3500 2.3CDTI 16v 100/125 (Euro 4)	29.7 (9.5)	39.8 (7.1)	35.3 (8.0)	211
3500 2.3CDTI 16v 146 (Euro 4)	26.2 (10.8)	36.7 (7.7)	32.1 (8.8)	231
3500 2.3CDTI 16v 100 (Euro 5)	28.5 (9.9)	37.7 (7.5)	34.0 (8.3)	221
3500 2.3CDTI 16v 146 (Euro 5)	25.9 (10.9)	38.2 (7.4)	32.5 (8.7)	229
3500 2.3CDTI 16v 125 (Euro 5) Tecshift	31.4 (9.0)	36.7 (7.7)	34.9 (8.1)	214
3500 2.3CDTI 16v 146 (Euro 5) Tecshift	30.4 (9.3)	35.8 (7.9)	33.6 (8.4)	222
L3 H2 FWD panel van				
3500 2.3CDTI 16v 100/125 (Euro 4)	29.4 (9.6)	38.7 (7.3)	34.9 (8.1)	215
3500 2.3CDTI 16v 146 (Euro 4)	26.1 (10.8)	36.7 (7.7)	32.1 (8.8)	235
3500 2.3CDTI 16v 100 (Euro 5)	27.4 (10.3)	37.2 (7.6)	32.8 (8.6)	226
3500 2.3CDTI 16v 146 (Euro 5)	26.1 (10.8)	36.2 (7.8)	31.7 (8.9)	233
3500 2.3CDTI 16v 125 (Euro 5) Tecshift	31.4 (9.0)	36.7 (7.7)	34.9 (8.1)	214
3500 2.3CDTI 16v 146 (Euro 5) Tecshift	30.4 (9.3)	35.8 (7.9)	33.6 (8.4)	222
L3 H3 FWD panel van				
3500 2.3CDTI 16v 100/125 (Euro 4)	29.4 (9.6)	38.7 (7.3)	34.9 (8.1)	215
3500 2.3CDTI 16v 146 (Euro 4)	26.2 (10.8)	36.7 (7.7)	32.1 (8.8)	235
3500 2.3CDTI 16v 100 (Euro 5)	27.4 (10.3)	37.2 (7.6)	32.8 (8.6)	226
3500 2.3CDTI 16v 146 (Euro 5)	26.2 (10.8)	36.2 (7.8)	31.7 (8.9)	233
3500 2.3CDTI 16v 125 (Euro 5) Tecshift	31.4 (9.0)	36.7 (7.7)	34.9 (8.1)	214
3500 2.3CDTI 16v 146 (Euro 5) Tecshift	30.4 (9.3)	35.8 (7.9)	33.6 (8.4)	222

Model	Fuel economy mpg (litres/100km)			CO ₂ emissions (g/km)
	Urban driving	Extra-urban driving	Combined figure	
L3 H2 RWD panel van				
3500 2.3CDTI 16v 100/125 (Euro 4)	26.6 (10.6)	32.8 (8.6)	30.4 (9.3)	247
3500 2.3CDTI 16v 146 (Euro 4)	26.2 (10.8)	33.2 (8.5)	30.4 (9.3)	247
3500 2.3CDTI 16v 100 (Euro 5)	26.2 (10.8)	32.8 (8.6)	30.1 (9.4)	249
3500 2.3CDTI 16v 146 (Euro 5)	26.2 (10.8)	32.8 (8.6)	30.1 (9.4)	249
3500 HD 2.3CDTI 16v 100/125 (Euro 4)	28.2 (10.0)	31.7 (8.9)	30.4 (9.3)	245
3500 HD 2.3CDTI 16v 146 (Euro 4)	28.0 (10.1)	32.8 (8.6)	30.7 (9.2)	243
3500 HD 2.3CDTI 16v 100/146 (Euro 5)	28.2 (10.0)	31.7 (8.9)	30.4 (9.3)	245
L3 H3 RWD panel van				
3500 2.3CDTI 16v 100 (Euro 4)	tba	tba	tba	tba
3500 2.3CDTI 16v 125 (Euro 4)	26.6 (10.6)	32.8 (8.6)	30.4 (9.3)	247
3500 2.3CDTI 16v 146 (Euro 4)	26.2 (10.8)	33.2 (8.5)	30.4 (9.3)	247
3500 2.3CDTI 16v 125 (Euro 5)	26.2 (10.8)	32.8 (8.6)	30.1 (9.4)	249
3500 2.3CDTI 16v 146 (Euro 5)	25.0 (11.3)	31.7 (8.9)	28.8 (9.8)	260
3500 HD 2.3CDTI 16v 100/125 (Euro 4)	28.2 (10.0)	31.7 (8.9)	30.4 (9.3)	245
3500 HD 2.3CDTI 16v 146 (Euro 4)	28.0 (10.1)	32.8 (8.6)	30.7 (9.2)	243
3500 HD 2.3CDTI 16v 125/146 (Euro 5)	28.2 (10.0)	31.7 (8.9)	30.4 (9.3)	245
L4 H2/H3 RWD panel van				
3500 HD 2.3CDTI 16v 125 (Euro 4)	28.0 (10.1)	31.4 (9.0)	30.1 (9.4)	249
3500 HD 2.3CDTI 16v 146 (Euro 4)	27.4 (10.3)	32.1 (8.8)	30.4 (9.3)	247
3500 HD 2.3CDTI 16v 146 (Euro 5)	28.0 (10.1)	31.4 (9.0)	30.1 (9.4)	249
L2/L3 H2 FWD doublecab panel van				
3500 2.3CDTI 16v 100/125 (Euro 4)	28.8 (9.8)	38.2 (7.4)	34.0 (8.3)	219
3500 2.3CDTI 16v 146 (Euro 4)	tba	tba	tba	231
3500 2.3CDTI 16v 100 (Euro 5)	27.4 (10.3)	37.2 (7.6)	32.8 (8.6)	226
3500 2.3CDTI 16v 146 (Euro 5)	tba	tba	tba	235
3500 2.3CDTI 16v 146 (Euro 5) Tecshift	tba	tba	tba	tba

Fuel consumption and CO₂ emission data complies with the relevant EU regulations. Important: the results given relate to the particular vehicle tested; inevitably there are differences between individual vehicles of the same model. Driving style, road and traffic conditions, vehicle mileage and standard of maintenance may also affect fuel consumption.
tba = To be advised.

Trust Vauxhall

Protecting the environment

Vauxhall's commitment to the environment is demonstrated by our products' many environmental awards, won both through the use of more recycled materials and by becoming cleaner and more efficient. For information on Vauxhall's efforts to achieve an environmentally sustainable future, see www.vauxhall.co.uk/recycling

Fleet Customer Services

Our dedicated support services for fleet managers includes factory demonstrators and information on whole life costs, company car and van taxation and finance. For further information please call **0870 010 0651**.

Vauxhall Extended Warranty

For complete peace of mind Vauxhall offers an extended warranty that can be purchased on an annual basis following the expiry of the original new vehicle warranty. It covers most mechanical and electrical components. Terms and conditions apply, for further details please contact your local Vauxhall Commercial Vehicle retailer.



When you have finished with this brochure please recycle it

Business Lease

Business Lease, from GMAC, offers the versatility of a purchase-based finance plan, while making the most efficient use of tax and cash-flow benefits for VAT-registered business users. It's available for all Vauxhall Commercial Vehicles up to 12 months old and offers highly flexible term lengths, variable deposits and a choice of payment profiles. Ask your retailer for full details.

Business First

Available to business users only, Business First enables you to drive a new vehicle without a large, initial financial outlay. You pay to use the vehicle, not to own it. The vehicle is provided over a predetermined period, and when that period comes to an end the vehicle is returned. Ask your retailer for full details.

Servicing and maintenance

The best way to maximise the performance and reliability of your Vauxhall is to have all routine servicing and maintenance carried out at a Vauxhall Commercial Vehicle retailer. Nationwide there are over 250 light commercial vehicle retailers and a further 195 heavy commercial vehicle retailers.

In the event of an accident...

Vauxhall Accident Support helps keep you mobile following an accident. Benefits include scene-of-accident advice, message service, assistance with claims and vehicle recovery. For further details call **0800 010 304**.

Premier Service Centres

Our Premier Service Centres feature a guaranteed same day repair service (provided the parts are in stock) and an appointment-free service for diagnosis and repairs taking less than 90 minutes. All repairs are carried out within 24 hours of the diagnosis.

For more information...

For a brochure on any Vauxhall model (up to a maximum of three per caller) or location of your nearest retailer, call **0845 600 1500**.

Alternatively, details can be found on our website at: www.vauxhall.co.uk/vans

Proud Sponsor of Home Nations Football



New Movano brochures (VM1008843, VM1009117)

Please note: Until further notice all New Movano models (excluding Expression) will feature a CD 20 audio unit as standard, while the optional CD 30 units will be unavailable for order. Expression models will be supplied with a radio installation kit. Please consult your Vauxhall Commercial Vehicle retailer for more information.

04/11

VM1109413

Every effort has been made to ensure that the contents of this brochure were accurate and up-to-date at the time of publication (December 2010). Vauxhall vehicles are equipped with components manufactured by various General Motors operating units and outside suppliers. The Company reserves the right to alter specifications and withdraw products from sale without notice. Any such alterations will be notified to Vauxhall retailers at the earliest opportunity, please consult your local retailer for the latest information. The specifications detailed within this brochure are not necessarily applicable to alternative models such as Special Editions. Details of any such models will be contained in specific literature or found on the Vauxhall website. Please note that Vauxhall retailers are not the agents of General Motors UK Limited and are not authorised to bind the Company by any specific or implied undertaking or representation. It is advisable to ensure that your motor insurance policy provides adequate cover for additional fitted options and accessories. Please note accessories shown are for illustrative purposes only. All rights reserved. No part of this publication may be reproduced in any form or by any means, without the prior written permission of General Motors UK Limited.

©2010 General Motors UK Limited Published December 2010 General Motors UK Limited, Luton LU1 3YT

COMMERCIAL VEHICLES
The Wheels of Business



VAUXHALL