

MOVANO Passenger Carriers

2015 Models Edition 1



Proud Sponsor of Home Nations Football



Putting people first

From 6- or 9-seat Combi to 17-seat Minibus and versatile Doublecab, Movano passenger carriers combine easy access with optimum levels of safety and comfort. The Euro 5-compliant, common rail turbo diesel line-up comprises fuel-efficient 110PS, 125PS, 146PS and our new BiTurbo 136PS and 163PS 2.3 litre CDTI 16v engines. Introduce 25,000 mile/two-year service intervals and a warranty up to three years/100,000 miles, and here's a range that's guaranteed to go the distance – whoever you're carrying.



Some of the vehicles shown in this brochure include options and accessories available at extra cost. And not all of the features described are available on every model. So please check the equipment and technical data section for further details. From time to time, we also offer alternative models such as Special Editions which are featured in separate literature or can be found on the Vauxhall website: www.vauxhall.co.uk/vans

04 Cabin comfort and versatility
06 Power and efficiency
08 Combi
10 17-seat Minibus

12 Doublecab
14 Colours and trims
16 Equipment
18 Technical data



Comfort and versatility

Movano raises the bar on cabin design, creating a practical, well-equipped driving environment. With a height-adjustable steering wheel and a driver's seat that's adjustable for height, reach and rake, it's one workspace the driver won't mind spending time in. Outstanding ergonomics – allied to high levels of equipment (including an excellent audio package that now features digital radio, USB facility and Bluetooth® connectivity as standard), maximum ease of access and operator-friendly features – come together to create the ideal travelling experience.



VX_N_MOV_15039

Improved instruments

Clear and easier to read in a simple, no-nonsense binnacle.



VX_N_MOV_15042

Drinks holders

Two fascia-mounted drinks holders are standard on all models.



VX_N_MOV_15007

Bluetooth® connectivity

Virtually universal in compatibility and makes mobile phone communication safe.



VX_N_MOV_15095

Flat-folding middle seat back

Flat work surface with two drinks holders and storage tray.

Features include:*

- › Six-way adjustable driver's seat
- › Driver's seat armrest
- › Dual front passengers' bench seat
- › CD 16 BT USB CD/MP3 CD player/ stereo radio with integrated display
- › Digital radio
- › Steering column mounted audio controls
- › Aux-in socket
- › USB and Bluetooth® connectivity
- › Electrically operated front windows
- › Remote control central deadlocking and automatic locking feature

Options include:*

- › 'Comfort' driver's seat
- › Dual front passengers' bench seat with fold-flat centre seatback with swivel tray and underseat storage – accessed by folding seat cushions
- › Air conditioning

**Not all features and options are available on every model.*



VX_MOV_22389



Cabin comfort and versatility

Power and efficiency

At the heart of every Movano passenger carrier lies a 2.3 litre 16-valve common rail diesel engine. It delivers seriously impressive performance, excellent fuel economy, low emissions and is available in five power outputs ranging from 110PS/285Nm, 125PS/310Nm and 146PS/350Nm or 136PS/340Nm and 163PS/360Nm with the new BiTurbo Start/Stop variants. Along with substantial durability improvements, servicing requirements have also been drastically reduced – up to 25,000 miles/two years.

BI TURBO

Movano ecoFLEX models embody all the benefits of Vauxhall's ecoFLEX philosophy. Our new BiTurbo engines feature Start/Stop technology and an ECO mode function, helping to deliver excellent fuel consumption (up to 43.5mpg on the Combined cycle) and impressive CO₂ emissions of just 170g/km – that's outstanding for a van in this class. Better still, the high power and torque levels of our new BiTurbo models make driving the Movano a pleasure – whatever the load on board.

Transmission

Transmission-wise, a six-speed gearbox – with an electronic 'Shift' indicator – is standard for smooth and economical operation.

Alternatively, you can specify our six-speed Tecshift unit which offers all the benefits associated with a semi-automatic transmission. Page 19 has all the details. So whatever your needs, whoever you're carrying – Movano has it covered.



VX_N_MOV_16001

Six-speed Tecshift transmission

Available on selected models in the Movano passenger carrier range.

Choice of engines:

- › 2.3CDTI 16v (110PS)
- › 2.3CDTI 16v (125PS)
- › 2.3CDTI 16v (136PS) BiTurbo Start/Stop ecoFLEX
- › 2.3CDTI 16v (146PS)
- › 2.3CDTI 16v (163PS) BiTurbo Start/Stop ecoFLEX

Features include:*

- › Six-speed manual gearbox or Tecshift transmission
- › Power-assisted steering

Options include:*

- › Speed limiter with digital tachograph (standard on minibus models)
- › Cruise control

**Not all features and options are available on every model.*



Combi

With a choice of 6- or 9-seat variants – Movano Combi provides the perfect mix of passenger carrying ability and load carrying potential. Safety is a clear priority, with inertia-reel lap and diagonal seatbelts and padded head restraints for every seat. With its dual front passengers' bench seat, rear bench seat for three passengers and single sliding door on the nearside, the 6-seat Combi provides comfortable and accessible seating for all six occupants. Bigger, roomier and altogether more versatile, the 9-seat Combi features a dual front passengers' bench seat plus second- and third-row rear bench seats.



VX_N_MOV_16622

Luggage space

Luggage space is generous, no matter what the seating configuration (6-seat model illustrated).



VX_N_MOV_16635

Removable bench seat

The rear bench seats include floor-mounted fixing rails so they can be removed without the need for special tools, freeing up additional load area space quickly and easily if required (9-seat model illustrated).

Combi line-up



VX_N_MOV_16641

L1 H1 F3300: 6-seat model



VX_N_MOV_16642

L2 H2 F3500: 9-seat model

Features include:*

- › Dual front passenger bench seat
- › Rear bench seat for three passengers (6-seater)
- › Two rear bench seats for six passengers (9-seater)
- › Removable function for second- and third-row bench seats
- › Load restraint lashing eyes for load area
- › Selective door-locking with three-button key
- › Electronic Stability Programme-plus
- › Tyre pressure monitoring system

Options include:*

- › Air conditioning
- › Rear parking distance sensors

*Not all features and options are available on every model.



17-seat Minibus

The purpose-built Movano Minibus provides generous accommodation for 17 people, with offset double seats on one side of the aisle and single seats on the other for optimum access and comfort. The last two rows of seats can also be specified with optional floor-mounted fixing rails, freeing up additional load area space quickly without the need for special tools. The fully trimmed interior, with overhead coat racks and walkway illumination, has been designed to make even long

journeys a pleasure, while the wide-opening sliding side door and standard electrically operated retracting side step ensure easy passenger access. Additional comfort is provided by individual downlighting for every seat and the availability of air conditioning and individual, aircraft-style ventilation nozzles at extra cost. For added peace of mind all seats and mountings are tested to passenger car (M1) standards.



VX_N_MOV_16621

17-seater comfort

Light and spacious, Movano Minibus offers comfortable transport for 17, with inertia-reel lap and diagonal seatbelts for every occupant.



VX_N_MOV_16636

Overhead storage

Movano Minibus features overhead storage on both sides of the passenger compartment useful for coats and light luggage.



VX_N_MOV_16638

Walkway illumination

Individual lighting to each seat row helps guide passengers when it's dark.

Features include:*

- › Dual front passenger bench seat
- › 14 individual rear passenger seats
- › Individual saloon lighting for all rear seats
- › Illuminated rear passenger walkway
- › Overhead storage and coat racks in rear passenger area
- › Retracting side step
- › Selective door-locking with three-button key
- › Electronic Stability Programme-plus

Options include:*

- › Top opening rear side windows
- › Additional rear compartment heating and air conditioning

**Not all features and options are available on every model.*



Doublecab

With capacity for up to seven people, a 3.5 tonne GVW and a maximum payload of up to 1398kg, the Movano Doublecab is designed to take your crew and equipment exactly where they need to be. Comfort-wise, the Doublecab features four individually contoured rear seats with full lap and diagonal seatbelts. Rear storage includes a full-length tray under the seat cushion, plus optional overhead and side net pockets (illustrated below).



The rear compartment is all the more practical for being only partially trimmed – making it a lot more workmanlike and low maintenance. Despite the rear seats, loadspace volumes remain impressive, up to 9.0cu.m and the windowed bulkhead has been cleverly recessed to maximise load floor length. Finally, with a choice of vehicle lengths, engines and front or rear-wheel drive models, the Doublecab is a natural choice for a multitude of operations.

Doublecab line-up



Features include:*

- › Dual front passenger bench seat
- › Four individually contoured rear seats
- › Full-height bulkhead with window
- › Fixed windows in nearside sliding side-access door and opposite panel
- › CD/MP3 CD player/stereo radio
- › Digital radio
- › Aux-in socket › USB facility
- › Bluetooth® connectivity
- › Electronic Stability Programme-plus

Options include:*

- › Satellite navigation system
- › Air conditioning
- › Security alarm system
- › Rear parking distance sensors
- › Cruise control
- › Speed limiter
- › Digital tachograph

**Not all features and options are available on every model.*



Colours and trims

Movano's business-like appearance is exemplified by the smart choice of colours available for the new vehicle. The cloth or vinyl trims have been chosen as much for their hard-wearing properties as they have for their visual appeal.

Arctic White – solid



VX_N_MOV_18375

Signal Blue – solid



VX_N_MOV_18376

Mandarin Orange – solid



VX_N_MOV_18377

North Sea Blue – solid



VX_N_MOV_18379

Poppy Red – solid



VX_N_MOV_18380

Saffron Yellow – solid



VX_N_MOV_18381

Ink Blue – solid



VX_N_MOV_18382

Halo Silver – two-coat metallic*



VX_N_MOV_18383

Ambient Blue – two-coat metallic*



VX_N_MOV_18384

Pearl Black – two-coat metallic*



VX_N_MOV_18580

Due to the limitations of the printing process, the colours reproduced may vary from the actual colour. As a result they should be used as a guide only.

Please note: Certain alternative colours are available for special order on Movano. Restrictions apply so please consult your Commercial Vehicle retailer for more details.



VX_N_M0V_16643

Grey Pulse cloth

Hard-wearing grey Pulse cloth trim is fitted as standard across the range.



VX_N_M0V_16644

Grey vinyl**

Alternatively, grey vinyl trim can be specified at no extra cost for customers requiring a more workmanlike, wipe-clean option.


Exterior colours	Trim	
	Grey Pulse cloth	Grey vinyl**
Solid		
Arctic White	•	•
Signal Blue	•	•
Mandarin Orange	•	•
North Sea Blue	•	•
Poppy Red	•	•
Saffron Yellow	•	•
Ink Blue	•	•
Two-coat metallic*		
Halo Silver	•	•
Ambient Blue	•	•
Pearl Black	•	•

• = Available


*Optional at extra cost.

**Optional at no extra cost. Not available on Minibus models.


Combi 6-seat FWD L1 H1




842 (33.1) | 3182 (125.3) | 1024 (40.3)
5048 (198.7)



Combi 9-seat FWD L2 H2




842 (33.1) | 3682 (145.0) | 1024 (40.3)
5548 (218.4)




Measurements are shown in millimetres (inches).

Minibus 17-seat FWD L3 H2



842 (33.1) | 4332 (170.6) | 1024 (40.3)
6198 (244.0)



Measurements are shown in millimetres (inches).

Combi highlights

Safety and security

- Driver's airbag
- Inertia-reel lap and diagonal seatbelts
- Electronic Stability Programme-plus with traction control
- Anti-lock Braking System (ABS)
- Emergency brake assist
- ISOFIX child seat fixings: 1x front row, 2x second row
- Remote control central door locking with two, two-button keys and automatic locking
- Tyre pressure monitoring system

Interior

- Height-adjustable steering wheel
- Central 12-volt electrical accessory socket
- Mobile phone storage with adjacent 12-volt accessory socket
- CD/MP3 CD player/digital radio/stereo radio/aux-in socket/Bluetooth® connectivity/USB connectivity/integrated display/four 15-watt speakers (CD 16 BT USB)
- Steering column mounted audio controls
- Driver's seat adjustable for height, cushion angle, reach and rake

- Driver's seat armrest
- Dual front passengers' bench seat
- Three passenger second-row bench seat
- Three passenger third-row bench seat (9-seat)
- Pulse cloth seat trim
- Full-length soft-trimmed headlining
- Full-height interior side mouldings
- Load restraint lashing eyes

Exterior

- Electrically operated front windows
- Foldable electrically adjustable/heated door mirrors (wide-angle on driver's side)
- Nearside sliding side-access door
- Side-protection mouldings
- Tinted glass
- Glazed rear doors (90°/180° opening)
- 16-inch steel wheels with 215/65 R 16 tyres (6-seat, 3300 models), 225/65 R 16 tyres (9-seat, 3500 models)
- Full-size, underfloor mounted, spare wheel (Tyre inflation kit available as a no-cost option in lieu of spare wheel)

Minibus highlights

Safety and security

- Digital tachograph*
- Speed limiter (62mph)
- M1 Type Approval standard for all rear seatbelt anchorages
- Driver's airbag
- Inertia-reel lap and diagonal seatbelts
- Electronic Stability Programme-plus with traction control
- Anti-lock Braking System (ABS)
- Emergency brake assist
- Remote control central door locking with two, two-button keys and automatic locking

Interior


- Height-adjustable steering wheel
- Mobile phone storage with adjacent 12-volt accessory socket
- CD/MP3 CD player/digital radio/stereo radio/aux-in socket/Bluetooth® connectivity/USB connectivity/integrated display/four 15-watt speakers (CD 16 BT USB)
- Steering column mounted audio controls

- Driver's seat adjustable for height, cushion angle, reach and rake
- Driver's seat armrest
- Dual front passengers' multi-function office bench seat
- 14-individual rear passenger seats in staggered layout
- Pulse cloth seat trim
- Raised seating with central illuminated gangway
- Slip-resistant floor covering
- Individual saloon lighting
- Full-length soft-trimmed headlining
- Full-height interior side mouldings


Exterior

- Electrically operated front windows
- Foldable electrically adjustable/heated door mirrors (wide-angle on driver's side)
- Electrically operated sidestep
- Nearside sliding side-access door
- Side-protection mouldings
- Tinted glass
- Glazed rear doors (90°/180° opening)
- 16-inch steel wheels with 225/65 R 16 tyres
- Tyre inflation kit


FWD Doublecab L2 H2/ L3 H2




842 (33.1) | 3682 (145.0)/4332 (170.6) | 1024 (40.3)
5548 (218.4)/6198 (244.0)



RWD Doublecab L3 H2



842 (33.1) | 3682 (145.1) | 1674 (65.8)
6198 (244.0)



Measurements are shown in millimetres (inches).

Doublecab highlights

Safety and security

- Driver's airbag
- Inertia-reel lap and diagonal seatbelts
- Electronic Stability Programme-plus with traction control
- Anti-lock Braking System (ABS)
- Emergency brake assist
- Remote control central door locking with two, two-button keys and automatic locking

Interior

- Height-adjustable steering wheel
- Central 12-volt electrical accessory socket
- Mobile phone storage with adjacent 12-volt accessory socket
- CD/MP3 CD player/digital radio/ stereo radio/aux-in socket/Bluetooth® connectivity/USB connectivity/integrated display/two 15-watt speakers (CD 16 BT USB)
- Steering column mounted audio controls
- Driver's seat adjustable for height, cushion angle, reach and rake
- Driver's seat armrest
- Dual front passengers' bench seat

- Four individually contoured rear seats
- Pulse cloth seat trim
- Full-height ABS plastic bulkhead with window
- Lower rear seat storage pocket
- Load restraint lashing eyes

Exterior

- Electrically operated front windows
- Foldable electrically adjustable/heated door mirrors (wide-angle on driver's side)
- Nearside sliding side-access door
- Side-protection mouldings
- Tinted glass
- Unglazed rear doors (90°/180° opening)
- 16-inch steel wheels with 225/65 R 16 tyres (FWD), 235/65 R 16 tyres (RWD)
- Full-size, underfloor mounted, spare wheel (Tyre inflation kit available as a no-cost option in lieu of spare wheel)

Options at extra cost

Option packs

- Lighting Pack
- Smoker Pack

Safety and security options

- Front passengers' airbag
- Driver's side-impact airbag
- Security alarm
- Speed limiter (standard on minibus models)
- Rear parking distance sensors
- Rear reversing lens

Interior and seating options

- Comfort driver's seat with armrest and lumbar adjustment
- Dual front passengers' multi-function office bench seat
- Single front passenger's seat with armrest
- Single 'Comfort' front passenger's seat with adjustable armrest and lumbar adjustment
- Floor seat fixing rails and removable seats (standard on Combi models)
- Vinyl seat trim
- Air conditioning
- Electronic climate control incorporating air conditioning
- Additional rear heating and air conditioning
- Multi-function trip computer
- Cruise control
- Digital tachograph*
- CD/MP3 CD player/satellite navigation/ stereo radio/aux-in socket/Bluetooth® connectivity/USB connectivity/remote display/two 20-watt speakers (CD 35 BT USB NAV)
- Overhead storage rack above seats
- Window blinds

Mechanical options

- Engine-driven power take-off
- Gearbox-driven power take-off
- Increased engine idle speed
- Locking rear differential

- CANbus interface
- Six-pin connector for conversions
- 105-litre fuel tank

Exterior options

- Offside sliding side-access door
- Sliding window in nearside sliding side-access door
- Sliding windows in nearside and optional offside sliding side-access door
- Top opening rear side windows
- Front fog lights
- Front and rear mudflaps
- Glazed rear doors (90°/180° opening)
- Heated rear windows
- Glazed/unglazed rear doors (270° opening)
- Rear bumper with integral step (standard on RWD models)
- Tow bar**
- All season tyres. Continental Vanco Four Season 2, 225/65 R 16 (FWD) or 235/65 R 16 (RWD)
- Full-diameter wheel covers

Load area (Doublecab only)

- Full-height plywood load lining panels and wheel arch protection
- Resin-coated plywood load floor covering
- Side-mounted anchorage points
- Two grab handles (side-access and rear doors)
- Three grab handles (two side-access and rear doors)

Please note: some of the options listed are not available on every model. Please consult your Vauxhall Commercial Vehicle retailer or check the latest Commercial Vehicle price guide for specific option availability.

*= Standard on minibus models. Must be specified at time of ordering as it cannot be fitted retrospectively. Vehicles fitted with tachograph include odometer display, in kilometres, replacing standard odometer display on instrument cluster. Option price for digital tachograph does not include calibration which must be carried out at an approved tachograph centre within 14 days of the vehicle's registration. Please note: The legislation regarding the use of tachographs is complex and operators should seek independent advice or speak to the Commercial Vehicle specialist at your Vauxhall retailer to ensure compliance. Alternatively your local DVLA office will also be able to provide clarification of the relevant legislation. **= Unless the user qualifies for a specific exemption, vehicles operated with a trailer, where the combined weight of the vehicle, trailer and payload exceeds 3500kg, will need a tachograph.

Engines

	2.3CDTI 16v (110PS)	2.3CDTI 16v (125PS)	2.3CDTI 16v (146PS)	2.3CDTI 16v (136PS) BiTurbo Start/Stop ecoFLEX	2.3CDTI 16v (163PS) BiTurbo Start/Stop ecoFLEX
Fuel type	Diesel	Diesel	Diesel	Diesel	Diesel
Capacity	2298cc	2298cc	2298cc	2298cc	2298cc
Maximum power	110PS (81kW) @ 3500rpm	125PS (92kW) @ 3500rpm	146PS (107kW) @ 3500rpm	136PS (100kW) @ 3500rpm	163PS (120kW) @ 3500rpm
Maximum torque	285Nm (210 lb.ft.) @ 1250rpm	310Nm (229 lb.ft.) @ 1250-2500rpm	350Nm (258 lb.ft.) @ 1500rpm	340Nm (250 lb.ft.) @ 1500rpm	360Nm (266 lb.ft.) @ 1500rpm
Configuration	4 cylinders, 4 valves per cylinder, double overhead camshafts				
Fuel/induction system	Fixed geometry turbocharger and intercooler. Common rail fuel injection		Variable geometry turbocharger and intercooler. Common rail fuel injection	Twin variable geometry turbochargers and intercoolers. Common rail fuel injection	
Emission compliance	Euro 5				
Service interval	25,000 miles or two years (whichever occurs sooner)				

Model availability

Combi 6-seat FWD L1 H1 3300

2.3CDTI 16v 110

Combi 9-seat FWD L2 H2 3500

2.3CDTI 16v 125

2.3CDTI 16v 136 BiTurbo S/S ecoFLEX

2.3CDTI 16v 163 BiTurbo S/S ecoFLEX

2.3CDTI 16v 125 Tecshift

Minibus 17-seat FWD L3 H2 3900

2.3CDTI 16v 125 Tacho

2.3CDTI 16v 150 Tacho Tecshift

Doublecab FWD L2 H2 3500

2.3CDTI 16v 125

2.3CDTI 16v 136 BiTurbo S/S ecoFLEX

2.3CDTI 16v 163 BiTurbo S/S ecoFLEX

2.3CDTI 16v 125 Tecshift

Doublecab FWD L3 H2 3500

2.3CDTI 16v 125

2.3CDTI 16v 136 BiTurbo S/S ecoFLEX

2.3CDTI 16v 163 BiTurbo S/S ecoFLEX

2.3CDTI 16v 125 Tecshift

Doublecab RWD L3 H2 3500

2.3CDTI 16v 125

2.3CDTI 16v 136 BiTurbo S/S ecoFLEX

2.3CDTI 16v 163 BiTurbo S/S ecoFLEX

S/S = Start/Stop.

Fuel economy and emissions

	Fuel economy mpg (litres/100km)#			CO ₂ (g/km)#
	Urban driving	Extra-urban driving	Combined figure	
Movano 6-seat Combi				
3300 2.3CDTI 16v (110PS)	32.8 (8.6)	43.5 (6.5)	39.2 (7.2)	190
Movano 9-seat Combi				
3500 2.3CDTI 16v (125PS)	32.5 (8.7)	42.2 (6.7)	38.2 (7.4)	195
3500 2.3CDTI 16v (136/163PS) BiTurbo S/S ecoFLEX	39.2 (7.2)	46.3 (6.1)	43.5 (6.5)	170
3500 2.3CDTI 16v (125PS) Tecshift	35.3 (8.0)	44.1 (6.4)	40.4 (7.0)	184
Movano 17-seat Minibus				
3900 2.3CDTI 16v (125PS) Tacho	28.5 (9.9)	40.4 (7.0)	34.9 (8.1)	212
3900 2.3CDTI 16v (146PS) Tacho/Tecshift	31.7 (8.9)	42.2 (6.7)	37.2 (7.6)	199
L2 H2 FWD Doublecab				
3500 2.3CDTI 16v (125PS)	31.0 (9.1)	38.7 (7.3)	35.3 (8.0)	211
3500 2.3CDTI 16v (136/163PS) BiTurbo S/S ecoFLEX	37.7 (7.5)	40.9 (6.9)	39.2 (7.2)	188
3500 2.3CDTI 16v (125PS) Tecshift	33.6 (8.4)	37.2 (7.6)	35.8 (7.9)	206
L3 H2 FWD Doublecab				
3500 2.3CDTI 16v (125PS)	30.7 (9.2)	38.2 (7.4)	35.3 (8.0)	213
3500 2.3CDTI 16v (136/163PS) BiTurbo S/S ecoFLEX	37.7 (7.5)	40.9 (6.9)	39.2 (7.2)	188
3500 2.3CDTI 16v (125PS) Tecshift	33.6 (8.4)	37.2 (7.6)	35.8 (7.9)	206
L3 H2 RWD Doublecab				
3500 2.3CDTI 16v (125PS)	26.2 (10.8)	32.5 (8.7)	29.7 (9.5)	248
3500 2.3CDTI 16v (136/163PS) BiTurbo S/S ecoFLEX	32.5 (8.7)	34.9 (8.1)	34.0 (8.3)	219

#Official Government Test Environmental Data. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.

Weights and towing data

	UK plated weights and kerbweights kg				Payload kg	Plated Gross Combination Weights (GCW) kg
	Front axle Plated	Rear axle Plated	GVW	Total Kerb		
Combi 6-seat FWD L1 H1						
3300 2.3CDTI 16v	1850	2100	3300	2077	1223	5800
Combi 9-seat FWD L2 H2						
3500 2.3CDTI 16v	1850	2100	3500	2159	1341	6000
Minibus 17-seat FWD L3 H2						
3900 2.3CDTI 16v	1850	2100	3870	2493	1377	n/a
Doublecab FWD L2 H2						
3500 2.3CDTI 16v	1850	2100	3500	2102	1398	6000
Doublecab FWD L3 H2						
3500 2.3CDTI 16v	1850	2100	3500	2177	1323	6000
Doublecab RWD L3 H2						
3500 2.3CDTI 16v	1850	2300	3500	2324	1176	6000

Note: **Kerbweights** minimum vehicle kerbweight according to Type Approval, including all fluids, tools and a 90% fuel load. Excludes the weight of the driver and deleteable options, e.g. spare wheel and sliding side load door. Final weight may vary according to the specification of the vehicle, e.g. options, delete options and accessories. **Payload** figures do not allow for the weight of the driver, or any passengers, which should therefore be deducted from the figures shown. **Gross plated weights** (including axle weights) quoted on the vehicle plate must never be exceeded. **Roof load** maximum 200kg (includes weight of roof carrier) when Vauxhall approved carrier system used. **Towing weights:** Unbraked trailer: all models = 750kg. Braked trailer: 2500kg.

Vauxhall Assistance and warranties†

Every Movano base vehicle comes with:

- A three-year vehicle warranty consisting of a one year/unlimited mileage manufacturer's warranty and a second and third year manufacturer's warranty with a 100,000 miles limitation
- Vauxhall Assistance for 12 months from first registration
- Six-year body panel anti-perforation warranty

† = Warranty is only available on vehicles sourced from Vauxhall Motors Ltd. Conditions may apply to Combi/Minibus models. Terms and conditions apply - please see your Vauxhall Commercial Vehicle retailer for details.

Fuel tank capacity

- 80 litres (17.6 gallons)
- 105 litres (23.1 gallons) optional

Transmissions

FWD feature: Transverse engine/gearbox.

RWD feature: Longitudinal engine/gearbox.

- Six-speed manual gearbox
- Six-speed Tecshift transmission - available at extra cost on 125 Combi and Doublecab models. Tecshift hydraulic transmission offers all the main features and flexibility of a regular automatic, plus the performance and control of a 'one-touch' manual gearbox. In manual mode the driver changes gear sequentially by pushing the lever forward (higher gear) or pulling it backwards (lower gear), with automatic-style 'kickdown' through two or more gears also possible in manual mode. Automatic clutch control means there is no need for a clutch pedal

Steering

- Power-assisted rack and pinion system
- Turns lock-to-lock: 3.7
- Turning circles (kerb-to-kerb/wall-to-wall):

	Kerb-to-kerb	Wall-to-wall
L1	12.0m (39.4ft)	12.5m (41.0ft)
L2	13.6m (44.6ft)	14.1m (46.2ft)
L3 FWD	15.7m (51.5ft)	16.2m (53.1ft)
L3 RWD	13.6m (44.6ft)	14.1m (46.2ft)

Tyre rating

Tyre size	Fuel efficiency group	Wet grip performance	External noise	
			Measured (dB)	Group
215/65 R 16	B	B	71	
225/65 R 16	B-E	B-C	70-73	
235/65 R 16	C-E	B	70-73	

Suspension

Front (FWD/RWD): MacPherson type with independent double wishbones, coil springs and telescopic dampers.

Rear (FWD): Tubular axle with variable-rate single leaf springs and telescopic dampers.

Rear (FWD): Tubular axle with variable-rate double leaf springs and telescopic dampers.

Brakes

- Electronic Stability Programme-plus (ESP-plus) with traction control
- Four-channel Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD)
- Emergency Brake Assist (EBA)
- Hill start assist
- Vacuum servo-assisted system
- Low brake fluid level warning light
- Floor-mounted parking brake lever

Front ventilated disc brakes:

302mm x 28mm.

Rear disc brakes:

305mm x 12mm.

Electrics

Maintenance-free battery: 95Ah. (105Ah Tecshift models).

Alternator: 185A.

Body

- Six years' body panel anti-perforation warranty
- Galvanised body panels
- Anti stone-chip mastic coating on sills
- Detachable front towing eye
- Rear towing eye

Trust Vauxhall

Protecting the environment

Vauxhall's commitment to the environment is demonstrated by our products' many environmental awards, won both through the use of more recycled materials and by becoming cleaner and more efficient. For information on Vauxhall's efforts to achieve an environmentally sustainable future, see www.vauxhall.co.uk/recycling

Fleet Customer Services

Our dedicated support services for fleet decision makers include factory demonstrators and information on whole life costs, company car and van taxation and finance. For further information please call **0870 010 0651**.

Vauxhall Extended Warranty

For complete peace of mind Vauxhall offers an extended warranty that can be purchased on an annual basis following the expiry of the original new vehicle warranty. It covers most mechanical and electrical components. Terms and conditions apply. For further details please contact your local Vauxhall Commercial Vehicle retailer.



When you have finished with this brochure please recycle it

Business Lease

Business Lease, from GMAC, offers the versatility of a purchase-based finance plan, while making the most efficient use of tax and cash-flow benefits for VAT-registered business users. It's available for all Vauxhall Commercial Vehicles up to 12 months old and offers highly flexible term lengths, variable deposits and a choice of payment profiles. Ask your retailer for full details.

Business First

Available to business users only, Business First enables you to drive a new vehicle without a large, initial financial outlay. You pay to use the vehicle, not to own it. The vehicle is provided over a predetermined period, and when that period comes to an end the vehicle is returned. Ask your retailer for full details.

Servicing and maintenance

The best way to maximise the performance and reliability of your Vauxhall is to have all routine servicing and maintenance carried out at a Vauxhall Commercial Vehicle retailer. Nationwide there are over 250 light commercial vehicle retailers and a further 195 heavy commercial vehicle retailers.

In the event of an accident...

Vauxhall Accident Support helps keep you mobile following an accident. Benefits include scene-of-accident advice, message service, assistance with claims and vehicle recovery. For further details call **0800 010 304**.

Premier Van Centres

Our 100-strong network offers convenience, expertise and value. Enjoy while-you-wait repairs (if the parts are in stock), appointment-free service for diagnosis and transparent pricing. What's more, our Vauxhall-trained technicians will use genuine Vauxhall parts.

For more information...

For a brochure on any Vauxhall model (up to a maximum of three per caller) or location of your nearest retailer, call **0845 600 1500**.

Alternatively, details can be found on our website at: www.vauxhall.co.uk/vans

Proud Sponsor of Home Nations Football



Every effort has been made to ensure that the contents of this publication were accurate and up-to-date at the time of publication (October 2014). Vauxhall vehicles are equipped with components manufactured by various General Motors operating units and outside suppliers. The Company reserves the right to alter specifications and withdraw products from sale without notice. Any such alterations will be notified to Vauxhall retailers at the earliest opportunity, please consult your local retailer for the latest information. The specifications detailed within this brochure are not necessarily applicable to alternative models such as Special Editions. Details of any such models will be contained in specific literature or found on the Vauxhall website. Please note that Vauxhall retailers are not the agents of General Motors UK Limited and are not authorised to bind the Company by any specific or implied undertaking or representation. It is advisable to ensure that your motor insurance policy provides adequate cover for additional fitted options and accessories. Please note accessories shown are for illustrative purposes only. As part of Vauxhall's policy of environmental care, this brochure is printed on paper manufactured using Elemental Chlorine Free pulps from specially farmed, sustainable timber resources. All rights reserved. No part of this publication may be reproduced in any form or by any means, without the prior written permission of General Motors UK Limited.

VM1400134 ©2014 General Motors UK Limited Published October 2014 General Motors UK Limited, Luton LU1 3YT

COMMERCIAL VEHICLES
The Wheels of Business



VAUXHALL