Vivaro 2011 Models Edition 1





The Wheels of Business. Helping you deliver.

Whatever your line of business, Vauxhall Commercial Vehicles can help you deliver. With five different models – including the award-winning New Movano – we offer a massive choice of over 230 variants including panel vans, chassis cabs, chassis crew cabs, platform cabs, tippers, dropsides, box vans and minibuses. We're also committed to keeping your business moving. That means reliable, fuel-efficient vehicles supported by a dedicated network of over 450 retailers offering the expert support and back-up you need. We build more commercial vehicles at our British production facilities at Ellesmere Port and Luton than any other UK manufacturer. We've also won over 30 industry awards since 2001 – major awards, presented by some of the toughest judges in the business. Introduce the in-built reassurance of the Vauxhall brand – underlined by a standard three-year/100,000 mile warranty on Vivaro models – and it's easy to see why Vauxhall Commercial Vehicles really are 'The Wheels of Business'.



06 Access

- 08 Loadspace
- 10 Payloads
- 12 Interior, safety and security
- 14 Cabin comfort
- 16 Power and efficiency
- 18 Sportive
- 20 Doublecab

- 22 Sportive Doublecab
- 24 Conversions
- 26 Options and accessories
- 28 Colours and trims

- 30 Customer advocacy
- 32 Equipment and Technical Data



Vivaro. Spends more time on the road.

With wide-reaching improvements for 2011, today's Vivaro – more than ever – defines the standard by which all medium vans are judged.

Visually, the UK-built Vivaro makes a clear statement of professional intent. And our Sportive models also now benefit from front fog lights, 16-inch alloy wheels, body-colour rear light mouldings and door mirror housings.

Inside, Vivaro has an updated interior featuring a stylish facia design, improved ergonomics and enhanced storage facilities.

Under the bonnet the highly efficient common rail turbo diesel range comprises cost-effective 90PS and 115PS 2.0CDTI 16v units and a powerful 146PS 2.5 litre CDTI 16v engine.

Add 20,000 mile/one-year service intervals, a choice of standard or high roof panel van models, a versatile 9-seat Combi derivative plus our dropside – and here's a range that continues to build on a remarkable track record.

Access.

Making multiple drops and deliveries in tight spaces can make access a problem. Fortunately this is where Vivaro really does excel. The twin rear doors can be swung clear to 165° and locked in place at 90° to provide safe, convenient loading, even where space is at a premium. For unhindered access when reversing back to a doorway, long wheelbase standard roof models can also be specified with optional 250° opening rear doors (glazed or unglazed).

Vivaro comes with a one-metre wide nearside sliding side-access door as standard, with an offside sliding side-access door available at extra cost. Both doors can easily accommodate a standard Euro pallet, the flat load floor ensuring easy forklift access.



High lift tailgate with heated window and convenient wash/wipe facility is optional on standard roof models.



Side access is easy through the nearside one-metre wide sliding side-access door. Vehicle illustrated features optional offside sliding side-access door.



Long wheelbase standard roof model illustrated features optional offside sliding side-access door and glazed rear doors with heated rear windows and wash/wipe facility.

Short wheelbase model illustrated features optional offside sliding side-access door and glazed rear doors.

-

NR.

Vivaro

M

Loadspace.

(VDA method)

With its two wheelbase and two roof height permutations, Vivaro makes it easy for you to get the right van for the job. With a maximum load floor length of 2815mm, the Vivaro long wheelbase high roof model offers a substantial 8.4 cubic metres of loadspace volume and 526mm of extra height compared to the standard roof model. All models feature full-height unglazed rear doors, plus – new for 2011 – a full-height steel bulkhead is included to further enhance safety and security. Alternatively a driver's full-height steel load restraint guard can be specified at no extra cost in lieu of the bulkhead.

LOADSPACE DIMENSIONS	mm	inches
Maximum load floor lengths	2415-2815	95.1-110.8
Maximum load area width	1663	65.5
Maximum load area heights	1387-1913	54.6-75.3
Width between wheel arches	1268	49.9
Maximum rear door aperture heights	1320-1818	52.0-71.6
Rear door aperture width (at floor)	1390	54.7
Loading heights (unladen)	542-549	21.3-21.6
Sliding side-access door aperture height	1285	50.6
Sliding side-access door aperture width	1000	39.4
LOADSPACE VOLUME	cu.m	cu.ft
Maximum loadspace volumes	5.0-8.4	177-297



Short wheelbase standard roof model illustrated features optional two-coat metallic paint.

Helistell



HERE



Payloads.

Vivaro offers a choice of loadspace volumes. But sometimes it's payload, not dimensions, that counts – that's why Vivaro boasts a range of payloads from 1016kg to 1271kg. The rear suspension set-up uses progressive-rate springs and gaspressure dampers, which adapt to the vehicle load, resulting in superb roadholding and a smooth, reassuring ride. All Vivaro engines and transmissions are up to the task of shifting even the heaviest of loads. And if you're regularly carrying a full cargo or towing, you can choose a more powerful, 2.5CDTI 16v (146PS) common rail turbo diesel – guaranteed to make light work of long distance haulage.

 HANDLE WITH CARE!	HAN
Marshall	

Optional FlexxCargo anchorage
system makes light work of
securing loads.

PAYLOADS	kg		
Model			
2700 SWB standard roof	1016-1100		
2900 SWB standard roof	1252-1256		
2900 LWB standard roof	1164-1271		
2900 SWB high roof	1168-1173		
2900 LWB high roof	1206-1213		

Payloads

Cabin.

Vivaro's new interior raises the bar for vans in this class. There's the stylish new facia and centre console – creating a fresher, more welcoming driving environment. Set off by hardwearing cloth or grey vinyl seat trim.

Higher levels of safety and security, thanks to the fitment of a new, full-height steel bulkhead as standard*.


New and improved audio, including a fully-functioned CD player with MP3 format, stereo radio, auxiliary-in socket, integrated display and steering column mounted audio controls is standard across the range.

Sportive models also include Bluetooth[®] and remote display, with optional Sat Nav or USB functionality available for all models.

And lots more storage space for all your drinks, bags, CDs and other stuff.

Vivaro also benefits from established features like reach-adjustable steering and a six-way adjustable driver's seat: ideal for achieving the perfect driving position. Plus the availability of optional selective door locking, which enables the user to lock/unlock the cab doors and load area doors independently of one another.





Vehicle illustrated features optional audio unit with Bluetooth® connectivity.



Comfort.

Vivaro models are seriously well equipped. But the real beauty of Vauxhall's Luton-built range is the way in which it allows you to upgrade your own particular model to create a workspace that is 100% in tune with the needs of your company – and your drivers. Vivaro options, for example, cover a broad spectrum of features that span sophisticated audio upgrades and improved cabin ergonomics. We also offer a range of high value option packs. The Equipment and Technical Data section (see page 35) has all the details.



Steering column audio controls. Standard on all Vivaro models, enabling you to operate audio functions.



Improved storage. A moulded recess above the glovebox creates additional storage space.



Single front passenger seat option. Includes lumbar adjustment and armrests for both driver and passenger.



Satellite navigation. Optional TomTom-based system features a useful dash mounted/hand-held remote control unit.



Optional USB facility. Allows you to view iPod[™] functionality via the audio display.



Optional cruise control. Helps you keep to prevailing speed limits and can also help improve fuel economy.





Power and efficiency.

With a choice of highly efficient, common rail turbo diesel engines and a 90-litre fuel tank, Vivaro is designed to spend more time on the road. All three engines – 2.0CDTI 90PS, 2.0CDTI 115PS and range-topping 2.5CDTI 16v 146PS – combine strong power output with high flexibility and impressive fuel economy. Indeed, in October 2009, Vivaro scooped top spot for commercial vehicles in the ALD Automotive/TOTAL ECO 10 MPG Marathon, averaging an incredible 55.25mpg over a 360 mile trip. Matched with a smooth-shifting six-speed manual gearbox or our innovative six-speed Tecshift transmission, Vivaro is well up to the tasks faced by a modern commercial vehicle.



Tecshift. Combines the main features and flexibility of a regular automatic gearbox with the performance and control of manual gear selection.



More efficient. 20,000 mile/one-year service intervals, a 'long-lasting' stainless steel exhaust system and a three-year warranty mean more earning time – and less downtime.

Sportive.

Vivaro Sportive combines added driver comfort with a uniquely sporty exterior style, and the 2011 models take things a whole stage further with front fog lights, 16-inch alloy wheels and body-colour rear light mouldings and door mirror housings all added to the mix. There are big changes on the equipment front, too – most notably the brilliant new CD 30 BT CD player with Bluetooth[®] functionality, MP3 format and stereo radio complete with remote display and auxiliary-in socket. And that's not forgetting established Sportive features like air conditioning, electrically operated front windows, alarm, metallic or pearlescent paint, body-colour side mouldings and bumpers and electrically adjustable/heated door mirrors. As before, Sportive drivers can choose from two highly efficient common rail turbo diesel engines – 115PS 2.0CDTI 16v and 146PS 2.5CDTI 16v.



Sportive Doublecab.

Offers practical and comfortable transport for five crew members plus driver, whilst retaining considerable loadspace, see page 22 for more details.




Alloy-effect detailing. Smart, alloy-effect detailing for gear lever and door handles.



Bluetooth® connectivity. Makes mobile phone communication hands-free and safe.



Optional cruise control. Also includes leather-covered steering wheel.





Doublecab.

Providing practical and comfortable crew transport, the Vivaro Doublecabs match six-seat capacity with great loadspace (up to 4.2 cubic metres) and high payloads (up to 1148kg). Vivaro Doublecab is available with a standard roof in short and long wheelbase versions.

All Doublecab models feature a contoured rear bench seat for three passengers – all with height-adjustable head restraints and lap and diagonal seatbelts. Two sliding side-access doors ensure easy passenger access, while the high-strength ABS plastic bulkhead on all versions has an integral window for increased visibility. Rear seat passengers benefit from excellent leg room and seat backs that are raked for comfort.



Additional loadspace under the rear bulkhead extends the load area length allowing practical storage for longer items like ladders.







Sportive Doublecab.

Great for business – and equally at home when you need to transport the local five-a-side team to that crucial away match – Vivaro Sportive Doublecab models add a stylish new dimension to work and leisure. Combining all of the established Vivaro Doublecab virtues – highly usable loadspace, superb ease of access and full six-seater capacity – with enhanced styling accents and a host of added comfort features, Sportive Doublecab brings greater visual appeal to the proven Doublecab formula. Sportive Doublecab is available in a choice of short and long wheelbase models, with payloads up to 1111kg and a choice of 2.0CDTI 16v (115PS) or 2.5CDTI 16v (146PS) common rail turbo diesel engines.



Loadspace volume remains an impressive 3.3-4.2 cu.m. Vehicle illustrated also features optional rear parking distance sensors.



With six seats and six inertia-reel lap and diagonal seatbelts fitted to every model, Sportive Doublecab carries work mates – and team members – in safety and style.





Vauxhall Conversions.

While the Vauxhall panel van range covers a wide spectrum of operator needs, some demand individual solutions. The Vivaro dropside, for example, with its uninterrupted 5.6 sq.m of load area and lightweight, anodised aluminium dropsides and tailboard, also features several underfloor storage compartments providing 920 litres of easily accessible, and secure, additional loadspace.

Then there's Vivaro Combi. Available in SWB and LWB versions, it features a fold-and-stow facility on the third row of seats to easily and quickly transform the vehicle from a nine-seater to a six-seater with added luggage space. For larger numbers, the Vivaro LWB 12-seat minibus is both safe and cost-effective, featuring lap and diagonal inertia-reel seatbelts for all passengers and height-adjustable 'A' frame rear seat head restraints.

Other conversions include SWB and LWB wheelchair-accessible models, temperature controlled vehicles and vehicle-mounted access platform models. A comprehensive range of leaflets is available illustrating these and other Vauxhall-approved and recognised conversions. Please ask your Vauxhall Commercial Vehicle retailer for details.



LWB 9-seat Combi. Perfectly equipped for upmarket courtesy and business transport, Combi provides massive luggage space.




Vivaro wheelchair-accessible vehicles. Feature two sliding sideaccess doors and a manually folding rear-access ramp. (SWB illustrated).



Vivaro access platform vans. Specifically designed for use without stabilisers.







Options.

Vauxhall options and accessories are all about choice – selecting your Vivaro model then personalising it to suit the way you work. There's a choice of factory-fitted options and option packs. We also offer a huge range of retailerfit accessories – all designed to the same exacting standards as the vehicle itself. For further information please speak to your Vauxhall Commercial Vehicle retailer.



Long wheelbase standard roof 2900 model illustrated includes optional offside sliding side access doors. Model also features accessory roof rack (including loading roller) loading ladder, walkway and tow bar.

Rear parking distance sensors. Provide an audible warning to help prevent accidental damage when reversing.



Optional cruise control. Also includes leather-covered steering wheel on Sportive models.

Option Packs

Vision Pack

- Rain-sensitive windscreen wipers
- Automatic Lighting Control (ALC)
- Front fog lights*
- Selective door locking
- Electric Pack* (see below)

Electric Pack*

- Electrically operated front windows
- Electrically adjustable/ heated door mirrors

Smoker Pack

• Cigar lighter and ashtray

Individual options include:

- Remote control security alarm*
- Single passenger seat
- Passenger airbag
- FlexxCargo anchorage
- Air conditioning*
- Offside sliding door
- Tow bar with seven-pin electrics
- Power take-off
- Tailgate

Accessories.


Vauxhall accessories are the right choice for your Vivaro, allowing you to tailor your van to your individual needs; all fitted by trained Vauxhall professionals. The list below is just a small sample of the range available. For a full list, please refer to the Vauxhall Commercial Vehicle Accessories brochure.



Detachable tow bar. As the name suggests, can be removed and stowed away when not in use.



Mudflaps. Help protect the lower bodywork from stone chips, grit and other road material.



Roof Carriers

- Base carrier
- Steel roof rack
- Steel loading ladder
- Steel walkway

Towing

- Flange tow bar with 12N electrics
- Jaw and pin coupling for use with flange tow bar

Interior – Load Area • Cargo liner[†]

- Anti-slip mat (915mm x 915mm)
- Load-restraining floor net
- Interior lining plywood panels

Interior – Cabin Area

- Rubber floor mats
- Seat covers
- Underseat storage tray⁺⁺

Exterior

- Protective rear door mouldings
- Protective wheel arch mouldings
- Door wind deflectors

Safety

- Fire extinguisher
- Temporary tyre inflation kit

Security

- MetaSystem alarm
- Steering wheel security bar
- One-way visibility microline security window film (pair)**

temathar

- Alloy wheels
- Sports silencers

**Twin rear door models only. *SWB with nearside sliding side-access door only. *Single passenger seat options only.

Rear door window grilles.** Special mesh design helps avoid theft while retaining rearward visibility.



Safety Pack. Comprises a first aid kit with warning triangle and hi-visibility vest.



Colours and trims.

Vivaro's business-like appearance is exemplified by the impressive choice of colours available. The cloth or vinyl trims have been chosen as much for their hard-wearing properties as they have for their visual appeal.

Corn Yellow – solid



Ocean Green – metallic



Adria – pearlescent



Flame Red – solid



Sage – metallic



Midnight Black – pearlescent



Glacier White – solid



Star Silver – metallic



Panorama Blue – pearlescent



Ink Blue – solid



Steel Grey – metallic



Winterwind – pearlescent





	Vivaro	Vivaro Sportive	
Exterior colours	Dark Grey Punch Cloth Trim*	Dark Grey Punch Cloth Trim	
Solid			
Corn Yellow	•	-	
Flame Red	•	-	
Glacier White	•	•	

.

Two-coat metallic

Ink Blue

Ocean Green	0	-
Sage	0	-
Star Silver	0	•
Steel Grey	0	•

Two-coat pearlescent

Adria	0	-
Midnight Black	0	•
Panorama Blue	0	-
Winterwind	0	•

• = Available at no cost.

O = Available at extra cost.

- = Not available on this model.

* = Vinyl seat trim is optional at no extra cost.

Dark Grey Punch cloth.

Hard-wearing Dark Grey Punch cloth trim is fitted as standard across the range. **Grey vinyl.** Alternatively, Grey vinyl trim can be specified at no extra cost for customers requiring a more workmanlike, wipe-clean option.

Due to the limitations of the printing process, the colours reproduced may vary from the actual colour. As a result they should be used as a guide only. All Vauxhall Commercial Vehicle retailers have a comprehensive showroom colour display, with actual exterior paint samples available for inspection. Please note: Certain alternative colours are available for special order on Vivaro. Restrictions apply so please consult your Commercial Vehicle retailer for more details.

Vauxhall Commercial Vehicles The wheels of your business.

Whatever your load, Vauxhall Commercial Vehicles are designed to help you deliver a top quality job. Our award-winning line-up can actively enhance the operating efficiency of your business by delivering outstanding load-carrying potential, low running costs and day-long driver comfort. Whichever Vauxhall Commercial Vehicle you choose, you can also rest assured that Vauxhall's nationwide network of retailers will go the extra mile to meet all your servicing and maintenance needs.

But why take our word for it? Vauxhall's commitment to keeping your business moving is recognised by van operators of all sizes across the length and breadth of the country...



Russell Lelliot, Managing Director, RSL Transport said...

'We've been running Movanos for years. Our two New Movanos save around 4mpg when full, compared to the old models. Which over almost 3,000 miles per week per van, is a big saving!'



Mary Wilson, Owner, Mary Wilson Flowers said...

'As well as handling like cars, our Combos are very fuel efficient – averaging over 45 mpg. That explains why we've always chosen Combo and had 14 in total.'

Mike Sinclair, Senior Property Partner, Aberdein Considine said...

'Our fleet of 23 Corsavan Sportives is a reflection on our business, reinforcing our professional image. Not only that, we've found them economical, reliable and fun to drive.'





Andrew Cook, Rail Structures Examiner, Amey PLC said...

'The reasons I drive Vivaro? Simple. It's comfortable, the driving position and visibility are great and it's surprisingly compact. This makes it ideal for some of the limited access situations we encounter.'



Tony Carrea, Fleet Manager, SDC said...

'We particularly like the Astravan 1.3CDTi 16v engine – it's been a big success. It's good to drive... and low CO_2 emissions are a big consideration to us' Contents

Equipment 32 Safety Facia, instruments and controls Seating 33 Interior features Mechanical Security 34 Load area Wheels and tyres 35 Exterior features Option packs Audio, communication and navigation 36 Technical data 37 Power and torque curves Engines Transmission ratios Vauxhall Assistance and warranties. 38 transmissions, steering, suspension, brakes, electrics, body, fuel tank capacity and insurance groups 39 Glossary of terms Dimensions and weights Panel van: Exterior/interior 40 dimensions, loadspace volumes and ground clearance Panel van: Weights and towing data 41 Doublecab: Exterior/interior 42 dimensions and loadspace volumes Doublecab: Weights and towing data 43 Fuel economy and emissions

Safety

 Standard features
 • Driver's airbag
 • Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD)
 • Emergency

 Brake Assist (EBA) – Increases applied brake force in emergency braking situations
 • Height-adjustable padded head restraints

 • Three inertia-reel lap and diagonal seatbelts (doublecab – six)
 • Height-adjustable outer front seatbelts
 • Pyrotechnic body-lock

 front seatbelt pretensioner system – Tightens the seatbelt during the early stages of a frontal impact
 • Front seatbelt force limiters – Reduces

 potential upper body injuries during a frontal impact
 • Anti-submarining ramps in front seats – Help prevent occupants sliding underneath the

 lap belt during a collision
 • Side-impact protection beams
 • Laminated windscreen

Additional features	Panel van	Sportive	Doublecab	Sportive Doublecab
Front passengers' twin airbag	01	0	0	0
Electronic Stability Programme-plus (ESP-plus) with traction control ²	O ³	0	O ³	0

Facia, instruments and controls

Standard features • Facia-mounted gear lever • Steering column adjustable for reach • Matt chrome-effect instrument rings • Trip odometer • Rev counter • Fuel gauge with low fuel level warning light • Engine oil level indicator • Service-due indicator • Digital clock with automatic RDS time adjustment • 12-volt electrical accessory socket • Illuminated glovebox • Open storage compartment above glovebox (deleted if optional front passengers' twin airbag is fitted) • Extensive facia storage • Facia-mounted drinks holders • Facia-mounted bag-carrying hook

Additional features		a		Sportive
	Panel van	Sportive	Doublecab	Doublecab
Multi-function trip computer (provides information on fuel used, overall distance, average and instantaneous fuel consumption, remaining range, distance before service and average speed. Plus additional driver information messages as detailed in the owner's manual)		•		•
Digital tachograph (must be specified at time of ordering) ⁴	O ³	0	O3	0
Cruise control ⁵	0		0	
Leather-covered steering wheel with cruise control ⁵		0		0

Seating

Standard features • Punch cloth seat trim • Driver's seat height adjuster • Driver's seat adjustable for reach and rake • Dual front passengers' bench seat

Additional features	Panel van	Sportive	Doublecab	Sportive Doublecab
Vinyl seat trim	N/C			
Height-adjustable driver's seat with lumbar adjustment and armrest ⁶	0	٠	0	٠
Height-adjustable driver and single passenger seat with lumbar adjustment and armrest ⁶	0	0	0	0
Three-passenger rear bench seat			٠	•



Interior features

Standard features • Vinyl floor covering in cabin area • Twin sunvisors • Air blend heater with four-speed fan • Four adjustable face-level heating and ventilation outlets • Windscreen and front side-window demist vents • Air recirculation system • Overhead storage shelf (high roof only) • Two bulkhead-mounted coat hooks • Fade down cabin area courtesy light • Door armrests • Front door pockets with bottle holder

Additional features				Sportive
	Panel van	Sportive	Doublecab	Doublecab
Air conditioning ⁷	0	٠	0	•
Alloy-effect gear lever insert and interior release for front doors		•		•
Cigar lighter and front ashtray				

Mechanical

Standard features • Six-speed manual gearbox • Power-assisted steering

Additional features	Panel van	Sportive	Doublecab	Sportive Doublecab
Tecshift six-speed transmission with sequential manual gearshift and automatic mode (2.0CDTI 16v (115PS) and 2.5CDTI 16v only) ^{2,7}	0	0	0	0
Engine-driven power take-off provision (2.0CDTI 16v (115PS)/2.5CDTI 16v only)	07			
Speed limiter – choice of three: 56mph (90km/h), 62mph (100km/h) or 68mph (110km/h) 8	0	0	0	0
Tow bar with seven-pin electrics	0	0	0	0

Security

Standard features • Remote control central deadlocking (doors, tailgate - when specified, and fuel flap) with internal switch

- Electronic theft protection for audio equipment Electronic engine deadlock immobiliser 'Key left in ignition' audible warning
- Visible Vehicle Identification Number (VIN)
 Steering column lock
 Freewheeling door and steering lock cylinders

Additional features	Panel van	Sportive	Doublecab	Sportive Doublecab
Remote control ultrasonic security alarm system	0	٠	0	•
Selective door locking key				



Matt chrome-effect instrument rings.

- Standard equipment.
- O = Optional at extra cost.
- N/C = No-cost option.
- = Only available as part of an extra-cost option packsee page 35 for more details.
- 1 = Mandates Electric Pack (at extra cost) on high roof models.
- 2 = ESP-plus not available with Tecshift models.
- 3 = Only available in conjunction with optional Electric Pack.
- 4 = CD player/stereo radio (CD 10) fitted to Sportive models when the tachograph option is specified. Digital tachograph is not available with optional audio units.

The digital tachograph option must be specified at time of ordering as it cannot be fitted retrospectively and requires calibration at an approved tachograph centre within 14 days of the vehicle's registration. Please note: The legislation regarding the use of tachographs is complex and operators should seek independent advice or speak to the CV specialist within a Vauxhall Commercial Vehicle retailer to ensure compliance. Alternatively your local DVLA office will also be able to provide clarification of the relevant legislation.

- 5 = Not available in conjunction with speed limiter.
- 6 = Vinyl seat trim is not available with this option. 7 = Engine-driven power take-off option not available in conjunction with air conditioning or Tecshift.
- 8 = Not available in conjunction with cruise control.





Tailgate with heated window and wash/wipe facility (optional).



16-inch five-spoke alloy wheels.

Load area

Standard features • Nearside sliding side-access door • Illuminated load area • Load restraint lashing eyes • Unglazed rear doors (90°/165° opening)

Additional features	Panel van	Sportive	Doublecab	Sportive Doublecab
Full-height steel bulkhead without window	٠	٠		
Full-height steel bulkhead with window	0	0		
Full-height steel load restraint guard behind driver	N/C	N/C		
Full-height ABS plastic bulkhead with window			٠	•
Resin-coated wooden load floor covering	0	0		
FlexxCargo anchorage	0	0	0	0
Delete standard nearside sliding side-access door ⁹	N/C			
Offside sliding side-access door	0	0		
Fixed window in nearside sliding side-access door ¹⁰	0	0		
Sliding window in nearside sliding side-access door ¹⁰	0	0		
Offside sliding side-access door with fixed windows to both nearside and offside doors ¹⁰	0	0		
Offside sliding side-access door with sliding windows to both nearside and offside doors	O10	O10	٠	•
Glazed rear doors (90°/165° opening) ¹¹	0			
Glazed rear doors with heated windows and wash/wipe facility (not with 250° opening glazed rear door option)	0 ¹¹	0 ¹¹	0	0
250° opening unglazed rear doors (LWB standard roof only)	0	0	0	0
250° opening glazed rear doors (LWB standard roof only)	O ¹¹	O ¹¹	0	0
Tailgate with heated window and wash/wipe facility (standard roof only)	011	0 ¹¹	0	0

Wheels and tyres

Features	Panel van	Sportive	Doublecab	Sportive Doublecab
16-inch steel wheels with centre covers and 195/65 R 16 tyres (2700 2.0CDTI 16v)	•			
16-inch steel wheels with centre covers and 205/65 R 16 tyres (2900 2.0CDTI 16v and high roof 2.5CDTI 16v)	٠		٠	
16-inch steel wheels with centre covers and 215/65 R 16 tyres (standard roof 2.5CDTI 16v)	٠		٠	
16-inch five-spoke alloy wheels with 215/65 R 16 tyres	0	٠	0	•
Full-size steel spare wheel	•	•	•	•
Tyre inflation kit in lieu of spare wheel	N/C	N/C	N/C	N/C

Equipment

Exterior features

Standard features • Tinted glass • Two-speed windscreen wipers with variable intermittent wipe and electric screenwash • Lights-on audible warning • Electric headlight beam levelling • Twin adjustable and foldable door mirrors (wide-angle on driver's side) • High-level tail lights • High-level brake light • Twin reversing lights • Rear fog light • Body side-protection mouldings • Side repeat indicators

Additional features	Panel van	Sportive	Doublecab	Sportive Doublecab
Rear parking distance sensors	0	0	0	0
Solar Reflect [®] windscreen	0	0	0	0
Rain-sensitive windscreen wipers				
Automatic Lighting Control (ALC)				
Front fog lights		٠		•
Electrically operated front windows		٠		•
Electrically adjustable/heated door mirrors		•		•
Body-colour door mirrors		٠		•
Body-colour side-protection mouldings		٠		•
Part body-colour front bumper		•		•
Body-colour rear bumper, quarter bumpers and rear light cluster surrounds		٠		•
Two-coat metallic or pearlescent paint	0	12	0	● ¹²
Special paint (restrictions apply – please consult your retailer for availability)	0		0	



Rear parking distance sensors (optional).

Option packs

Features	Panel van	Sportive	Doublecab	Sportive Doublecab
Electric Pack • Electrically operated front windows • Electrically adjustable/heated door mirrors	0	•	0	•
Vision Pack • Rain-sensitive windscreen wipers • Automatic Lighting Control (ALC) • Front fog lights • Selective door locking key • Electric Pack	0		0	
Vision Pack Rain-sensitive windscreen wipers Automatic Lighting Control (ALC) Selective door locking key 		0		0
Smoker Pack ● Cigar lighter ● Front ashtray	0	0	0	0

= Standard equipment.
 O = Optional at extra cost.
 N/C = No-cost option.

= Only available as part of an extra-cost option pack .

- 9 = Not available with full-height bulkhead (with or without window).
- 10 = Fixed or sliding window options for sliding sideaccess door(s) also mandates (at extra cost) glazed rear doors.
- 11 = Only available with optional full-height steel bulkhead with window or no-cost option full-height steel load restraint guard behind driver.
- 12 = Star Silver two-coat metallic paint is standard. Glacier White, Midnight Black, Winterwind and Steel Grey are available as no-cost options.





CD player with MP3 format/stereo radio (CD 10 MP3).



Satellite navigation/CD player with MP3 format/ stereo radio/Bluetooth® (CD 30 BT NAVI).

Audio, communication and navigation

Features	Panel van	Sportive	Doublecab	Sportive Doublecab
CD player with MP3 format/stereo radio (CD 10 MP3) • CD player with MP3 format • AM/FM stereo radio • Auxiliary-in socket • Integrated display • Two 15-watt speakers • Steering column mounted audio controls	•		•	
CD player with MP3 format/stereo radio/Bluetooth® (CD 30 BT) ¹³ • CD player with MP3 format • AM/FM stereo radio • Auxiliary-in socket • Bluetooth® connectivity for compatible mobile phones • Remote monochromatic display • Two 20-watt speakers • Steering column mounted audio controls	0	•	0	•
CD player with MP3 format/stereo radio/Bluetooth® (CD 30 BT USB) ¹³ • CD player with MP3 format • AM/FM stereo radio • Auxiliary-in socket • Bluetooth® connectivity for compatible mobile phones • USB connection • Remote monochromatic display • Two 20-watt speakers • Steering column mounted audio controls	0	0	0	0
Satellite navigation/CD player with MP3 format/stereo radio/Bluetooth® (CD 30 BT NAVI) ¹³ • Satellite navigation system with remote colour monitor • CD player with MP3 format • AM/FM stereo radio • Auxiliary-in socket • Bluetooth [®] connectivity for compatible mobile phones • Two 20-watt speakers • Steering column mounted audio controls	0	0	0	0
Satellite navigation/CD player with MP3 format/stereo radio/Bluetooth® (CD 30 BT NAVI USB) ¹³ • Satellite navigation system with remote colour monitor • CD player with MP3 format • AM/FM stereo radio • Auxiliary-in socket • Bluetooth® connectivity for compatible mobile phones • USB connection • Two 20-watt speakers • Steering column mounted audio controls	0	0	0	0
Roof-mounted flexible aerial	•	٠	٠	•
 (CD 30 BT NAVI)¹³ • Satellite navigation system with remote colour monitor • CD player with MP3 format • AM/FM stereo radio • Auxiliary-in socket • Bluetooth[®] connectivity for compatible mobile phones • Two 20-watt speakers • Steering column mounted audio controls Satellite navigation/CD player with MP3 format/stereo radio/Bluetooth[®] (CD 30 BT NAVI USB)¹³ • Satellite navigation system with remote colour monitor CD player with MP3 format • AM/FM stereo radio • Auxiliary-in socket • Bluetooth[®] (CD 30 BT NAVI USB)¹³ • Satellite navigation system with remote colour monitor • CD player with MP3 format • AM/FM stereo radio • Auxiliary-in socket • Bluetooth[®] connectivity for compatible mobile phones • USB connection • Two 20-watt speakers • Steering column mounted audio controls 		0		

• = Standard equipment. • = Optional at extra cost.

13 = Not available in conjunction with optional digital tachograph.

Satellite navigation

Clear, attractive graphics show the full range of routing information in either day or night modes, including distance, current speed limit, RDS EON route delay information, and estimated arrival time. There is also a choice between bird's eye view and direct overhead view. Maps cover western European countries. The system is easy to operate and can be updated over the internet.

Bluetooth[®] connectivity


Easy to operate, virtually universal in compatibility and included with all optional CD 30 BT and CD 30 BT NAVI audio units – Bluetooth[®] makes mobile phone communication hands-free and safe.

USB facility

The optional CD 30 BT and CD 30 BT NAVI units can also be specified with a USB facility and 3.5mm stereo jack plug. This allows iPod™ and memory stick functionality.



Power and torque curves



90PS/

115PS 2.0CDTI 16v common rail diesel engine

146PS 2.5CDTI 16v common rail diesel engine

Engines

	2.0CDTI 16v (90PS)	2.0CDTI 16v (115PS)	2.5CDTI 16v (146PS)						
Fuel type		Diesel							
Capacity	1995cc	2464cc							
Maximum power	90PS (66kW) @ 3500rpm	115PS (84kW) @ 3500rpm	146PS (107kW) @ 3500rpm						
Maximum torque	240Nm (177 lb.ft.) @ 1500rpm	290Nm (214 lb.ft.) @ 1600rpm	320Nm (236 lb.ft.) @ 1500rpm						
Configuration	4 cylinders	, 4 valves per cylinder, double overhead	camshafts						
Emission compliance		Euro 4							
Fuel/induction system	Fixed geometry turboo Common rail	Variable geometry turbocharger and intercooler. Common rail fuel injection.							
Service interval	20,000 miles or one year (whichever occurs sooner)								

Transmission ratios

	Gear ratios (mph/1000rpm)						
	1	2	3	4	5	6	ratio
2700 2.0CDTI 16v	4.18:1 (4.4)	2.24:1 (8.3)	1.39:1 (13.3)	0.98:1 (18.9)	0.76:1 (24.3)	0.60:1 (30.8)	4.19:1
2900 2.0CDTI 16v	4.18:1 (4.5)	2.24:1 (8.5)	1.39:1 (13.6)	0.98:1 (19.3)	0.76:1 (24.9)	0.60:1 (31.6)	4.19:1
2700/2900 2.5CDTI 16v	3.91:1 (4.9)	2.11:1 (9.1)	1.39:1 (13.9)	0.98:1 (19.7)	0.76:1 (25.4)	0.60:1 (32.2)	4.19:1



Tecshift

Six-speed transmission optional on the 2.0CDTI 16v (115PS) and 2.5CDTI 16v engines



Six-speed manual gearbox.



Six-speed Tecshift transmission (optional).

Vauxhall Assistance and warranties*

- All new Vivaros qualify for a three-year vehicle warranty consisting of a one-year/ unlimited mileage manufacturer's warranty and a second and third year manufacturer's warranty with a 100,000 miles limitation
- Vauxhall Assistance for 12 months from first registration
- Six years' body panel anti-perforation warranty

* = Warranty is only available on vehicles sourced from General Motors UK Limited. Terms and conditions apply – please see your Vauxhall retailer for details.

Transmissions

- Front-wheel drive
- Six-speed manual gearbox
- Six-speed Tecshift transmission
- available at extra cost on 2.0CDTI 16v (115PS) and 2.5CDTI 16v models. Tecshift hydraulic transmission offers all the main features and flexibility of a regular automatic, plus the performance and control of a 'one-touch' manual gearbox.
 Drivers may switch between modes on the move using the gearshift selector

Steering

- Power-assisted rack and pinion system
- Turning circles (kerb-to-kerb/wall-to-wall): SWB – 11.84m (38.8ft.)/12.40m (40.7ft.) LWB – 13.17m (43.2ft.)/13.73m (45.1ft.)
- Turns lock-to-lock: 3.3

Suspension

Front: Independent wishbones with MacPherson spring struts, control arms and separate galvanised, double isolated, vibration reducing subframe.

Rear: Semi-independent with trailing links, progressive-rate mini-block coil springs with rubber bump-stops and telescopic, load-adaptable gas-pressure dampers.

Brakes

- Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD)
- Emergency Brake Assist (EBA)
- Vacuum servo-assisted system
- Dual circuit hydraulic system
- Floor-mounted parking brake lever

Front ventilated disc brakes:

305mm diameter. **Rear disc brakes:** 280mm diameter.

Electrics

Maintenance-free battery: 70Ah. Alternator: 125A.

Body

- Six-year body panel anti-perforation warranty
- Galvanised body panels
- Anti stone-chip mastic coating on sills
- Anti-corrosion wax pumped into sills and other underbody cavities
- Flush-fitted windscreen and rear door glass (when specified)
- Detachable front towing eye
- Rear towing eye

Fuel tank capacity

90 litres (19.8 gallons).

Insurance groups

Range from 4E – 5E dependent on model specified.



Glossary of terms

Plated weight

The maximum weight to which a vehicle or an axle may be loaded, determined either by the design of the components or by legislation. All commercial vehicles must carry a manufacturer's 'plate' showing the vehicle and axle gross 'plated weights.' It is an offence to drive a vehicle in a condition where any of these weights are exceeded.

Kerbweight

The weight of the complete vehicle in standard form, excluding payload and driver but including coolant, oil, 90% full fuel tank and spare wheel where appropriate. Kerbweights quoted in Vauxhall brochures are subject to manufacturing tolerances and to the fitment of optional equipment and accessories. Where load capacity is critical the actual kerbweight should be obtained by weighing the vehicle on a calibrated public weighbridge.

Gross Vehicle Weight (GVW)

The total permissible weight of a vehicle including payload and passengers, as shown on the manufacturer's plate.

Gross Combination Weight (GCW)

The maximum permissible weight of a vehicle, including payload and passengers, combined with the total weight of any trailer it is towing. The maximum GCW weight limit is quoted on the vehicle plate and must not be exceeded.


Payload

The total permissible weight that can be carried without exceeding the vehicle's plated weight. This can be obtained by deducting the kerbweight from the plated Gross Vehicle Weight (GVW). **Please note:** the payload figure does not allow for the weight of the driver or any passengers which should therefore be deducted from the figures shown and are also subject to correct weight distribution.

Maximum towing weight


The maximum weight of any trailer and its load which may be towed within the limit of the vehicle's plated Gross Combination Weight (GCW). It is based on the ability of the vehicle – at full GCW – to restart on a 12% gradient, which is approximately 1 in 8.3, at sea level. At altitudes above 1500 metres, the engine output may drop with a corresponding reduction in towing capability. It is the operator's responsibility to ensure that the trailer noseweight does not cause the rear axle plated weight of the towing vehicle to be exceeded.


Always fit Vauxhall towing attachments and accessories available from your Vauxhall Commercial Vehicle retailer. They are designed specifically for Vauxhall models and carry a 12-month warranty.



Electronic Stability Programme-plus (ESP-plus)


Vivaro's optional ESP-plus system goes one step further than the system usually found on Vauxhall's passenger cars. In understeer situations, the system automatically applies corrective braking to the appropriate rear wheel to correct the tendency; in oversteer situations, it automatically applies the brake to the appropriate front wheel. Because a commercial vehicle is also faced with significant weight and load issues which can influence this tendency to understeer or oversteer by affecting the centre of gravity. Vivaro's ESP system also incorporates a load sensor that adjusts the intensity of the braking effort to suit the demands of the payload. The system is available on all Vivaro models not fitted with the Tecshift transmission.





Measurements are shown in millimetres (inches). All heights are shown unladen.

Panel van



Loadspace volumes cu.m (cu.ft.)

SAE method	SWB LWB		SWB
Standard roof	5.3 (187)	6.2 (219)	2700 std. roof
High roof	7.4 (261)	8.7 (307)	2900 std. roof
VDA method	2900 high roof		
Standard roof	5.0 (177)	5.9 (208)	LWB
High roof	7.1 (251)	8.4 (297)	2900 std. roof
			2000 bigh roof

Ground clearance mm (inches)

SWB	Laden	Unladen		
2700 std. roof	162 (6.4)	185 (7.3)		
2900 std. roof	164 (6.5)	192 (7.5)		
2900 high roof	159 (6.3)	193 (7.6)		
LWB				
2900 std. roof	158 (6.2)	188 (7.4)		
2900 high roof	149 (5.9)	187 (7.4)		

Interior dimensions mm (inches)

Loadspace	SWB	LWB
A Maximum length	2415 (95.1)	2815 (110.8)
B Maximum width	1663 (65.5)	1663 (65.5)
C Maximum height – standard roof	1387 (54.6)	1387 (54.6)
D Maximum height – high roof	1913 (75.3)	1913 (75.3)
E Width between wheel arches	1268 (49.9)	1268 (49.9)
Side door(s)		
Aperture height	1285 (50.6)	1285 (50.6)
Aperture width	1000 (39.4)	1000 (39.4)
Rear doors		
Aperture height – standard roof	1320 (52.0)	1320 (52.0)
Aperture height – high roof	1818 (71.6)	1818 (71.6)
Aperture width (at floor)	1390 (54.7)	1390 (54.7)
Loading height – standard roof	549 (21.6)	542 (21.3)
Loading height – high roof	549 (21.6)	547 (21.5)




Weights and towing data

	Trans-	UK plated weights and kerbweights kg Front axle Rear axle Total					Payload	Plated Gross Combination	
SWB panel van models	mission	Plated	Kerb	Plated	Kerb	GVW	Kerb	kg	Weights (GCW) kg
2700 2.0CDTI 16v (90PS/115PS) std. roof	manual	1450	1095	1550	575	2770	1670	1100	4770
2700 2.0CDTI 16v (115PS) std. roof	Tecshift	1450	1107	1550	575	2735	1682	1053	4735
2700 2.5CDTI 16v (146PS) std. roof	manual	1560	1151	1650	577	2820	1728	1092	4820
2700 2.5CDTI 16v (146PS) std. roof	Tecshift	1580	1163	1650	578	2830	1741	1089	4830
2700 2.0CDTI 16v (115PS) Sportive std. roof	manual	1450	1121	1550	586	2770	1707	1063	4770
2700 2.0CDTI 16v (115PS) Sportive std. roof	Tecshift	1450	1133	1550	586	2735	1719	1016	4735
2700 2.5CDTI 16v (146PS) Sportive std. roof	manual	1560	1177	1650	588	2820	1765	1055	4820
2700 2.5CDTI 16v (146PS) Sportive std. roof	Tecshift	1560	1189	1650	589	2830	1778	1052	4830
2900 2.0CDTI 16v (90PS/115PS) std. roof	manual	1580	1101	1650	580	2935	1681	1254	4935
2900 2.0CDTI 16v (115PS) std. roof	Tecshift	1580	1113	1650	580	2945	1693	1252	4945
2900 2.5CDTI 16v (146PS) std. roof	manual	1580	1152	1650	577	2985	1729	1256	4985
2900 2.5CDTI 16v (146PS) std. roof	Tecshift	1580	1164	1650	578	2995	1742	1253	4995
2900 2.0CDTI 16v (90PS/115PS) high roof	manual	1580	1098	1650	654	2920	1752	1168	4920
2900 2.0CDTI 16v (115PS) high roof	Tecshift	1580	1110	1650	655	2935	1765	1170	4935
2900 2.5CDTI 16v (146PS) high roof	manual	1580	1149	1650	653	2975	1802	1173	4975
2900 2.5CDTI 16v (146PS) high roof	Tecshift	1580	1161	1650	653	2985	1814	1171	4985
LWB panel van models 2900 2.0CDTI 16v (90PS/115PS) std. roof		1 5 0 0	1105	1/50	F00	20/0	1717	12/2	4960
2900 2.0CDTI 16V (90PS/115PS) std. roof 2900 2.0CDTI 16v (115PS) std. roof	manual Tecshift	1580 1580	1135 1147	1650 1650	582 582	2960 2930	1717	1243 1201	4980
2900 2.5CDTI 16V (115PS) std. roof	manual	1620	1147	1650	582	3035	1729	1201	5035
2900 2.5CDTI 16V (146PS) std. 1001	Tecshift	1620	1185	1650	579	3035	1704	1271	5005
2900 2.0CDTI 16v (115PS) Sportive std. roof	manual	1580	1197	1650	593	2960	1754	1228	4960
2900 2.0CDTI 16v (115PS) Sportive std. roof	Tecshift	1580	1173	1650	593	2930	1766	1164	4930
2900 2.5CDTI 16v (146PS) Sportive std. roof	manual	1620	1211	1650	590	3035	1801	1234	5035
2900 2.5CDTI 16v (146PS) Sportive std. roof	Tecshift	1620	1223	1650	590	3005	1813	1192	5005
2900 2.0CDTI 16v (90PS/115PS) high roof	manual	1620	1137	1650	665	3010	1802	1208	5010
2900 2.0CDTI 16v (115PS) high roof	Tecshift	1620	1149	1650	665	3025	1814	1200	5025
2900 2.5CDTI 16v (146PS) high roof	manual	1620	1188	1650	664	3065	1852	1213	5065
2900 2.5CDTI 16v (146PS) high roof	Tecshift	1620	1200	1650	664	3070	1864	1213	5070
	10001110		.200		00.	0070		.200	


Note: Kerbweights for standard vehicles include coolant, oil, 90% full fuel tank and spare wheel. They will vary according to the vehicle specification (including options and accessories) with a corresponding variation in payload. Payload figures do not allow for the weight of the driver, or any passengers, which should therefore be deducted from the figures shown and are also subject to correct weight distribution. Gross plated weights (including axie weights) quoted on the vehicle plate must never be exceeded. Roof load maximum 200kg (includes weight of roof carrier) when Vauxhall approved carrier system used. Towing weights should not exceed 750kg (unbraked trailer) or 2000kg (braked trailer).






Measurements are shown in millimetres (inches). All heights are shown unladen.

Doublecab





Loadspace volumes cu.m (cu.ft.)

SAE method	SWB	LWB
Standard roof	3.3 (116)	4.2 (148)

Interior dimensions mm (inches)

Loadspace	SWB	LWB				
A1 Maximum length at load floor	1900 (74.8)	2300 (90.5)				
A2 Maximum length behind rear seats	1400 (55.1)	1800 (70.9)				
B Maximum width	1663 (65.5)	1663 (65.5)				
C Maximum height	1387 (54.6)	1387 (54.6)				
D Width between wheel arches	1268 (49.9)	1268 (49.9)				
Side doors						
Aperture height	1285 (50.6)	1285 (50.6)				
Aperture width	1000 (39.4)	1000 (39.4)				
Rear doors						
Aperture height – standard roof	1320 (52.0)	1320 (52.0)				
Aperture width (at floor)	1390 (54.7)	1390 (54.7)				
Loading height – standard roof	549 (21.6)	542 (21.3)				

	Trans-	UK plated weights and kerbweights kg Front axle Rear axle Total					Dayland	Plated Gross Combination	
SWB doublecab models	mission	Plated	Kerb	Plated	Kerb	GVW	Kerb	Payload kg	Weights (GCW) kg
2900 2.0CDTI 16v (90PS/115PS)	manual	1580	1161	1650	643	2935	1804	1131	4935
2900 2.0CDTI 16v (115PS)	Tecshift	1580	1173	1650	643	2945	1816	1129	4945
2900 2.5CDTI 16v (146PS)	manual	1580	1212	1650	640	2985	1852	1133	4985
2900 2.5CDTI 16v (146PS)	Tecshift	1580	1224	1650	641	2995	1865	1130	4995
2900 2.0CDTI 16v (115PS) Sportive	manual	1580	1187	1650	654	2935	1841	1094	4935
2900 2.0CDTI 16v (115PS) Sportive	Tecshift	1580	1199	1650	654	2945	1853	1092	4945
2900 2.5CDTI 16v (146PS) Sportive	manual	1580	1238	1650	651	2985	1889	1096	4985
2900 2.5CDTI 16v (146PS) Sportive	Tecshift	1580	1250	1650	652	2995	1902	1093	4995
LWB doublecab models									
2900 2.0CDTI 16v (90PS/115PS)	manual	1580	1195	1650	645	2960	1840	1120	4960
2900 2.0CDTI 16v (115PS)	Tecshift	1580	1207	1650	645	2930	1852	1078	4930
2900 2.5CDTI 16v (146PS)	manual	1620	1245	1650	642	3035	1887	1148	5035
2900 2.5CDTI 16v (146PS)	Tecshift	1620	1257	1650	643	3005	1900	1105	5005
2900 2.0CDTI 16v (115PS) Sportive	manual	1580	1221	1650	656	2960	1877	1083	4960
2900 2.0CDTI 16v (115PS) Sportive	Tecshift	1580	1233	1650	656	2930	1889	1041	4930
2900 2.5CDTI 16v (146PS) Sportive	manual	1620	1271	1650	653	3035	1924	1111	5035
2900 2.5CDTI 16v (146PS) Sportive	Tecshift	1620	1283	1650	654	3005	1937	1068	5005

Note: Kerbweights for standard vehicles include coolant, oil, 90% full fuel tank and spare wheel. They will vary according to the vehicle specification (including options and accessories) with a corresponding variation in payload. Payload figures do not allow for the weight of the driver, or any passengers, which should therefore be deducted from the figures shown and are also subject to correct weight distribution. Gross plated weights (including axle weights) quoted on the vehicle plate must never be exceeded. Roof load maximum 200kg (includes weight of roof carrier) when Vauxhall approved carrier system used. Towing weights should not exceed 750kg (unbraked trailer).

Fuel economy and emissions

		Fuel economy mpg (litres/100km)		
All panel van/doublecab models	Urban driving	Extra-urban driving	Combined figure	CO ₂ (g/km)
2.0CDTI (90/115PS)	33.2 (8.5)	42.8 (6.6)	38.7 (7.3)	195
2.0CDTI (115PS) Tecshift	35.8 (7.9)	41.5 (6.8)	39.2 (7.2)	192
2.5CDTI	27.2 (10.4)	37.2 (7.6)	32.5 (8.7)	229
2.5CDTI Tecshift	31.0 (9.1)	35.8 (7.9)	34.0 (8.3)	220

Fuel consumption and CO₂ emission data complies with the relevant EU regulations. **Important**: the results given relate to the particular vehicle tested; inevitably there are differences between individual vehicles of the same model. Driving style, road and traffic conditions, vehicle mileage and standard of maintenance may also affect fuel consumption.

Trust Vauxhall

Protecting the environment

Vauxhall's commitment to the environment is demonstrated by our products' many environmental awards, won both through the use of more recycled materials and by becoming cleaner and more efficient. For information on Vauxhall's efforts to achieve an environmentally sustainable future, see www.vauxhall.co.uk/recycling

Fleet Customer Services

Our dedicated support services for fleet managers includes factory demonstrators and information on whole life costs, company car and van taxation and finance. For further information please call **0870 010 0651**.

Vauxhall Extended Warranty

For complete peace of mind Vauxhall offers an extended warranty that can be purchased on an annual basis following the expiry of the original new vehicle warranty. It covers most mechanical and electrical components. Terms and conditions apply. for further details please contact your local Vauxhall Commercial Vehicle retailer.

Business Lease

Business Lease, from GMAC, offers the versatility of a purchase-based finance plan, while making the most efficient use of tax and cash-flow benefits for VAT-registered business users. It's available for all Vauxhall Commercial Vehicles up to 12 months old and offers highly flexible term lengths, variable deposits and a choice of payment profiles. Ask your retailer for full details.

Business First

Available to business users only. Business First enables you to drive a new vehicle without a large, initial financial outlay. You pay to use the vehicle, not to own it. The vehicle is provided over a predetermined period, and when that period comes to an end the vehicle is returned. Ask your retailer for full details.

Servicing and maintenance

The best way to maximise the performance and reliability of your Vauxhall is to have all routine servicing and maintenance carried out at a Vauxhall Commercial Vehicle retailer. Nationwide there are over 250 light commercial vehicle retailers and a further 195 heavy commercial vehicle retailers.

In the event of an accident...

Vauxhall Accident Support helps keep you mobile following an accident. Benefits include scene-of-accident advice, message service, assistance with claims and vehicle recovery. For further details call **0800 010 304**.

Premier Service Centres

Our Premier Service Centres feature a guaranteed same day repair service (provided the parts are in stock) and an appointment-free service for diagnosis and repairs taking less than 90 minutes. All repairs are carried out within 24 hours of the diagnosis.

For more information...

For a brochure on any Vauxhall model (up to a maximum of three per caller) or location of your nearest retailer, call **0845 600 1500**.

Alternatively, details can be found on our website at: **www.vauxhall.co.uk/vans**



Vivaro 2011 Models Edition 1 (VM1009015)

Please note: Vivaro panel van and doublecab base models will be fitted with the full-diameter flush wheel cover, shown above.

12/10

VM1009163

Every effort has been made to ensure that the contents of this publication were accurate and up-to-date at the time of going to press (October 2010). Vauxhall vehicles are equipped with components manufactured by various General Motors operating units and outside suppliers. The Company reserves the right to alter specifications and withdraw products from sale without notice. Any such alterations will be notified to Vauxhall retailers at the aeritest opportunity; please consulty our local retailer for the laterst information. The specifications detailed within this brochure are not necessarily applicable to alternative. Details of any such alterations will be notified to Vauxhall retailers at the aeritest opportunity; please consulty our local retailer for the laterst information. The specifications and with draw products from sale without models such as Specific Editions. Details of any such amount is please note accessarily applicable to alternative models such as Specific Editions. Details of any such amount is please note accessarily applicable to alternative and are not authonised to bind with any specific or inplied undertainton. It is advisable to ensure that your motor insurance policy provides adequate cover for additional filted options and accessones. Please note accessones show and ero filtusaritive purposes only. As part of Vauxhall's policy of environmental care, this brochure is printed on paper manufactured using Emental Chlorine Free pulps from specially farmed, sustainable timber resources. All rights reserved. No part of this publication may approxemany and presented on the date and any form or by any means. witten permission of General Motors UK Limited.

VM1009015 ©2010 General Motors UK Limited Published June 2010 (Amended October 2010)

General Motors UK Limited, Luton LU1 3YT



COMMERCIAL VEHICLES The Wheels of Business